

Myocardial Stunning

Bibliography of Key Papers

Afridi I, Kleiman NS, Raizner AE, Zoghbi WA.

Dobutamine echocardiography in myocardial hibernation: optimal dose and accuracy in predicting recovery of ventricular function after coronary angioplasty.

Circulation. 1995;91:663-670.

Alam M, Khaja F, Brymer J, Marzelli M, Goldstein S.

Echocardiographic evaluation of left ventricular function during coronary artery angioplasty.

Am J Cardiol. 1986;57:20-25.

Alderman EL, Fisher LD, Litwin P, et al.

Results of coronary artery surgery in patients with poor left ventricular function (CASS).

Circulation. 1983;68:785-795.

Ambrosio G, Jacobus WE, Bergman CA, Weisman HF, Becker LC.

Preserved high energy phosphate metabolic reserve in globally "stunned" hearts despite reduction of basal ATP content and contractility.

J Mol Cell Cardiol. 1987;19:953-964.

Ambrosio G, Jacobus WE, Mitchel MC, Litt MR, Becker LC.

Effects of ATP precursors on ATP and free ADP content and functional recovery of postischemic hearts.

Am J Physiol. 1989;256:H560-H566.

Ambrosio G, Losi MA, Perrone Filardi P, et al.

Persistence of contractile impairment in the absence of flow abnormalities after exercise: evidence for myocardial stunning in patients with stable angina.

Circulation. 1993;88(suppl I):I-646. Abstract.

Ambrosio G, Weisfeldt ML, Jacobus WE, et al.

Evidence for a reversible oxygen radical-mediated component of reperfusion injury: reduction by recombinant human superoxide dismutase administered at the time of reflow.

Circulation. 1987;75:282-291.

Ambrosio G, Zweier JL, Jacobus WE, Weisfeldt ML, Flaherty JT.

Improvement of postischemic myocardial function and metabolism induced by administration of desferrioxamine at the time of reflow: the role of iron in the pathogenesis of reperfusion injury.

Circulation. 1987;76:906-915.

Anderson JL, Marshall HW, Askins JC, et al.

A randomized trial of intravenous and intracoronary streptokinase in patients with acute myocardial infarction.

Circulation. 1984;70:606-618.

Bibliography of Key Papers

- Anderson JL, Marshall HW, Bray BE, et al.** *A randomized trial of intracoronary streptokinase in the treatment of acute myocardial infarction.*
N Engl J Med. 1983;308:1313-1318.
-
- Asinger RW, Peterson DA, Elsperger KJ, Homans D.** *Long-term recovery of LV wall thickening after 1 hour of ischemia is not affected when superoxide dismutase and catalase are administered during the first 45 minutes of reperfusion.*
J Am Coll Cardiol. 1988;2:163A. Abstract.
-
- Auchampach JA, Maruyama M, Cavero I, Gross GJ.** *Pharmacological evidence for a role of ATP-dependent potassium channels in myocardial stunning.*
Circulation. 1992;86:311-319.
-
- Baker WB, Klein MS, Reardon MJ, Verani MS, Zoghbi WA.** *Reversible cardiac dysfunction (hibernation) from ischemia due to compression of the coronary arteries by a pseudoaneurysm.*
N Engl J Med. 1991;325:1858-1861.
-
- Ballantyne CM, Verani MS, Short HD, Hyatt C, Noon GP.** *Delayed recovery of severely "stunned" myocardium with the support of a left ventricular assist device after coronary artery bypass graft surgery.*
J Am Coll Cardiol. 1987;10:710-712.
-
- Barilla F, Gheorghide M, Alam M, Khaja F, Goldstein S.** *Low-dose dobutamine in patients with acute myocardial infarction identifies viable but not contractile myocardium and predicts the magnitude of improvement in wall motion abnormalities in response to coronary revascularization.*
Am Heart J. 1991;122:1522-1531.
-
- Bateman TM, Czer LSC, Gray RJ, et al.** *Transient pathologic Q-waves during acute ischemic events: an electrocardiographic correlate of stunned but viable myocardium.*
Am Heart J. 1983;6:1421-1426.
-
- Becker LC, Levine JH, DiPaula AF, Guarnieri T, Aversano TR.** *Reversal of dysfunction in postischemic stunned myocardium by epinephrine and postextrasystolic potentiation.*
J Am Coll Cardiol. 1986;7:580-589.
-
- Bennett WR, Yawn DH, Migliore PJ, et al.** *Activation of the complement system by recombinant tissue plasminogen activator.*
J Am Coll Cardiol. 1987;10:627-632.
-
- Berger HJ, Reduto LA, Johnston DE, et al.** *Global and regional left ventricular response to bicycle exercise in coronary artery disease: assessment by quantitative radionuclide angiocardiology.*
Am J Med. 1979;66:13-21.
-
- Bigger JT Jr, Fleiss JL, Kleiger R, et al.** *The relationships among ventricular arrhythmias, left ventricular dysfunction, and mortality in the 2 years after myocardial infarction.*
Circulation. 1984;69:250-258.
-



Bibliography of Key Papers

-
- Bolli R.** *Mechanism of myocardial “stunning.”*
Circulation. 1990;82:723-738.
-
- Bolli R.** *Superoxide dismutase 10 years later: a drug in search of a use.*
J Am Coll Cardiol. 1991;18:231-233.
-
- Bolli R.** *Myocardial “stunning” in man.*
Circulation. 1992;86:1671-1691.
-
- Bolli R.** *Role of neutrophils in myocardial stunning after brief ischemia: the end of a six-year-old controversy (1987-1993).*
Cardiovasc Res. 1993;27:728-730.
-
- Bolli R.** *Role of oxygen radicals in myocardial stunning. In: Kloner RA, Przyklenk K, eds. Stunned Myocardium: Properties, Mechanisms and Clinical Manifestations.*
New York, NY: Marcel Dekker; 1993:155-195.
-
- Bolli R.** *Common methodological problems and artifacts associated with studies of myocardial stunning in vivo.*
Basic Res Cardiol. 1995;90:257-262.
-
- Bolli R, Hartley CJ, Chelly JE, et al.** *An accurate nontraumatic ultrasonic method to monitor myocardial wall thickening in patients undergoing cardiac surgery.*
J Am Coll Cardiol. 1990;15:1055-1065.
-
- Bolli R, Jeroudi MO, Patel BS, et al.** *Direct evidence that oxygen-derived free radicals contribute to postischemic myocardial dysfunction in the intact dog.*
Proc Natl Acad Sci USA. 1989;86:4695-4699.
-
- Bolli R, Jeroudi MO, Patel BS, et al.** *Marked reduction of free radical generation and contractile dysfunction by antioxidant therapy begun at the time of reperfusion: evidence that myocardial “stunning” is a manifestation of reperfusion injury.*
Circ Res. 1989;65:607-622.
-
- Bolli R, McCay PB.** *Use of spin traps in intact animals undergoing myocardial ischemia/reperfusion: a new approach to assessing the role of oxygen radicals in myocardial “stunning.”*
Free Radic Res Commun. 1990;9:169-180.
-
- Bolli R, Patel BS, Hartley CJ, Thornby JI, Jeroudi MO, Roberts R.** *Nonuniform transmural recovery of contractile function in the “stunned” myocardium.*
Am J Physiol. 1989;257:H375-H385.
-
- Bolli R, Patel BS, Jeroudi MO, et al.** *Iron-mediated radical reactions upon reperfusion contribute to myocardial “stunning.”*
Am J Physiol. 1990;259:H1901-H1911.
-

Bibliography of Key Papers

- Bolli R, Patel BS, Jeroudi MO, Lai EK, McCay PB.** *Demonstration of free radical generation in “stunned” myocardium of intact dogs with the use of the spin trap A-phenyl-N-tert-butyl nitrene.*
J Clin Invest. 1988;82:476-485.
-
- Bolli R, Patel BS, Zhu WX, O’Neill PG, Charlat ML, Roberts R.** *The iron chelator desferrioxamine attenuates postischemic ventricular dysfunction.*
Am J Physiol. 1987;253:H1372-H1380.
-
- Bolli R, Zhu WX, Hartley CJ, et al.** *Attenuation of dysfunction in the postischemic “stunned” myocardium by dimethylthiourea.*
Circulation. 1987;76:458-468.
-
- Bolli R, Zhu WX, Myers ML, Hartley CJ, Roberts R, Kloner RA.** *Beta-adrenergic stimulation reverses postischemic myocardial dysfunction without producing subsequent functional deterioration.*
Am J Cardiol. 1985;56:964-968.
-
- Bolli R, Zhu WX, Thornby JI, O’Neill PG, Roberts R.** *Time-course and determinants of recovery of function after reversible ischemia in conscious dogs.*
Am J Physiol. 1988;254:H102-H114.
-
- Bolli R, Zughuib M, Li XY, et al.** *Recurrent ischemia in the canine heart causes recurrent bursts of free radical production that have a cumulative effect on contractile function: a pathophysiological basis for chronic myocardial “stunning.”*
J Clin Invest. 1995;96:1066-1084.
-
- Bourdillon PDV, Broderick TM, Williams ES, et al.** *Early recovery of regional left ventricular function after reperfusion in acute myocardial infarction assessed by serial two-dimensional echocardiography.*
Am J Cardiol. 1989;63:641-646.
-
- Braunwald E, Kloner RA.** *The stunned myocardium: prolonged, postischemic ventricular dysfunction.*
Circulation. 1982;66:1146-1149.
-
- Braunwald E, Rutherford JD.** *Reversible ischemic left ventricular dysfunction: evidence for the “hibernating myocardium.”*
J Am Coll Cardiol. 1986;8:1467-1470.
-
- Breisblatt WM, Stein KL, Wolfe CJ, et al.** *Acute myocardial dysfunction and recovery: a common occurrence after coronary bypass surgery.*
J Am Coll Cardiol. 1990;15:1261-1269.
-
- Bush LR, Buja LM, Samowitz W, et al.** *Recovery of left ventricular segmental function after long-term reperfusion following temporary coronary occlusion in conscious dogs: comparison of 2- and 4-hour occlusions.*
Circ Res. 1983;53:248-263.
-
- Casale AS, Bulkley GB, Bulkley BH, Flaherty JT, Gott VL, Gardner TJ.** *Oxygen free radical scavengers protect the arrested globally ischemic heart upon reperfusion.*
Surg Forum. 1983;34:313-316.
-



Bibliography of Key Papers

-
- Charlat ML, O'Neill PG, Egan JM, et al.** *Evidence for a pathogenetic role of xanthine oxidase in the "stunned" myocardium.*
Am J Physiol. 1989;252:H566-H577.
-
- Charlat ML, O'Neill PG, Hartley CJ, Roberts R, Bolli R.** *Prolonged abnormalities of left ventricular diastolic wall thinning in the "stunned" myocardium in conscious dogs: time-course and relation to systolic function.*
J Am Coll Cardiol. 1989;13:185-194.
-
- Charney R, Schwinger ME, Chun J, et al.** *Dobutamine echocardiography and resting-redistribution thallium-201 scintigraphy predicts recovery of hibernating myocardium after coronary revascularization.*
Am Heart J. 1994;128:864-869.
-
- Charuzi Y, Beeder C, Marshall LA, et al.** *Improvement in regional and global left ventricular function after intracoronary thrombolysis: assessment with two-dimensional echocardiography.*
Am J Cardiol. 1984;53:662-665.
-
- Cigarroa CG, deFilippi CR, Brickner E, Alvarez LG, Wait MA, Grayburn PA.** *Dobutamine stress echocardiography identifies hibernating myocardium and predicts recovery of left ventricular function after coronary revascularization.*
Circulation. 1993;88:430-436.
-
- Cohen MV, Downey JM.** *Myocardial stunning in dogs: preconditioning effect and influence of coronary collateral flow.*
Am Heart J. 1990;120:282-291.
-
- Cunningham JN Jr, Adams PX, Knopp EA, et al.** *Preservation of ATP, ultrastructure, and ventricular function after aortic cross-clamping and reperfusion: clinical use of blood potassium cardioplegia.*
J Thorac Cardiovasc Surg. 1979;78:708-720.
-
- Czer L, Hamer A, Murphy F, et al.** *Transient hemodynamic dysfunction after myocardial revascularization: temperature dependence.*
J Thorac Cardiovasc Surg. 1983;86:226-234.
-
- Davies SW, Ranjadayalan K, Wickens DG, Dormandy TL, Timmis AD.** *Free radicals, reperfusion and thrombolysis.*
Eur Heart J. 1989;10(suppl):274.
-
- de Zwaan C, Cheriex EC, Braat SHJG, Stappers JLM, Wellens HJJ.** *Improvement of systolic and diastolic left ventricular wall motion by serial echocardiograms in selected patients treated for unstable angina.*
Am Heart J. 1991;121:789-797.
-
- Deanfield JE, Selwyn AP, Chierchia S, et al.** *Myocardial ischaemia during daily life in patients with stable angina: its relation to symptoms and heart rate changes.*
Lancet. 1983;2:753-758.
-
- Deantonio HJ, Kaul S, Lerman BB.** *Reversible myocardial depression in survivors of cardiac arrest.*
PACE. 1990;13:982-985.
-

Bibliography of Key Papers

-
- Distante A, Rovai D, Picano E, et al.** *Transient changes in left ventricular mechanics during attacks of Prinzmetal's angina: an M-mode echocardiographic study.*
Am Heart J. 1984;107:465-473.
-
- Distante A, Rovai D, Picano E, et al.** *Transient changes in left ventricular mechanics during attacks of Prinzmetal angina: a two-dimensional echocardiography study.*
Am Heart J. 1984;108:440-446.
-
- Doorey AJ, Mehmehl HC, Schwartz FX, Kuble W.** *Amelioration by nitroglycerin of left ventricular ischemia induced by percutaneous transluminal coronary angioplasty: assessment by hemodynamic variables and left ventriculography.*
J Am Coll Cardiol. 1985;6:267-274.
-
- Dunlap E, Millard RW.** *Amlodipine, a new long-acting calcium channel blocking agent, improves recovery of "stunned" myocardium.*
Pharmacologist. 1989;31:145. Abstract.
-
- Dymond DS, Foster C, Grenier RP, Carpenter J, Schmidt DH.** *Peak exercise and immediate postexercise imaging for the detection of left ventricular function abnormalities in coronary artery disease.*
Am J Cardiol. 1984;53:1532-1537.
-
- Eddy LJ, Stewart JR, Jones HP, Engerson TD, McCord JM, Downey JM.** *Free-radical producing enzyme, xanthine oxidase, is undetectable in human hearts.*
Am J Physiol. 1987;253:H709-H711.
-
- Ehring T, Baumgart D, Krajcar M, Hummelgen M, Kompa S, Heusch G.** *Attenuation of myocardial stunning by the ACE inhibitor ramiprilat through a signal cascade of bradykinin and prostaglandins but not nitric oxide.*
Circulation. 1994;90:1368-1385.
-
- Ehring T, Boehm M, Heusch G.** *The calcium antagonist nisoldipine improves the functional recovery of reperfused myocardium only when given before ischemia.*
J Cardiovasc Pharmacol. 1992;20:63-74.
-
- Ellis SE, Wynne J, Braunwald E, Henschke CI, Sandor T.** *Response of reperfusion-salvaged, stunned myocardium to inotropic-stimulation.*
Am Heart J. 1984;107:9-13.
-
- Erbel R, Pop T, Henrichs K, et al.** *Percutaneous transluminal coronary angioplasty after thrombolytic therapy: a prospective controlled randomized trial.*
J Am Coll Cardiol. 1986;8:485-495.
-
- Farber NE, Vercellotti GM, Jacobs HS, Pieper GM, Gross GJ.** *Evidence for a role of iron-catalyzed oxidants in functional and metabolic stunning in the canine heart.*
Circ Res. 1988;63:351-360.
-
- Ferrari R, Alfieri O, Curello S, et al.** *Occurrence of oxidative stress during reperfusion of the human heart.*
Circulation. 1990;81:201-211.
-



Bibliography of Key Papers

-
- Ferreira R, Llesuy S, Milei J, et al.** *Assessment of myocardial oxidative stress in patients after myocardial revascularization.*
Am Heart J. 1988;115:307-312.
-
- Forman MB, Puett DW, Cates CU, et al.** *Glutathione redox pathway and reperfusion injury. Effect of N-acetylcysteine on infarct size and ventricular function.*
Circulation. 1988;78:202-213.
-
- Foster E, O'Kelly B, LaPidus A, et al.** *Segmental analysis of resting echocardiography function and stress scintigraphic perfusion: implications for myocardial viability.*
Am Heart J. 1995;129:7-14.
-
- Fournier C, Boujon B, Hebert JL, Zamani K, Grimon G, Blondeau M.** *Stunned myocardium following coronary spasm.*
Am Heart J. 1991;121:593-595.
-
- Fremes SE, Christakis GT, Weisel RD, et al.** *A clinical trial of blood and crystalloid cardioplegia.*
J Thorac Cardiovasc Surg. 1984;88:725-741.
-
- Fremes SE, Weisel RD, Mickle DAG, et al.** *Myocardial metabolism and ventricular function following cold potassium cardioplegia.*
J Thorac Cardiovasc Surg. 1985;89:531-546.
-
- Fuster V, Badimon L, Badimon JJ, Chesebro JH.** *The pathogenesis of coronary artery disease and the acute coronary syndromes*
N Engl J Med. 1992;326:242-250;310-318.
-
- Gardner TJ.** *Oxygen radicals in cardiac surgery.*
Free Radic Biol Med. 1988;4:45-50.
-
- Garlick PB, Davies MJ, Hearse DJ, Slater TF.** *Direct detection of free radicals in the reperfused rat heart using electron spin resonance spectroscopy.*
Circ Res. 1987;61:757-760.
-
- Gottlieb SO, Weisfeldt ML, Ouyang P, Mellits ED, Gerstenblith G.** *Silent ischemia as a marker for early unfavorable outcomes in patients with unstable angina.*
N Engl J Med. 1986;314:1214-1219.
-
- Gray R, Maddhai J, Berman D, et al.** *Scintigraphic and hemodynamic demonstration of transient left ventricular dysfunction immediately after uncomplicated coronary artery bypass grafting.*
J Thorac Cardiovasc Surg. 1979;77:504-510.
-
- Grinwald PM.** *Calcium uptake during postischemic reperfusion in the isolated rat heart: influence of extracellular sodium.*
J Mol Cell Cardiol. 1982;14:359-365.
-
- Gross GJ, Farber NE, Hardman HF, Warltier DC.** *Beneficial actions of superoxide dismutase and catalase in stunned myocardium of dogs.*
Am J Physiol. 1986;250:H372-H377.
-

Bibliography of Key Papers

-
- Guarnieri T.** *Direct measurement of $[Ca^{2+}]_i$ in early and late reperfused myocardium.*
Circulation. 1989;80(suppl II):II-241. Abstract.
-
- Hartley CJ, Rabinovitz RS, Lee HS, Chelly JE, Noon GP, Bolli R.** *Postoperative measurements of ventricular function in man using an implantable ultrasonic sensor. In: West AL, ed. Catheter-Based Sensing and Imaging Technology.*
Proc SPIE; 1989:1068:53-58.
-
- Hauser AM, Gangadharan V, Ramos RG, Gordon S, Timmis GC, Dudlets P.** *Sequence of mechanical, electrocardiographic and clinical effects of repeated coronary artery occlusion in human beings: echocardiographic observations during coronary angioplasty.*
J Am Coll Cardiol. 1985;5:193-197.
-
- Hearse DJ.** *Stunning: a radical review.*
Cardiovasc Drugs Ther. 1991;5:853-876.
-
- Hearse DJ, Humphrey SM, Bullock GR.** *The oxygen paradox and the calcium paradox: two facets of the same problem?*
J Mol Cell Cardiol. 1978;10:641-668.
-
- Heusch G.** *Myocardial stunning: a role for calcium antagonists during ischemia?*
Cardiovasc Res. 1992;26:14-19.
-
- Heusch G, Schafer S, Kroger K.** *Recruitment of inotropic reserve in "stunned" myocardium by the cardiotonic agent AR-L 57.*
Basic Res Cardiol. 1988;83:602-610.
-
- Heyndrickx GR, Baig H, Nellens P, Leusen I, Fishbein MC, Vatner SF.** *Depression of regional blood flow and wall thickening after brief coronary occlusions.*
Am J Physiol. 1978;234:H653-H659.
-
- Heyndrickx GR, Millard RW, McRitchie RJ, Maroko PR, Vatner SF.** *Regional myocardial functional and electrophysiological alterations after brief coronary artery occlusion in conscious dogs.*
J Clin Invest. 1975;56:978-985.
-
- Hittinger L, Shannon RP, Kohin S, Manders WT, Kelly P, Vatner SF.** *Exercise-induced subendocardial dysfunction in dogs with left ventricular hypertrophy.*
Circ Res. 1990;66:329-343.
-
- Homans DC, Asinger R, Pavek T, et al.** *Effect of superoxide dismutase and catalase on regional dysfunction after exercise-induced ischemia.*
Am J Physiol. 1992;263:H392-H398.
-
- Homans DC, Laxson DD, Sublett E, Lindstrom P, Bache RJ.** *Cumulative deterioration of myocardial function after repeated episodes of exercise-induced ischemia.*
Am J Physiol. 1989;256(Heart Circ Physiol 25):H1462-H1471.
-



Bibliography of Key Papers

-
- Homans DC, Sublett E, Dai XZ, Bache RJ.** *Persistence of regional left ventricular dysfunction after exercise-induced myocardial ischemia.*
J Clin Invest. 1986;77:66-73.
-
- Illes RW, Silverman NA, Krukenkamp IB, del Nido PJ, Levitsky S.** *Amelioration of postischemic stunning by deferoxamine-blood cardioplegia.*
Circulation. 1989;80(suppl III):III-30-III-35.
-
- Ito BR, Tate H, Kobayashi M, Schaper W.** *Reversibly injured, postischemic canine myocardium retains normal contractile reserve.*
Circ Res. 1987;61:834-846.
-
- Ito H, Tomooka T, Sakai N, et al.** *Time-course of functional improvement in stunned myocardium in risk area in patients with reperfused anterior infarction.*
Circulation. 1993;87:355-362.
-
- Jarasch ED, Bruder G, Heid HW.** *Significance of xanthine oxidase in capillary endothelial cells.*
Acta Physiol Scand. 1986;548(suppl):39-46.
-
- Jennings RB, Reimer KA.** *Factors involved in salvaging ischemic myocardium. Effects of reperfusion of arterial blood.*
Circulation. 1983;68(suppl I):125-136.
-
- Jeroudi MO, Cheirif J, Habib G, Bolli R.** *Prolonged wall motion abnormalities after chest pain at rest in patients with unstable angina: a possible manifestation of myocardial stunning.*
Am Heart J. 1994;127:1241-1250.
-
- Jeroudi MO, Tang XL, Abd-Elfattah AS, Bolli R.** *Effect of adenosine on myocardial stunning. In: Abd-Elfattah AS, Wechsler AS, eds. Purines and Myocardial Protection.*
Boston, Mass: Kluwer Academic Publishers; 1996:297-313.
-
- Jeroudi MO, Tang XL, Abd-Elfattah A, Sun JZ, Bolli R.** *Effect of adenosine A₁-receptor activation on myocardial stunning in intact dogs.*
Circulation. 1994;90:I-479. Abstract.
-
- Jeroudi MO, Triana FJ, Patel BS, Bolli R.** *Effect of superoxide dismutase and catalase, given separately, on myocardial "stunning."*
Am J Physiol. 1990;259:H889-H901.
-
- Johnson DL, Homeffer PJ, Dinatale JM Jr, Gott VL, Gardner TJ.** *Free radical scavengers improve functional recovery of stunned myocardium in a model of surgical coronary revascularization.*
Surgery. 1987;102:334-340.
-
- Kaneko M, Beamish RE, Dhalla NS.** *Depression of heart sarcolemmal Ca²⁺-pump activity by oxygen free radicals.*
Am J Physiol. 1989;256:H368-H374.
-
- Kaneko M, Elimban V, Dhalla NS.** *Mechanism for depression of heart sarcolemmal Ca²⁺ pump by oxygen free radicals.*
Am J Physiol. 1989;257:H804-H811.
-

Bibliography of Key Papers

-
- Kim MS, Akera T.** *O₂ free radicals: cause of ischemia-reperfusion injury to cardiac Na⁺-K⁺-ATPase.*
Am J Physiol. 1987;252:H252-H257.
-
- Kitakaze M, Weisfeldt ML, Marban E.** *Acidosis during early reperfusion prevents myocardial stunning in perfused ferret hearts.*
J Clin Invest. 1988;82:920-927.
-
- Klein HH, Neuhaus KL.** *Delayed improvement of myocardial function after recanalization of a chronic coronary occlusion in a patient with intractable heart failure.*
Eur Heart J. 1990;11:280-286.
-
- Klein HH, Pich S, Schuff-Werner P, Niedmann P, Blattmann U, Nebendahl K.** *The effects of Trolox, a water-soluble vitamin E analogue, in regionally ischemic, reperfused hearts.*
Int J Cardiol. 1991;32:291-302.
-
- Kloner RA, Allen J, Cox TA, Zheng Y, Ruiz CE.** *Stunned left ventricular myocardium after exercise treadmill testing in coronary artery disease.*
Am J Cardiol. 1991;68:329-334.
-
- Koemer JE, Anderson BA, Dage RC.** *Protection against postischemic myocardial dysfunction in anesthetized rabbits with scavengers of oxygen-derived free radicals: superoxide dismutase plus catalase, N-2-mercaptopyrionyl glycine and captopril.*
J Cardiovasc Pharmacol. 1991;17:185-191.
-
- Kolibask AJ, Goodenow JS, Busk CA, Tetelman MR, Lewis RP.** *Improvement of myocardial perfusion and left ventricular function after coronary artery bypass grafting in patients with unstable angina.*
Circulation. 1979;59:66-74.
-
- Kramer JH, Arroyo CM, Dickens BF, Weglicki WB.** *Spin-trapping evidence that graded myocardial ischemia alters postischemic superoxide production.*
Free Radic Biol Med. 1987;3:153-159.
-
- Krause SM, Hess ML.** *Characterization of cardiac sarcoplasmic reticulum dysfunction during short-term normothermic global ischemia.*
Circ Res. 1985;55:176-184.
-
- Krause SM, Jacobus WE, Becker LC.** *Alterations in cardiac sarcoplasmic reticulum calcium transport in the postischemic "stunned" myocardium.*
Circ Res. 1989;65:526-530.
-
- Kusuoka H, Koretsune Y, Chacko VP, Weisfeldt ML, Marban E.** *Excitation-contraction coupling in postischemic myocardium: does failure of activator Ca²⁺ transients underlie stunning?*
Circ Res. 1990;66:1268-1276.
-
- Kusuoka H, Marban E.** *Cellular mechanisms of myocardial stunning.*
Annu Rev Physiol. 1992;54:243-256.
-



Bibliography of Key Papers

-
- Kusuoka H, Porterfield JK, Weisman HF, Weisfeldt ML, Marban E.** *Pathophysiology and pathogenesis of stunned myocardium. Depressed Ca²⁺ activation of contraction as a consequence of reperfusion-induced cellular calcium overload in ferret hearts.* **J Clin Invest.** 1987;79:950-961.
-
- La Canna G, Alfieri O, Giubbini R, Gargano M, Ferrari R, Visioli O.** *Echocardiography during infusion of dobutamine for identification of reversible dysfunction in patients with chronic coronary artery disease.* **J Am Coll Cardiol.** 1994;23:617-626.
-
- Mathias P, Kerin NZ, Blevins RD, Cascase P, Rubenfire M.** *Coronary vasospasm as a cause of stunned myocardium.* **Am Heart J.** 1987;113:383-385.
-
- Matsuzaki M, Gallagher KP, Kemper WS, White F, Ross J Jr.** *Sustained regional dysfunction produced by prolonged coronary stenosis: gradual recovery after reperfusion.* **Circulation.** 1983;68:170-182.
-
- Labovitz AJ, Lewen MK, Kern M, Vandormael M, Deligonal U, Kennedy HL.** *Evaluation of left ventricular systolic and diastolic dysfunction during transient myocardial ischemia produced by angioplasty.* **J Am Coll Cardiol.** 1987;10:748-755.
-
- Lamping KA, Gross GJ.** *Improved recovery of myocardial segment function following a short coronary occlusion in dogs by nicorandil, a potential new antianginal agent, and nifedipine.* **J Cardiovasc Pharmacol.** 1985;7:158-166.
-
- Lavallee M, Cox D, Patrick TA, Vatner SF.** *Salvage of myocardial function by coronary artery reperfusion 1, 2 and 3 hours after occlusion in conscious dogs.* **Circ Res.** 1983;53:235-247.
-
- Lazdunski M, Frelin C, Vigue P.** *The sodium/hydrogen exchange system in cardiac cells: its biochemical and pharmacological properties and its role in regulating internal concentrations of sodium and internal pH.* **J Mol Cell Cardiol.** 1985;17:1029-1042.
-
- Lee HC, Smith N, Mohabir R, Clusin WT.** *Cytosolic calcium transients from the beating mammalian heart.* **Proc Natl Acad Sci USA.** 1987;84:7793-7797.
-
- Li XY, McCay PB, Zughuib M, Jeroudi MO, Triana JF, Bolli R.** *Demonstration of free radical generation in the "stunned" myocardium in the conscious dog and identification of major differences between conscious and open-chest dogs.* **J Clin Invest.** 1993;92:1025-1041.
-
- Manche A, Edmondson SJ, Hearse DJ.** *Dynamics on early postischemic myocardial function recovery: evidence of reperfusion-induced injury?* **Circulation.** 1995;92:526-534.
-
- Mangano DT.** *Biventricular function after myocardial revascularization in humans: deterioration and recovery patterns during the first 24 hours.* **Anesthesiology.** 1985;62:571-577.
-

Bibliography of Key Papers

- Marban E, Kitakaze M, Koretsune Y, Yue DT, Chacko VP, Pike MM.** *Quantification of $[Ca^{2+}]_i$ in perfused hearts: critical evaluation of the ^{59}F -BAPTA and nuclear magnetic resonance method as applied to the study of ischemia and reperfusion.* **Circ Res.** 1990;66:1255-1267.
-
- Marban E, Kitakaze M, Kusuoka H, Porterfield JK, Yue DT, Chacko VP.** *Intracellular free calcium concentration measured with ^{19}F NMR spectroscopy in intact ferret hearts.* **Proc Natl Acad Sci USA.** 1987;84:6005-6009.
-
- Marban E, Koretsune Y, Corretti M, Chacko VP, Kusuoka H.** *Calcium and its role in myocardial cell injury during ischemia and reperfusion.* **Circulation.** 1989;80(suppl IV):IV-17-IV-22.
-
- Marchlinski FE, Buxton AE, Waxman HL, et al.** *Identifying patients at risk of sudden death after myocardial infarction.* **Am J Cardiol.** 1983;52:1190-1196.
-
- Mariani MA, Palagi C, Donatelli F, et al.** *Identification of hibernating myocardium: a comparison between dobutamine echocardiography and study of perfusion and metabolism in patients with severe left ventricular dysfunction.* **Am J Cardiac Imag.** 1995;9:1-8.
-
- Marzullo P, Parodi O, Reichenhofer B, et al.** *Value of rest thallium-201/technetium-99m sestamibi scans and dobutamine echocardiography for detecting myocardial viability.* **Am J Cardiol.** 1993;71:166-172.
-
- Mathias P, Kerin NZ, Blevins RD, Cascase P, Rubenfire M.** *Coronary vasospasm as a cause of stunned myocardium.* **Am Heart J.** 1987;113:383-385.
-
- Matsuzaki M, Gallagher KP, Kemper WS, White F, Ross J Jr.** *Sustained regional dysfunction produced by prolonged coronary stenosis: gradual recovery after reperfusion.* **Circulation.** 1983;68:170-182.
-
- McCord JM.** *Oxygen-derived free radicals in postischemic tissue injury.* **N Engl J Med.** 1985;312:159-163.
-
- McMurray J, Chopra M, Stewart J, Blaney S, Smith WE, Dargie HJ.** *Does free radical generation occur in unstable angina?* **J Mol Cell Cardiol.** 1990;22(suppl III):S.120. Abstract.
-
- Menasche P, Grousset C, Gauduel Y, PizAwnica A.** *A comparative study of free radical scavengers in cardioplegic solutions. Improved protection with peroxidase.* **J Thorac Cardiovasc Surg.** 1986;92:264-271.
-
- Mercier JC, Lando U, Kanmatsuse K, et al.** *Divergent effects of inotropic stimulation on the ischemic and severely depressed reperfused myocardium.* **Circulation.** 1982;66:397-400.
-
- Moore CA, Cannon J, Watson DD, Kaul S, Beller GA.** *Thallium-201 kinetics in stunned myocardium characterized by severe postischemic systolic dysfunction.* **Circulation.** 1990;81:1622-1632.
-



Bibliography of Key Papers

Murphy JG, Smith TW, Marsh JD.

Mechanisms of reoxygenation-induced calcium overload in cultured chick embryo heart cells.

Am J Physiol. 1988;254:H1133-H1141.

Murry CE, Richard VJ, Jennings RB, Reimer KA.

Free radicals do not cause myocardial stunning after four 5-minute coronary occlusions.

Circulation. 1989;80(suppl II):II-296. Abstract.

Myers CL, Weiss SJ, Kirsh MM, Shepard BM, Schlafer M.

Effects of supplementing hypothermic crystalloid cardioplegic solution with catalase, superoxide dismutase, allopurinol, or deferoxamine on functional recovery of globally ischemic and reperfused isolated hearts.

J Thorac Cardiovasc Surg. 1986;91:281-289.

Myers ML, Bolli R, Lekich RF, Hartley CJ, Michael LH, Roberts R.

N-2-mercaptopropionylglycine improves recovery of myocardial function following reversible regional ischemia.

J Am Coll Cardiol. 1986;8:1161-1168.

Myers ML, Bolli R, Lekich RF, Hartley CJ, Roberts R.

Enhancement of recovery of myocardial function by oxygen free-radical scavengers after reversible regional ischemia.

Circulation. 1985;72:915-921.

Nademanee K, Intarachot V, Singh PN, Josephson MA, Singh BN.

Characteristics and clinical significance of silent myocardial ischemia in unstable angina.

Am J Cardiol. 1986;58:26B-33B.

Nejima J, Knight DR, Fallon JT, et al.

Superoxide dismutase reduces reperfusion arrhythmias but fails to salvage regional myocardial function or myocardium at risk in conscious dogs.

Circulation. 1989;79:143-153.

Nesto RW, Chon LH, Collins JJ Jr, Wynne J, Holman L, Cohn PR.

Inotropic contractile reserve: a useful predictor of increased 5-year survival and improved postoperative left ventricular function in patients with coronary artery disease and reduced ejection fraction.

Am J Cardiol. 1982;50:39-44.

Nicklas JM, Becker LC, Bulkley BH.

Effects of repeated brief coronary occlusion on regional left ventricular function and dimension in dogs.

Am J Cardiol. 1985;56:473-478.

Nicod P, Corbett JR, Firth BG, et al.

Prognostic value of resting and submaximal exercise radionuclide ventriculography after acute myocardial infarction in high-risk patients with single and multivessel disease.

Am J Cardiol. 1983;52:30-36.

Nienaber CA, Brunken RC, Sherman CT, et al.

Metabolic and functional recovery of ischemic human myocardium after coronary angioplasty.

J Am Coll Cardiol. 1991;18:966-978.

Bibliography of Key Papers

-
- Nixon JV, Brown CN, Smitherman TC.** *Identification of transient and persistent segmental wall motion abnormalities in patients with unstable angina by two-dimensional echocardiography.*
Circulation. 1982;65:1497-1503.
-
- O'Neill PG, Charlat ML, Michael LH, Roberts R, Bolli R.** *Influence of neutrophil depletion on myocardial function and flow after reversible ischemia.*
Am J Physiol. 1989;256:H341-H351.
-
- Opie LH.** *Reperfusion injury and its pharmacologic modification.*
Circulation. 1989;80:1049-1062.
-
- Panza JA, Dilsizian V, Laurienzo JM, Curiel RV, Kastsyiannis PT.** *Relation between thallium uptake and contractile response to dobutamine: implications regarding myocardial viability in patients with chronic coronary artery disease and left ventricular dysfunction.*
Circulation. 1995;91:990-998.
-
- Park SW, Tang XL, Qiu Y, Sun JZ, Bolli R.** *Nisoldipine attenuates myocardial stunning induced by multiple coronary occlusions in conscious pigs and this effect is independent of changes in hemodynamics or coronary blood flow.*
J Mol Cell Cardiol. In press.
-
- Patel BS, Jeroudi MO, O'Neill PG, Roberts R, Bolli R.** *Effect of human recombinant superoxide dismutase on canine myocardial infarction.*
Am J Physiol. 1990;258:H369-H380.
-
- Pfisterer M, Zuber M, Wenzel R, Burkhart F.** *Prolonged myocardial stunning after thrombolysis: can left ventricular function be assessed definitely at hospital discharge?*
Eur Heart J. 1991;12:214-217.
-
- Piérard LA, De Lansheere CM, Berthe C, Rigo P, Kulbertus HA.** *Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography.*
J Am Coll Cardiol. 1990;15:1021-1031.
-
- Piggott JD, Kouchoukos NT, Oberman A, Cutter GR.** *Late results of surgical and medical therapy for patients with coronary artery disease and depressed left ventricular function.*
J Am Coll Cardiol. 1985;5:1036-1045.
-
- Preuss KC, Gross GJ, Brooks HL, Warltier DC.** *Time-course of "stunned" myocardium following variable periods of ischemia in conscious and anesthetized dogs.*
Am Heart J. 1987;114:696-703.
-
- Previtali M, Poli A, Lanzarini L, Fetiveau R, Mussini A, Ferrario M.** *Dobutamine stress echocardiography for assessment of myocardial viability and ischemia in acute myocardial infarction treated with thrombolysis.*
Am J Cardiol. 1993;72:124G-130G.
-



Bibliography of Key Papers

-
- Priest MF, Curry GC, Smith LR, et al.** *Changes in left ventricular segmental wall motion following randomization to medicine or surgery in patients with unstable angina.*
Circulation. 1978;58(suppl I):162-168.
-
- Przyklenk K, Kloner RA.** *Superoxide dismutase plus catalase improve contractile function in the canine model of the "stunned" myocardium.*
Circ Res. 1986;58:148-156.
-
- Przyklenk K, Kloner RA.** *Effect of verapamil on postischemic "stunned" myocardium: importance of the timing of treatment.*
J Am Coll Cardiol. 1988;11:614-623.
-
- Przyklenk K, Kloner RA.** *"Reperfusion injury" by oxygen-derived free radicals? Effect of superoxide dismutase plus catalase, given at the time of reperfusion, on myocardial infarct size, contractile function, coronary microvasculature, and regional myocardial blood flow.*
Circ Res. 1989;64:86-96.
-
- Puett DW, Forman MB, Cates CU, et al.** *Oxypurinol limits myocardial stunning but does not reduce infarct size after reperfusion.*
Circulation. 1987;76:678-686.
-
- Qiu Y, Manche A, Hearse DJ.** *Contractile and vascular consequences of blood versus crystalloid cardioplegia in the isolated blood-perfused rat heart.*
Eur J Cardiothorac Surg. 1993;7:137-145.
-
- Rahimtoola SH.** *A perspective on the three large multicenter randomized clinical trials of coronary bypass surgery for chronic stable angina.*
Circulation. 1985;75(suppl V):V123-V135.
-
- Rahimtoola SH.** *The hibernating myocardium.*
Am Heart J. 1989;117:211-221.
-
- Reduto LA, Lawrie GM, Reid JW, et al.** *Sequential postoperative assessment of left ventricular performance with gated cardiac blood pool imaging following aortocoronary bypass surgery.*
Am Heart J. 1981;101:59-66.
-
- Reduto LA, Smalling RW, Freund GC, Gould KL.** *Intracoronary infusion of streptokinase in patients with acute myocardial infarction: effects of reperfusion on left ventricular performance.*
Am J Cardiol. 1981;48:403-409.
-
- Reeves JP, Bailey CA, Halle CC.** *Redox modification of sodium-calcium exchange activity in cardiac sarcolemmal vesicles.*
J Biol Chem. 1986;261:4948-4955.
-
- Renkin J, Wijns W, Ladha Z, Col J.** *Reversal of segmental hypokinesia by coronary angioplasty in patients with unstable angina, persistent T-wave inversion, and left anterior descending artery stenosis: additional evidence for myocardial stunning in humans.*
Circulation. 1990;82:913-921.
-

Bibliography of Key Papers

-
- Renlund DG, Gerstenblith G, Lakatta EG, Jacobus WE, Kallman CH, Weisfeldt ML.** *Perfusate sodium during ischemia modifies postischemic functional and metabolic recovery in the rabbit heart.*
J Mol Cell Cardiol. 1984;16:795-801.
-
- Roberts AJ, Niarchos AP, Subramanian VA, et al.** *Systemic hypertension associated with coronary bypass surgery. Predisposing factors, hemodynamic characteristics, humoral profile, and treatment.*
J Thorac Cardiovasc Surg. 1977;74:846.
-
- Roberts AJ, Spies M, Meyers SN, et al.** *Early and long-term improvement in left ventricular performance following coronary bypass surgery.*
Surgery. 1980;88:467-475.
-
- Roberts AJ, Spies M, Sanders JH, et al.** *Serial assessment of left ventricular performance following coronary artery bypass grafting.*
J Thorac Cardiovasc Surg. 1981;81:69-84.
-
- Roberts MJD, Trimble ER, Wilson CM, et al.** *Transient release of lipid peroxides after coronary artery balloon angioplasty.*
Lancet. 1990;336:143-145.
-
- Robertson WS, Feigenbaum H, Armstrong WF, Dillon JC, O'Donnell, McHenry PW.** *Exercise echocardiography: a clinical practical addition in the evaluation of coronary artery disease.*
J Am Coll Cardiol. 1983;6:1085-1089.
-
- Ross J Jr.** *Myocardial perfusion-contraction matching: implications for coronary heart disease and hibernation.*
Circulation. 1991;83:1076-1083.
-
- Rowe GT, Manson NH, Caplan M, Hess ML.** *Hydrogen peroxide and hydroxyl radical mediation of activated leukocyte depression of cardiac sarcoplasmic reticulum: participation of the cyclooxygenase pathway.*
Circ Res. 1983;53:584-591.
-
- Salustri A, Elhendy A, Garyfallydis P, et al.** *Prediction of improvement of ventricular function after first acute myocardial infarction using low-dose dobutamine stress echocardiography.*
Am J Cardiol. 1994;74:853-856.
-
- Schmidt WG, Sheehan FH, von Essen R, Vebis R, Effert S.** *Evolution of left ventricular function after intracoronary thrombolysis for acute myocardial infarction.*
Am J Cardiol. 1989;63:497-502.
-
- Schneider RM, Weintraub WS, Klein LW, Seelaus PA, Agarwai JB, Helfant RH.** *Rate of left ventricular function recovery by radionuclide angiography after exercise in coronary artery disease.*
Am J Cardiol. 1986;57:927-932.
-



Bibliography of Key Papers

-
- Schroder E, Kieso RA, Laughlin D, Schroder M, Meng R, Kerber RE.** *Altered response of reperfused myocardium to repeated coronary occlusion in dogs.*
J Am Coll Cardiol. 1987;10:898-905.
-
- Schroeder R, Biamino G, von Leitner ER, et al.** *Intravenous short-term infusion of streptokinase in acute myocardial infarction.*
Circulation. 1983;67:536-548.
-
- Scognamiglio R, Ponchia A, Fasoli G, Miraglia G, Dalla-Volta S.** *Exercise-induced left ventricular dysfunction in coronary heart disease: a model for studying the stunned myocardium in man.*
Eur Heart J. 1991;12(suppl G):16-19.
-
- Sekili S, Jeroudi MO, Tang XL, Zughuib M, Sun JZ, Bolli R.** *Effect of adenosine on myocardial "stunning" in the dog.*
Circ Res. 1995;76:82-94.
-
- Sekili S, McCay PB, Li XY, et al.** *Direct evidence that the hydroxyl radical plays a pathogenetic role in myocardial "stunning" in the conscious dog and that stunning can be markedly attenuated without subsequent adverse effects.*
Circ Res. 1993;73:705-723.
-
- Serruys PW, Simoons ML, Suryapranata H, et al.** *Preservation of global and regional left ventricular function after early thrombolysis in acute myocardial infarction.*
J Am Coll Cardiol. 1986;7:729-742.
-
- Serruys PW, Wijns W, van den Brand M, et al.** *Left ventricular performance, regional blood flow, wall motion and lactate metabolism during transluminal angioplasty.*
Circulation. 1984;70:24-36.
-
- Sheiban I, Tonni S, Benussi P, Marini A, Trevi GP.** *Left ventricular dysfunction following transient ischemia induced by transluminal coronary angioplasty. Beneficial effects of calcium antagonists against post-ischemic myocardial stunning.*
Eur Heart J. 1993;14(suppl A):14-21.
-
- Shen YT, Vatner SF.** *Mechanism of impaired myocardial function during progressive coronary stenosis in conscious pigs: hibernation versus stunning?*
Circ Res. 1995;73:479-488.
-
- Shlafer M, Kane PF, Kirsh MM.** *Superoxide dismutase plus catalase enhances the efficacy of hypothermic cardioplegia to protect the globally ischemic, reperfused heart.*
J Thorac Cardiovasc Surg. 1982;83:830-839.
-
- Shlafer M, Kane PF, Wiggins VY, Kirsh MM.** *Possible role for cytotoxic oxygen metabolites in the pathogenesis of cardiac ischemic injury.*
Circulation. 1982;66(suppl I):185-192.
-
- Sinusas AJ, Watson DD, Cannon JM, Beller GA.** *Effect of ischemia and postischemic dysfunction on myocardial uptake of technetium-99m-labeled methoxyisobutyl isonitrile and thallium-201.*
J Am Coll Cardiol. 1989;14:1785-1793.
-

Bibliography of Key Papers

-
- Smart SC, Sawada S, Ryan T, et al.** *Low-dose dobutamine echocardiography detects reversible dysfunction after thrombolytic therapy of acute myocardial infarction.*
Circulation. 1993;88:405-415.
-
- Stack RS, Phillips HR III, Grierson DS, et al.** *Functional improvement of jeopardized myocardium following intracoronary streptokinase infusion in acute myocardial infarction.*
J Clin Invest. 1983;72:84-95.
-
- Stahl LD, Aversano TR, Becker LC.** *Selective enhancement of function of stunned myocardium by increased flow.*
Circulation. 1986;74:843-851.
-
- Stahl LD, Weiss HR, Becker LC.** *Myocardial oxygen consumption, oxygen supply/demand heterogeneity, and microvascular patency in regionally stunned myocardium.*
Circulation. 1988;77:865-872.
-
- Steenbergen C, Murphy E, Levy L, London RE.** *Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart.*
Circ Res. 1987;60:700-707.
-
- Stewart JR, Blackwell WH, Crute SL, Loughlin V, Greenfield LJ, Hess ML.** *Inhibition of surgically induced ischemia/reperfusion injury by oxygen free radical scavengers.*
J Thorac Cardiovasc Surg. 1983;86:262-272.
-
- Stoddard MF, Johnstone J, Dillon S, Kupersmith J.** *The effect of exercise-induced myocardial ischemia on postischemic left ventricular diastolic filling.*
Clin Cardiol. 1992;15:265-273.
-
- Sun JZ, Kaur H, Halliwell B, Li XY, Bolli R.** *Use of aromatic hydroxylation of phenylalanine to measure production of hydroxyl radicals after myocardial ischemia in vivo: direct evidence for a pathogenetic role of the hydroxyl radical in myocardial stunning.*
Circ Res. 1993;73:534-549.
-
- Sun JZ, Tang XL, Knowlton AA, Park SW, Qiu Y, Bolli R.** *Late preconditioning against myocardial stunning: an endogenous protective mechanism that confers resistance to postischemic dysfunction 24 hours after brief ischemia in conscious pigs.*
J Clin Invest. 1995;95:388-403.
-
- Sun JZ, Tang XL, Park SW, Qiu Y, Turrens J, Bolli R.** *Evidence for an essential role of reactive oxygen species in the genesis of late preconditioning against myocardial stunning in conscious pigs.*
J Clin Invest. 1996;97:562-576.
-
- Taegtmeyer H, Roberts AFC, Raine AEG.** *Energy metabolism in reperfused heart muscle: metabolic correlates to return of function.*
J Am Coll Cardiol. 1985;6:864-870.
-



Bibliography of Key Papers

-
- Takatsu F, Suzuki A, Nagaya T.** *Variant angina pectoris with prolonged electrical and mechanical stunning.*
Am J Cardiol. 1986;58:647-649.
-
- Tani M, Neely JR.** *Role of intracellular Na⁺ in Ca²⁺ overload and depressed recovery of ventricular function of reperfused ischemic rat hearts. Possible involvement of H⁺-Na⁺ and Na⁺-Ca²⁺ exchange.*
Circ Res. 1989;65:1045-1056.
-
- Taylor AL, Golino P, Eckels R, Pastor P, Buja LM, Willerson JT.** *Differential enhancement of postischemic segmental systolic thickening by diltiazem.*
J Am Coll Cardiol. 1990;15:737-747.
-
- Theroux P, Ross J Jr, Franklin D, Kemper WS, Sasayama S.** *Coronary arterial reperfusion. III. Early and late effects on regional myocardial function and dimensions in conscious dogs.*
Am J Cardiol. 1976;38:599-606.
-
- Tillisch J, Brunken R, Marshall R, et al.** *Reversibility of cardiac wall-motion abnormalities predicted by positron tomography.*
N Engl J Med. 1986;314:884-888.
-
- Topol EJ, Weiss JL, Brinker JA, et al.** *Regional wall motion improvement after coronary thrombolysis with recombinant tissue plasminogen activator: importance of coronary angioplasty.*
J Am Coll Cardiol. 1985;6:426-433.
-
- Triana JF, Li XY, Jamaluddin U, Thornby JI, Bolli R.** *Postischemic myocardial "stunning." Identification of major differences between the open-chest and the conscious dog and evaluation of the oxygen radical hypothesis in the conscious dog.*
Circ Res. 1991;69:731-747.
-
- Vanoverschelde JLJ, Wijns W, Depré C, et al.** *Mechanisms of chronic regional postischemic dysfunction in humans: new insights from the study of noninfarcted collateral-dependent myocardium.*
Circulation. 1993;87:1513-1523.
-
- Visser CA, David GK, Kan G, et al.** *Two-dimensional echocardiography during percutaneous transluminal coronary angioplasty.*
Am Heart J. 1986;111:1035-1046.
-
- Wartier DC, Gross GJ, Brooks HL, Preuss KC.** *Improvement of postischemic, contractile function by the calcium channel blocking agent nitrendipine in conscious dog.*
J Cardiovasc Pharmacol. 1988;12(suppl 4):S120-S124.
-
- Watada H, Ito H, Oh H, et al.** *Dobutamine stress echocardiography predicts reversible dysfunction and quantitates the extent of irreversibly damaged myocardium after reperfusion of anterior myocardial infarction.*
J Am Coll Cardiol. 1994;24:624-630.
-

Bibliography of Key Papers

-
- Weiner JM, Apstein CS, Arthur JH, Pirzada FA, Hood WB Jr.** *Persistence of myocardial injury following brief periods of coronary occlusion.*
Cardiovasc Res. 1976;10:678-686.
-
- Weisel RD, Mickle DAG, Finkle CD, et al.** *Myocardial free-radical injury after cardioplegia.*
Circulation. 1989;80(suppl III):III-14-III-18.
-
- Wicomb WN, Cooper DKC, Novitzky D, Barnard CN.** *Cardiac transplantation following storage of the donor heart by a portable hypothermic perfusion system.*
Ann Thorac Surg. 1984;37:243-248.
-
- Wijns W, Serruys PW, Stager CJ, et al.** *Effect of coronary occlusion during percutaneous transluminal angioplasty in humans on left ventricular chamber stiffness and regional diastolic pressure-radius relations.*
J Am Coll Cardiol. 1986;7:455-461.
-
- Williamson BD, Lim MJ, Buda AJ.** *Transient left ventricular filling abnormalities (diastolic stunning) after acute myocardial infarction.*
Am J Cardiol. 1990;12:897-903.
-
- Wohlgeleit D, Cleman M, Highman HA, et al.** *Regional myocardial dysfunction during coronary angioplasty: evaluation by two-dimensional echocardiography and 12-lead electrocardiography.*
J Am Coll Cardiol. 1986;7:1245-1254.
-
- Ytrehus K, Gunnes S, Myklebust R, Mjos OD.** *Protection by superoxide dismutase and catalase in the isolated rat heart reperfused after prolonged cardioplegia: a combined study of metabolic, functional and morphometric ultrastructural variables.*
Cardiovasc Res. 1987;21:492-499.
-
- Zoghbi WA, Marian A, Cheirif JB, Roberts R, Quinones MA.** *Time-course of recovery of regional function following thrombolysis in acute myocardial infarction (TIMI): preliminary observations for the TIMI trial phase II.*
J Am Coll Cardiol. 1990;15:233A. Abstract.
-
- Zughaib ME, Abd-Elfattah AS, Jeroudi MO, Sun JZ, Sekili S, Tang XL, Bolli R.** *Augmentation of endogenous adenosine attenuates myocardial "stunning" independently of coronary flow or hemodynamic effects.*
Circulation. 1993;88:2359-2369.
-
- Zughaib ME, Sun JZ, Bolli R.** *Effect of angiotensin-converting enzyme inhibitors on myocardial ischemia/reperfusion injury: a overview. In: Grobecker H, Heusch G, Strauer BE, eds.*
Angiotensin and the Heart.
New York, NY: Springer-Verlag; 1993:155-167.
-