

Hibernating Myocardium

Bibliography of One Hundred Key Papers

-
- Adams JN, Norton M, Trent R, Mikecz P, Walton S, Evans N.** *Hibernating myocardium after acute myocardial infarction treated with thrombolysis.*
Eur Heart J. 1995;16:36. Abstract.
-
- Afridi I, Kleiman NS, Raizer AE, Zoghbi WA.** *Dobutamine echocardiography in myocardial hibernation. Optimal dose and accuracy in predicting recovery of ventricular function after coronary angioplasty.*
Circulation. 1995;91:663-670.
-
- Akins CW, Pohost GM, DeSanctis RW, Block PC.** *Selection of angina-free patients with severe left ventricular dysfunction for myocardial revascularization.*
Am J Cardiol. 1980;46:695-700.
-
- Alderman EL, Fisher LD, Litwiw P, et al.** *Results of coronary artery surgery in patients with poor left ventricular function (CASS).*
Circulation. 1983;68:785-795.
-
- Arai AE, Grauer SE, Anselone CG, Pantely GA, Bristow JD.** *Metabolic adaptation to a gradual reduction in myocardial blood flow.*
Circulation. 1995;92:244-252.
-
- Arai AE, Pantely GA, Anselone CG, Bristow J, Bristow JD.** *Active downregulation of myocardial energy requirements during prolonged moderate ischemia in swine.*
Circ Res. 1991;69:1458-1469.
-
- Arani DT, Greene DG, Bunnell IL, Smith GL, Klocke FJ.** *Reductions in coronary flow under resting conditions in collateral-dependent myocardium of patients with complete occlusion of the left anterior descending coronary artery.*
J Am Coll Cardiol. 1984;3:668-674.
-
- Arnese M, Cornel JH, Salustri A, et al.** *Prediction of improvement of regional left ventricular function after surgical revascularization.*
Circulation. 1995;91:2748-2752.
-
- Ausma J, Schaart G, Thoné F, et al.** *Chronic ischemic viable myocardium in man: aspects of dedifferentiation.*
Cardiovasc Pathol. 1995;4:29-37.
-
- Baer FM, Voth E, Schneider CA, Theissen P, Schicha H, Sechtem U.** *Comparison of low-dose dobutamine-gradient-echo magnetic resonance imaging and positron emission tomography with [¹⁸F]-fluorodeoxyglucose in patients with chronic coronary artery disease.*
Circulation. 1995;91:1006-1015.
-
- Baker WB, Klein MS, Reardon MJ, Verani MS, Zoghbi WA.** *Reversible cardiac dysfunction (hibernation) from ischemia due to compression of the coronary arteries by a pseudoaneurysm.*
N Engl J Med. 1991;325:1858-1861.
-
- Banka VS, Bodenheimer MM, Shah R, Helfant RH.** *Intervention ventriculography: comparative value of nitroglycerin, post-extrasystolic potentiation and nitroglycerin plus post-extrasystolic potentiation.*
Circulation. 1976;53:632-637.
-

Bibliography of One Hundred Key Papers

- Barilla F, Gheorghiane M, Alam M, Khaja F, Goldstein S.** *Low-dose dobutamine in patients with acute myocardial infarction identifies viable but not contractile myocardium and predicts the magnitude of improvement in wall motion abnormalities in response to coronary revascularization.*
Am Heart J. 1991;122:1522-1531.
-
- Beleslin BD, Ostojic M, Stepanovic J, et al.** *Stress echocardiography in the detection of myocardial ischemia. Head-to-head comparison of exercise, dobutamine, and dipyridamole tests.*
Circulation. 1994;90:1168-1176.
-
- Berger BC, Watson DD, Burwell LR, et al.** *Redistribution of thallium at rest in patients with stable and unstable angina and the effect of coronary artery bypass surgery.*
Circulation. 1979;60:1114-1125.
-
- Berman M, Fischman AJ, Southern J, et al.** *Myocardial adaptation during and after sustained, demand-induced ischemia: observations in closed-chest domestic swine.*
Circulation. 1996;94:755-762.
-
- Bodenheimer MM, Banka VS, Fooshee C, Hermann GA, Helfant RH.** *Relationship between regional myocardial perfusion and the presence, severity and reversibility of asynergy in patients with coronary heart disease.*
Circulation. 1978;58:789-795.
-
- Bonow RO.** *Identification of viable myocardium.*
Circulation. 1996;94:2674-2680. Editorial.
-
- Bonow RO, Dilsizian V, Cuocolo A, Bacharach SL.** *Identification of viable myocardium in patients with chronic coronary artery disease and left ventricular dysfunction: comparison of thallium scintigraphy with reinjection and PET imaging with ¹⁸F-fluorodeoxyglucose.*
Circulation. 1991;83:26-37.
-
- Borgers M, Thone F, Wonters L, Ausina J, Shivalkar B, Flameng W.** *Structural correlates of regional myocardial dysfunction in patients with critical coronary artery stenosis: chronic hibernation?*
Cardiovasc Pathol. 1993;2:237-245.
-
- Braunwald E, Rutherford JD.** *Reversible ischemic left ventricular dysfunction: evidence for the "hibernating myocardium."*
J Am Coll Cardiol. 1986;8:1467-1470.
-
- Bristow JD, Arai AE, Anselone CG, Pantely GA.** *Response to myocardial ischemia as a regulated process.*
Circulation. 1991;84:2580-2587.
-
- Brown KA, Okada RD, Boucher CA, Phillips HR, Strauss HW, Pohost GM.** *Serial thallium 201 imaging at rest in patients with unstable and stable angina pectoris: relationship of myocardial perfusion at rest to presenting clinical syndrome.*
Am Heart J. 1983;106:70-77.
-
- Brunken R, Tillisch J, Schwaiger M, et al.** *Regional perfusion, glucose metabolism, and wall motion in patients with chronic electrocardiographic Q wave infarction. Evidence for persistence of viable tissue in some infarct regions by positron emission tomography.*
Circulation. 1986;73:951-963.
-
- Cabin HS, Clubb S, Vita N, Zaret BL.** *Regional dysfunction by equilibrium radionuclide angiography: a clinical-pathologic study evaluating the relation of degree of dysfunction to the presence and extent of myocardial infarction.*
J Am Coll Cardiol. 1987;10:743-747.
-



-
- Carlson EB, Cowley MJ, Wolfgang TC, Vetrovec GW.** *Acute changes in global and regional rest ventricular function after successful coronary angioplasty: comparative results in stable and unstable angina.*
J Am Coll Cardiol. 1989;13:1262-1269.
-
- Carvalho JS, Redington AN, Oldershaw PJ, Shinebourne EA, Lincoln CR, Gibson DG.** *Analysis of left ventricular wall movement before and after reimplantation of anomalous left coronary artery in infancy.*
Br Heart J. 1991;65:218-222.
-
- Chan RKM, Lee KJ, Calafiore P, Berlangieri SU, McKay WJ, Tonkin AM.** *Comparison of dobutamine echocardiography and positron emission tomography in patients with chronic ischemic left ventricular dysfunction.*
J Am Coll Cardiol. 1996;27:1601-1607.
-
- Chatterjee K, Swan HJC, Parmley WW, Sustaita H, Marcus HS, Matloff J.** *Influence of direct myocardial revascularization on left ventricular asynergy and function in patients with coronary heart disease.*
Circulation. 1973;47:276-286.
-
- Chen C, Chen L, Fallon JT, et al.** *Functional and structural alterations with 24-hour myocardial hibernation and recovery after reperfusion: a pig model of myocardial hibernation.*
Circulation. 1996;94:507-516.
-
- Chen C, Li L, Chen LL, Prada JV, et al.** *Incremental doses of dobutamine induce a biphasic response in dysfunctional left ventricular regions subtending coronary stenoses.*
Circulation. 1995;92:756-766.
-
- Cigarroa CG, deFilippi CR, Brickner ME, Alvarez LG, Wait MA, Grayburn PA.** *Dobutamine stress echocardiography identifies hibernating myocardium and predicts recovery of left ventricular function after coronary revascularization.*
Circulation. 1993;88:430-436.
-
- Cohen M, Chainey R, Hershman R, Fuster V, Gorlin R.** *Reversal of chronic ischemic myocardial dysfunction after transluminal coronary angioplasty.*
J Am Coll Cardiol. 1988;12:1193-1198.
-
- Cohn PF, Gorlin R, Harmann MV, et al.** *Relation between contractile reserve and prognosis in patients with coronary artery disease and a depressed ejection fraction.*
Circulation. 1975;51:414-420.
-
- Czernin J, Porenta G, Brunken R, et al.** *Regional blood flow, oxidative metabolism, and glucose utilization in patients with recent myocardial infarction.*
Circulation. 1993;88:884-895.
-
- DeKock M, Dion R, Wijns W, Melin JA.** *Head-to-head comparison of exercise-redistribution-reinjection thallium single-photon emission computed tomography and low-dose dobutamine echocardiography for prediction of reversibility of chronic left ventricular ischemic dysfunction.*
J Am Coll Cardiol. 1996;28:432-442.
-
- Depré C, Vanoverschelde JLJ, Melin J, et al.** *Structural and metabolic correlates of the reversibility of chronic left ventricular ischemic dysfunction in humans.*
Am J Physiol. 1995;268(3, pt 2):H1265-H1275.
-
- DiCarli M, Davidson M, Little R, et al.** *Value of metabolic imaging with positron emission tomography for evaluating prognosis in patients with coronary artery disease and left ventricular dysfunction.*
Am J Cardiol. 1994;73:527-533.
-

Bibliography of One Hundred Key Papers

- Dilsizian V.** *Myocardial viability: contractile reserve or cell membrane integrity.*
J Am Coll Cardiol. 1996;28:443-446.
-
- Dilsizian V, Rocco TP, Freedman NMT, Leon MB, Bonow RO.** *Enhanced detection of ischemic but viable myocardium by the reinjection of thallium after stress redistribution imaging.*
N Engl J Med. 1990;323:141-146.
-
- Downing SE, Chen V.** *Myocardial hibernation in the ischemic neonatal heart.*
Circ Res. 1990;66:763-772.
-
- Downing SE, Chen V.** *Acute hibernation and reperfusion of the ischemic heart.*
Circulation. 1992;82:699-707.
-
- Eitzman D, Al-Aonar Z, Kanter HL, et al.** *Clinical outcome of patients with advanced coronary artery disease after viability studies with positron emission tomography.*
J Am Coll Cardiol. 1992;20:559-565.
-
- Elefteriades JS, Tolis G Jr, Levi E, Mills LK, Zaret BL.** *Coronary artery bypass grafting in severe left ventricular dysfunction: excellent survival with improved ejection fraction and function state.*
J Am Coll Cardiol. 1993;22:1411-1417.
-
- Fedele FA, Gerwitz H, Capone RJ, Sharaf B, Most AS.** *Metabolic response to prolonged reduction of myocardial blood flow distal to a severe coronary artery stenosis.*
Circulation. 1988;78:729-735.
-
- Ferrari R, La Canna G, Giubbini R, Alfieri O, Visioli O.** *Hibernating myocardium in patients with coronary artery disease: identification and clinical importance.*
Cardiovasc Drugs Ther. 1992;6:287-293.
-
- Ferrari R, La Canna G, Giubbini R, et al.** *Left ventricular dysfunction due to stunning and hibernation in patients.*
Cardiovasc Drugs Ther. 1994;8:371-380.
-
- Flameng W, Suy R, Schwarz F, et al.** *Ultrastructural correlates of left ventricular contraction abnormalities in patients with chronic ischemic heart disease: determinations of reversible segmental asynergy postrevascularization surgery.*
Am Heart J. 1981;102:846-857.
-
- Flameng W, Vanhaecke J, Van Belle H, Borgers M, DeBeer L, Minten J.** *Relation between coronary artery stenosis and myocardial purine metabolism, histology and regional function in humans.*
J Am Coll Cardiol. 1987;9:1235-1242.
-
- Gallagher KP, Matsuzaki M, Koziol JA, Kemper WS, Ross J Jr.** *Regional myocardial perfusion and wall thickening during ischemia in conscious dogs.*
Am J Physiol. 1984;247(5, pt 2):H727-H738.
-
- Geft IL, Fishbein MC, Ninomiya K, et al.** *Intermittent brief periods of ischemia have a cumulative effect and may cause myocardial necrosis.*
Circulation. 1982;66:1150-1153.
-
- Gewirtz H.** *Myocardial hibernation: unresolved physiological and clinical issues.*
Basic Res Cardiol. 1995;90:32-34.
-
- Gewirtz H, Fischman AJ, Abraham S, Gilson M, Strauss HV, Alpert NM.** *Positron emission tomographic measurements of absolute regional myocardial blood flow permits identification of nonviable myocardium in patients with chronic myocardial infarction.*
J Am Coll Cardiol. 1994;23:851-859.
-



-
- Gropler RJ, Geltman EM, Sampathkumaran K, et al.** *Functional recovery after coronary revascularization for chronic coronary artery disease is dependent on maintenance of oxidative metabolism.*
J Am Coll Cardiol. 1992;20:569-577.
-
- Hearse DJ.** *Myocardial ischemia: can we agree on a definition for the 21st century?*
Cardiovasc Res. 1994; 28:1737-1744.
-
- Hearse DJ.** *Myocardial hibernation: a form of endogenous protection.*
Eur Heart J. 1997;18(suppl A):A2-A7.
-
- Helfant RH, Pine R, Meister SG, Feldman MS, Trout RG, Banka VS.** *Nitroglycerin to unmask reversible asynergy. Correlation with postcoronary bypass ventriculography.*
Circulation. 1974;50:108-113.
-
- Hong RA, Bhandari AK, McKay CR, Au PK, Rahimtoola SH.** *Life-threatening ventricular tachycardia and fibrillation induced by painless myocardial ischemia during exercise testing.*
JAMA. 1987;257:1937-1940.
-
- Hurwitz RA, Caldwell RL, Girod DA, Brown J, King H.** *Clinical and hemodynamic course of infants and children with anomalous left coronary artery.*
Am Heart J. 1989;118:1176-1181.
-
- Jin Z, Berger F, Uhlemann F, et al.** *Improvement in left ventricular dysfunction after aortic reimplantation in 11 consecutive pediatric patients with anomalous origin of the left coronary artery from the pulmonary artery. Early results of a serial echocardiographic follow-up.*
Eur Heart J. 1994;15:1044-1049.
-
- La Canna G, Alfieri O, Giubbini R, Gargano M, Ferrari R, Visioli O.** *Echocardiography during infusion of dobutamine for identification of reversible dysfunction in patients with chronic coronary artery disease.*
J Am Coll Cardiol. 1994;23:617-626.
-
- Lambert V, Touchot A, Losay J, et al.** *Mid-term results after surgical repair of the anomalous origin of the coronary artery.*
Circulation. 1996;94(suppl II):II-38-II-43.
-
- Lee KS, Marwick TH, Cook SA, et al.** *Prognosis of patients with left ventricular dysfunction, with and without viable myocardium after myocardial infarction. Relative efficacy of medical therapy and vascularization.*
Circulation. 1994;90:2687-2694.
-
- Levitsky S, van der Horst RL, Hastreiter AR, Fisher EA.** *Anomalous left coronary artery in the infant. Recovery of ventricular function following early direct aortic implantation.*
J Thorac Cardiovasc Surg. 1980;79:598-602.
-
- Louie HW, Laks H, Milgalter E, et al.** *Ischemic cardiomyopathy: criteria for coronary revascularization and cardiac transplantation.*
Circulation. 1991;84(suppl III):III-290-III-295.
-
- Luu M, Stevenson LW, Brunken RC, Drinkwater DC, Schelbert TR, Tillisch JH.** *Delayed recovery of revascularized myocardium after referral for cardiac transplantation.*
Am Heart J. 1990;119:668-670.
-
- Maes A, Flameng W, Nuyts J, et al.** *Histological alternations in chronically hypoperfused myocardium.*
Circulation. 1994;90:735-745.
-
- Marban E.** *Myocardial stunning and hibernation. The physiology behind the colloquialisms.*
Circulation. 1991;83:681-688.
-

Bibliography of One Hundred Key Papers

- Margonato A, Mailhac A, Bonetti F, et al.** *Exercise-induced ischemic arrhythmias in patients with previous myocardial infarction. Role of perfusion and tissue viability.* **J Am Coll Cardiol.** 1996;27:593-598.
-
- Marwick TH, MacIntyre WJ, Lafont A, Nemeč JJ, Salcedo EE.** *Metabolic responses of hibernating and infarcted myocardium to revascularization: a follow-up study of regional perfusion, function, and metabolism.* **Circulation.** 1992;85:1347-1353.
-
- Marzullo P, Parodi O, Sambuceti G, et al.** *Residual coronary reserve identifies segmental viability in patients with wall motion abnormalities.* **J Am Coll Cardiol.** 1995;26:342-350.
-
- Matsuzaki M, Gallagher KP, White F, Ross J Jr.** *Sustained regional dysfunction produced by prolonged coronary stenosis: gradual recovery after reperfusion.* **Circulation.** 1983;68:170-182.
-
- McAnulty JH, Hattenbauer MT, Rösch J, Kloster FE, Rahimtoola SH.** *Improvement in left ventricular wall motion following nitroglycerin.* **Circulation.** 1975;51:140-145.
-
- Mills I, Fallon JT, Wrenn D, et al.** *Adaptive responses of coronary circulation and myocardium to chronic reduction in perfusion pressure and flow.* **Am J Physiol.** 1994;266(2, pt 2):H447-H457.
-
- Mizuno K, Arakawa K, Shibuya T, et al.** *Improved regional and global diastolic performance in patients with coronary artery disease after percutaneous transluminal coronary angioplasty.* **Am Heart J.** 1988;115:302-306.
-
- Montalescot G, Faraggi M, Drobinski G, et al.** *Myocardial viability in patients with Q wave myocardial infarction and no residual ischemia.* **Circulation.** 1992;86:47-55.
-
- Nienaber CA, Brunken RC, Sherman CT, et al.** *Metabolic and functional recovery of ischemic human myocardium after coronary angioplasty.* **J Am Coll Cardiol.** 1991;18:966-978.
-
- Pantely GA, Malone SA, Rhen WS, et al.** *Regeneration of myocardial phosphocreatine in pigs despite continued moderate ischemia.* **Circ Res.** 1990;67:1481-1493.
-
- Panza JA, Dilsizian V, Laurienzo JM, Curiel RV, Katsiyannis PT.** *Relation between thallium uptake and contractile response to dobutamine.* **Circulation.** 1995;91:990-998.
-
- Perrone-Filardi P, Pace L, Prastaro M, et al.** *Dobutamine echocardiography predicts improvement of hypoperfused dysfunctional myocardium; after revascularization in patients with coronary artery disease.* **Circulation.** 1995;91:2556-2565.
-
- Piérard LA, DeLandsheere CM, Berthe C, Rigo P, Kulbertus HE.** *Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy; comparison with positron emission tomography.* **J Am Coll Cardiol.** 1990;15:1021-1031.
-
- Pouleur H, van Eyll C, Gurne O, Rousseau MF.** *Effects of prolonged nisoldipine administration on the "hibernating" myocardium.* **J Cardiovasc Pharmacol.** 1992;20(suppl 5):S73-S78.
-



-
- Ragosta M, Beller GA, Watson DD, Kaul S, Gimble LW.** *Quantitative planar rest-redistribution thallium 201 imaging in detection of myocardial viability and prediction of improvement in left ventricular function after coronary bypass surgery in patients with severely depressed left ventricular function.*
Circulation. 1993;87:1630-1641.
-
- Rahimtoola SH.** *Coronary bypass surgery for chronic angina - 1981: a perspective.*
Circulation. 1982;65:225-241.
-
- Rahimtoola SH.** *Postoperative exercise response in the evaluation of the physiologic status after coronary bypass surgery.*
Circulation. 1982;65(suppl II):II-106-II-114.
-
- Rahimtoola SH.** *Coronary bypass surgery for unstable angina.*
Circulation. 1984;69:842-848.
-
- Rahimtoola SH.** *A perspective on the three large multicenter randomized clinical trials of coronary bypass surgery for chronic stable angina.*
Circulation. 1985;72(suppl V):V-123-V-135.
-
- Rahimtoola SH.** *The hibernating myocardium.*
Am Heart J. 1989;117:211-221.
-
- Rahimtoola SH.** *From coronary artery disease to heart failure: role of the hibernating myocardium.*
Am J Cardiol. 1995;75:16E-22E.
-
- Rahimtoola SH.** *Hibernating myocardium has reduced blood flow at rest that increases with low-dose dobutamine.*
Circulation. 1996;94:3055-3061. Editorial.
-
- Rein AJJT, Colan SD, Parness IA, Sanders SP.** *Regional and global left ventricular function in infants with anomalous origin of the left coronary artery from the pulmonary trunk: preoperative and postoperative assessment.*
Circulation. 1987;75:115-123.
-
- Rocco TP, Dilsizian V, McKusick KA, Fischman AJ, Boucher CA, Strauss HW.** *Comparison of thallium redistribution with rest "reinjection" imaging for the detection of a viable myocardium.*
Am J Cardiol. 1990;66:158-163.
-
- Ross J Jr.** *Myocardial perfusion-contraction matching: implications for coronary heart disease and hibernation.*
Circulation. 1991;83:1076-1082.
-
- Sambuceti G, Parodi O, Giorgetti A, et al.** *Microvascular dysfunction in collateral-dependent myocardium.*
J Am Coll Cardiol. 1995;26:615-623.
-
- Sambuceti G, Parodi O, Marcassa C, et al.** *Alteration in regulation of myocardial blood flow in one-vessel coronary artery disease determined by positron emission tomography.*
Am J Cardiol. 1993;72:538-543.
-
- Schulz R, Guth BD, Pieper K, Martin C, Heusch G.** *Recruitment of an inotropic reserve in moderately ischemic myocardium at the expense of metabolic recovery: a model of short-term hibernation.*
Circ Res. 1992;70:1282-1295.
-
- Schulz R, Rose J, Margin C, Brodde OE, Heusch G.** *Development of short-term myocardial hibernation: its limitation by the severity of ischemia and inotropic stimulation.*
Circulation. 1993;88:684-695.
-

Bibliography of One Hundred Key Papers

- Schwarz ER, Schaper J, von Dahl J, et al. *Myocyte degeneration and cell death in hibernating human myocardium.*
J Am Coll Cardiol. 1996;27:1577-1585.
-
- Shivalkar B, Borgers M, Daenen W, Gewillig M, Flameng W. *ALCAPA syndrome: an example of chronic myocardial hypoperfusion?*
J Am Coll Cardiol. 1994;23:772-778.
-
- Shivalkar B, Maes A, Borgers M, et al. *Only hibernating myocardium shows early recovery after coronary revascularization.*
Circulation. 1996;94:308-315.
-
- Shopicki HA, Abraham SA, Weissman NJ, et al. *Factor influencing regional myocardial contractile response to inotropic stimulation: analysis in humans with stable ischemic heart disease.*
Circulation. 1996;94:643-650.
-
- Smart SC, Sawada S, Ryan T, et al. *Low-dose dobutamine echocardiography detects reversible dysfunction after thrombolytic therapy of acute myocardial infarction.*
Circulation. 1993;88:405-411.
-
- Sun KT, Czernin J, Krirokapich J, et al. *Effects of dobutamine stimulation on myocardial blood flow, glucose metabolism and wall motion in normal and dysfunctional myocardium.*
Circulation. 1996;74:3146-3154.
-
- Tamaki N, Kawamoto M, Takahashi N, et al. *Prognostic value of an increase in fluorine-18 deoxyglucose uptake in patients with myocardial infarction: comparison with stress thallium imaging.*
J Am Coll Cardiol. 1993;22:1621-1627.
-
- Tillisch J, Brunken R, Marshall R, et al. *Reversibility of cardiac wall motion abnormalities predicted by positron tomography.*
N Engl J Med. 1986;314:884-888.
-
- Topol EJ, Weiss JL, Guzman PA, et al. *Immediate improvement of dysfunctional myocardial segments or after coronary revascularization: detection by intraoperative transesophageal echocardiography.*
J Am Coll Cardiol. 1984;4:1123-1134.
-
- Udelson JE, Coleman PS, Metherall J, et al. *Predicting recovery of severe regional ventricular dysfunction. Comparison of resting scintigraphy with ²⁰¹Tl and ^{99m}Tc-Sestamibi.*
Circulation. 1994;89:2552-2561.
-
- Van den Berg EK Jr, Popma JJ, Dehmer GJ, et al. *Reversible segmental left ventricular dysfunction after coronary angioplasty.*
Circulation. 1990;81:1210-1216.
-
- Vatner SF. *Correlation between acute reductions in myocardial blood flow and function in conscious dogs.*
Circ Res. 1980;47:201-207.
-
- von Dahl J, Althoefer C, Sheehan FH, et al. *Recovery of regional left ventricular dysfunction after coronary revascularization: impact of myocardial viability assessed by nuclear imaging and vessel patency at follow-up angiography.*
J Am Coll Cardiol. 1996;28:948-958.
-
- Willerson JT, Hutton I, Watson JT, Platt MR, Templeton GH. *Influence of dobutamine on regional myocardial blood flow and ventricular performance during acute and chronic myocardial ischemia in dogs.*
Circulation. 1976;53:828-833.
-