

# Restenosis

## Bibliography of One Hundred Key Papers

- 
- Abdelmeguid A, Topol E, Whitlow P, Sapp S, Ellis S.** *Significance of mild transient release of creatine kinase-MB fraction after percutaneous coronary interventions.*  
**Circulation.** 1996;94:1528-1536.
- 
- Adelman A, Cohen E, Kimball B, et al.** *A comparison of directional atherectomy with balloon angioplasty for lesions of the left anterior descending coronary artery.*  
**N Engl J Med.** 1993;329:228-233.
- 
- Ardissino D, Di Somma S, Kubica J, et al.** *Influence of elastic recoil on restenosis after successful coronary angioplasty in unstable angina pectoris.*  
**Am J Cardiol.** 1993;71:659-663.
- 
- Ashahara T, Bauters C, Pastori C, et al.** *Local delivery of vascular endothelial growth factor accelerates reendothelialization and attenuates intimal hyperplasia in a balloon-injured rat carotid artery.*  
**Circulation.** 1995;91:2793-2801.
- 
- Baim D, Popma J, Sharma S, et al.** *Final results in the balloon vs optimal atherectomy trial (BOAT): 6-month angiography and 1-year clinical follow-up.*  
**Circulation.** 1996;94(suppl 1):I-436.
- 
- Bennett M, Anglin S, McEwan J, Jagoe R, Newby A, Evan G.** *Inhibition of vascular smooth muscle cell proliferation in vitro and in vivo by c-myc antisense oligonucleotides.*  
**J Clin Invest.** 1994;93:820-828.
- 
- Bennett M, Schwartz S.** *Antisense therapy for angioplasty restenosis: some critical considerations.*  
**Circulation.** 1995;92:1981-1993.
- 
- Bittl J, Strony J, Brinker J, et al.** *Treatment with bivalirudin (Hirulog) as compared with heparin during coronary angioplasty for unstable or postinfarction angina.*  
**N Engl J Med.** 1995;333:764-769.
- 
- Brown D, Kania N, Choi E, et al.** *Local irrigation with tissue factor pathway inhibitor inhibits intimal hyperplasia induced by arterial interventions.*  
**Arch Surg.** 1996;131:1086-1090.
- 
- Cairns J, Gill J, Morton B, Roberts R, Gent M, Hirsh J.** *Enoxaparen and Maxepa for the Prevention of Angioplasty Restenosis (EMPAR).*  
**Circulation.** 1994;90(suppl 1):I-651.
- 
- Choi E, Engel L, Callow A, et al.** *Inhibition of neointimal hyperplasia by blocking  $\alpha_v\beta_3$  integrin with a small peptide antagonist GpenGRGDSPCA.*  
**J Vasc Surg.** 1994;19:125-134.
- 
- Coller B, Peerschke E, Scudder L, Sullivan C.** *A murine monoclonal antibody that completely blocks the binding of fibrinogen to platelets produces a thrombasthenic-like state in normal platelets and binds to glycoproteins IIb and/or IIIa.*  
**J Clin Invest.** 1983;72:325-338.
-

**Bibliography of One Hundred Key Papers**

---

- Currier J, Faxon D.** *Restenosis after percutaneous transluminal coronary angioplasty: have we been aiming at the wrong target?*  
**J Am Coll Cardiol.** 1995;25:516-520.
- 
- Elliot J, Berdan L, Holmes D, et al.** *One-year follow-up in the Coronary Angioplasty Versus Excisional Atherectomy Trial (CAVEAT I).*  
**Circulation.** 1995;91:2158-2166.
- 
- Ellis S, Roubin G, Wilentz J, Douglas J, King S.** *Effect of 18-24 hour heparin administration for prevention of restenosis after uncomplicated coronary angioplasty.*  
**Am Heart J.** 1989;117:777-782.
- 
- Emanuelsson H, Beatt K, Bagger J, et al.** *Reduction of clinical events but not angiographic restenosis. European Angiopeptin Study Group.*  
**Circulation.** 1995;91:1689-1696.
- 
- Eriksen U, Amtorp O, Bagger J, et al.** *Randomized double-blind Scandinavian trial of angiopeptin versus placebo for the prevention of clinical events and restenosis after coronary balloon angioplasty.*  
**Am Heart J.** 1995;130:1-8.
- 
- Essad C, van den Brand M, Becker A.** *Transluminal coronary angioplasty and early restenosis: fibrocellular occlusion after wall laceration.*  
**Br Heart J.** 1983;49:393-396.
- 
- Faxon D.** *Effect of high-dose angiotensin-converting enzyme inhibition on restenosis: final results of the MARCATOR study, a multicenter, double-blind, placebo-controlled trial of cilazapril.*  
**J Am Coll Cardiol.** 1995;25:362-369.
- 
- Faxon D, Spiro T, Minor S, et al.** *Low-molecular-weight heparin in the prevention of restenosis after angioplasty: results of the enoxaparin restenosis (ERA) trial.*  
**Circulation.** 1994;90:908-914.
- 
- Ferns G, Raines A, Sprugel K, Motani A, Reidy M, Ross R.** *Inhibition of neointimal smooth muscle cell accumulation after angioplasty by antibody to PDGF.*  
**Science.** 1991;253:1129-1132.
- 
- Fischman D, Leon M, Baim D, et al.** *A randomized comparison of coronary-stent placement and balloon angioplasty in the treatment of coronary artery disease.*  
**N Engl J Med.** 1994;331:496-501.
- 
- Gasic G, Arenas C, Gasic T, Gasic G.** *Coagulation factors X, Xa, and protein S are potent mitogens of cultured aortic smooth muscle cells.*  
**Proc Natl Acad Sci USA.** 1992;89:2317-2320.
- 
- Gordon P, Gibson C, Cohen D, Carrozza J, Kuntz R, Baim D.** *Mechanisms of restenosis and redilation within coronary stents—quantitative angiographic assessment.*  
**J Am Coll Cardiol.** 1993;21:1166-1174.
- 
- Grines C, Rizik D, Levine A, et al.** *Colchicine angioplasty restenosis trial (CART).*  
**Circulation.** 1991;84(suppl II):II-365.
- 
- Guetta V, Cannon R.** *Cardiovascular effects of estrogen and lipid-lowering therapies in postmenopausal women.*  
**Circulation.** 1996;93:1928-1937.
- 
- Haude M, Erbel R, Issa H, Meyer J.** *Quantitative analysis of elastic recoil after balloon angioplasty and after intracoronary implantation of balloon-expandable Palmaz-Schatz stents.*  
**J Am Coll Cardiol.** 1993;21:26-34.
-



- 
- Hillegass W, Ohman E, Califf R.** *Restenosis: the clinical issues. In: Topol EJ, ed. Textbook of Interventional Cardiology. Vol 2. Philadelphia, Pa: W.B. Saunders Co. 1994:415-435.*
- 
- Hillegass W, Ohman E, Leimberger J, Califf R.** *A meta-analysis of randomized trials of calcium antagonists to reduce restenosis after coronary angioplasty. Am J Cardiol. 1994;73:835-839.*
- 
- Hirayama A, Nanto S, Ohara T, Nashida K, Okuyama Y, Kodama K.** *Preventive effect on restenosis by ebselen: a newly synthesized anti-inflammation agent. J Am Coll Cardiol. 1992;19(suppl):259A.*
- 
- Holmes D, Vlietstra R, Smith H, et al.** *Restenosis after percutaneous transluminal coronary angioplasty (PTCA): a report from the PTCA registry of the National Heart, Lung, and Blood Institute. Am J Cardiol. 1984;53(suppl 2):77C-81C.*
- 
- Jang Y, Guzman L, Lincoff A, et al.** *Influence of blockade at specific levels of the coagulation cascade on restenosis in a rabbit atherosclerotic femoral artery injury model. Circulation. 1995;92:3041-3050.*
- 
- Kakuta T, Currier J, Haudenschild C, Ryan T, Faxon D.** *Differences in compensatory vessel enlargement, not neointimal formation, account for restenosis following angioplasty in the hypercholesterolemic rabbit model. Circulation. 1994;89:2809-2815.*
- 
- Kent K, Williams D, Cassagneau B, et al.** *Double-blind, controlled trial of the effect of angiopeptin on coronary restenosis following angioplasty. Circulation. 1993;88(suppl 1):I-506.*
- 
- Kimball B, Bui S, Cohen E, Carere R, Adelman A.** *Comparison of acute elastic recoil after directional coronary atherectomy versus standard balloon angioplasty. Am Heart J. 1991;124:1459-1463.*
- 
- Kimura T, Yokoi H, Nakagawa Y, et al.** *Three-year follow-up after implantation of metallic coronary artery stents. N Engl J Med. 1996;334:561-566.*
- 
- Kosuga K, Tamai H, Udea K, et al.** *Efficacy of tranilast on restenosis after directional coronary atherectomy (DCA). Circulation. 1995;92(suppl 1):I-346.*
- 
- Kuntz R, Baim D.** *Defining coronary restenosis: newer clinical and angiographic paradigms. Circulation. 1993;88:1310-1323.*
- 
- Kuntz R, Gibson C, Nobuyoshi M, Baim D.** *Generalized model of restenosis after conventional balloon angioplasty, stenting, and directional atherectomy. J Am Coll Cardiol. 1993;21:15-25.*
- 
- Lablanche J, Grollier G, Lusson J, et al.** *Effect of the direct nitric oxide donors linsidomine and molsidomine on angiographic restenosis after coronary balloon angioplasty: the ACCORD study. Circulation. 1997;95:83-89.*
- 
- Lafont A, Guzman L, Whitlow P, Goormastic M, Cornhill J, Chisolm G.** *Restenosis after experimental angioplasty: intimal, medial, and adventitial changes associated with constrictive remodeling. Circ Res. 1995;76:996-1002.*
-

**Bibliography of One Hundred Key Papers**

---

- Laham R, Carrozza J, Berger C, Cohen D, Kuntz R, Baim D.** *Long-term (4- to 6-year) outcome of Palmaz-Schatz stenting: paucity of late clinical stent-related problems.*  
**J Am Coll Cardiol.** 1996;28:820-826.
- 
- Laird J, Carter D, Kufs W, et al.** *Inhibition of neointimal proliferation with low-dose irradiation from a  $\beta$ -particle-emitting stent.*  
**Circulation.** 1996;93:529-536.
- 
- Lazarous D, Shou M, Scheinowitz M, et al.** *Comparative effects of basic-fibroblast growth factor and vascular endothelial-derived growth factor on coronary collateral development and the arterial response to injury.*  
**Circulation.** 1996;94:1074-1082.
- 
- Le Breton H, Plow E, Topol E.** *Role of platelets in restenosis after percutaneous coronary revascularization.*  
**J Am Coll Cardiol.** 1996;28:1643-1651.
- 
- Le Breton H, Rabbani R, Plow E, et al.** *The role of integrins  $\alpha_{IIIb}\beta_3$  (glycoprotein IIb/IIIa) and  $\alpha_v\beta_3$  (the vitronectin receptor) in a guinea-pig model of restenosis.*  
**Circulation.** 1996;94(suppl I):I-517.
- 
- Leaf A, Jorgensen M, Jacobs A, et al.** *Do fish oils prevent restenosis after coronary angioplasty?*  
**Circulation.** 1994;90:2248-2257.
- 
- Lefkowitz J, Plow E, Topol E.** *Platelet glycoprotein IIb/IIIa receptors in cardiovascular medicine.*  
**N Engl J Med.** 1995;332:1553-1559.
- 
- Lehmann K, Melkert R, Serruys P.** *Contributions of frequency distribution analysis to the understanding of coronary restenosis: a reappraisal of the Gaussian curve.*  
**Circulation.** 1996;93:1123-1132.
- 
- Light J, Bellan J, Chen I, et al.** *Angiopeptin enhances acetylcholine-induced relaxation and inhibits intimal hyperplasia after vascular injury.*  
**Am J Physiol.** 1993;265(4, pt 2):H1265-H1274.
- 
- Lincoff A, Tcheng J, Miller D, Booth J, Montague E, Topol E.** *Marked enhancement of clinical efficacy of platelet GP IIb/IIIa blockade with c7E3 Fab (abciximab) linked to reduction in bleeding complications: outcome in the EPILOG and EPIC trials.*  
**Circulation.** 1996;94(suppl I):I-375.
- 
- Lincoff A, Topol E, Ellis S.** *Local drug delivery for the prevention of restenosis: fact, fancy, and future.*  
**Circulation.** 1994;90:2070-2084.
- 
- Macaya C, Serruys P, Ruygrok P, et al.** *Continued benefit of coronary stenting versus balloon angioplasty: one-year clinical follow-up of BENESTENT trial.*  
**J Am Coll Cardiol.** 1996;27:255-261.
- 
- Maresta A, Balducelli M, Cantini L, et al.** *Trapidil (triazolopyrimidine), a platelet-derived growth factor antagonist, reduces restenosis after percutaneous transluminal coronary angioplasty. Results of the randomized, double-blind STARC study. Studio Trapidil versus Aspirin nella Restenosi Coronarica.*  
**Circulation.** 1994;90:2710-2715.
- 
- Marks D, Vita J, Folts J, Kearney J, Welch G, Loscalzo J.** *Inhibition of neointimal proliferation in rabbits after vascular injury by a single treatment with a protein adduct of nitric oxide.*  
**J Clin Invest.** 1995;96:2630-2638.
-



- 
- Mintz G, Popma J, Pichard A, et al. *Arterial remodeling after coronary angioplasty: a serial intravascular ultrasound study.*  
**Circulation.** 1996;94:35-43.
- 
- Murphy J, Schwartz R, Edwards W, Camrud A, Vliestra R, Holmes D. *Percutaneous polymeric stents in porcine coronary arteries: initial experience with polyethylene terephthalate.*  
**Circulation.** 1992;86:1596-1604.
- 
- Myers P, Webel R, Thondapu V, et al. *Restenosis is associated with decreased coronary artery nitric oxide synthase.*  
**Int J Cardiol.** 1996;55:183-191.
- 
- Naftilian A, Pratt R, Dzau V, et al. *Reduction of PDGF A chain and c-myc gene expression by angiotensin II in cultured rat vascular smooth muscle cells.*  
**J Clin Invest.** 1989;83:1419-1424.
- 
- Nishikawa H, Ono N, Motoyasu M, et al. *Preventive effects of trapidil (PDGF antagonist) on restenosis after PTCA.*  
**Circulation.** 1992;86(suppl I):I-53.
- 
- Nobuyoshi M, Kimura T, Nosaka H, et al. *Restenosis after successful percutaneous transluminal coronary angioplasty: serial angiographic follow-up of 229 patients.*  
**J Am Coll Cardiol.** 1988;12:616-623.
- 
- O'Brien E, Alpers C, Stewart D, et al. *Proliferation in primary and restenotic coronary atherectomy tissue: implications for antiproliferative therapy.*  
**Circ Res.** 1993;73:223-231.
- 
- O'Brien J, Peterson E, Keeler G, et al. *Relation between estrogen replacement therapy and restenosis after percutaneous coronary interventions.*  
**J Am Coll Cardiol.** 1996;28:1111-1118.
- 
- Okamoto S, Inden M, Setsuda M, Konishi T, Nakano T. *Effects of trapidil (triazolopyrimidine), a platelet-derived growth factor antagonist, in preventing restenosis after percutaneous transluminal coronary angioplasty.*  
**Am Heart J.** 1992;123:1439-1444.
- 
- O'Keefe J, Kim S, Hall R, Cochran V, Lawhorn S, McCallister B. *Estrogen replacement therapy after coronary angioplasty in women.*  
**J Am Coll Cardiol.** 1997;29:1-5.
- 
- O'Keefe J, McCallister B, Bateman T, Kuhnlein D, Ligon R, Hartzler G. *Ineffectiveness of colchicine for the prevention of restenosis after coronary angioplasty.*  
**J Am Coll Cardiol.** 1992;19:1597-1600.
- 
- O'Keefe J, Stone G, McCallister B, et al. *Lovastatin plus probucol for prevention of restenosis after percutaneous transluminal coronary angioplasty.*  
**Am J Cardiol.** 1996;77:649-652.
- 
- Oparil S, Levine R, Chen S, Durand J, Chen Y. *Sexually dimorphic response of the balloon-injured rat carotid artery to hormone treatment.*  
**Circulation.** 1997;95:1301-1307.
- 
- Pepine C, Hirshfeld J, MacDonald R, et al. *A controlled trial of corticosteroids to prevent restenosis after coronary angioplasty.*  
**Circulation.** 1990;81:1753-1761.
- 
- Powell J, Glozel J, Muller R, et al. *Inhibitors of angiotensin-converting enzyme prevent myointimal proliferation after vascular injury.*  
**Science.** 1989;245:186-188.
-

**Bibliography of One Hundred Key Papers**

---

- Ragosta M, Gimble L, Gertz S, et al.** *Specific factor Xa inhibition reduces restenosis after balloon angioplasty of atherosclerotic femoral arteries in rabbits.* **Circulation.** 1994;89:1262-1271.
- 
- Rensing B, Hermans W, Deckers J, De Feyter P, Tijssen J, Serruys P.** *Lumen narrowing after percutaneous transluminal balloon coronary angioplasty follows a near-Gaussian distribution: a quantitative angiographic study in 1445 successfully dilated lesions.* **J Am Coll Cardiol.** 1992;19:939-945.
- 
- Rensing B, Hermans W, Strauss B, Serruys P.** *Regional differences in elastic recoil after percutaneous transluminal coronary angioplasty: a quantitative angiographic study.* **J Am Coll Cardiol.** 1991;17:34B-38B.
- 
- Rose T, Beauchamp B.** *Short-term, high-dose steroid treatment to prevent restenosis in PTCA.* **Circulation.** 1987;76(suppl IV):IV-371.
- 
- Roubin G, King S, Douglas J.** *Restenosis after percutaneous coronary angioplasty: the Emory University Hospital experience.* **Am J Cardiol.** 1987;60:39B-43B.
- 
- Ruggeri Z.** *New insights into the mechanisms of platelet adhesion and aggregation.* **Semin Hematol.** 1994;31:229-239.
- 
- Santoian E, Schneider J, Gravanis M, et al.** *Angiopeptin inhibits intimal hyperplasia after angioplasty in porcine coronary arteries.* **Circulation.** 1993;88:11-14.
- 
- Savage M, Fischman D, Schatz R, et al.** *Long-term clinical and angiographic outcome after implantation of a balloon-expandable stent in the native coronary circulation. Palmaz-Schatz Stent Study Group.* **J Am Coll Cardiol.** 1994;25:1207-1212.
- 
- Schwartz R, Holmes D, Topol E.** *The restenosis paradigm revisited: an alternative proposal for cellular mechanisms.* **J Am Coll Cardiol.** 1992;20:1284-1293.
- 
- Schwartz S, deBlois D, O'Brien E.** *The intima. Soil for atherosclerosis and restenosis.* **Circ Res.** 1995;77:445-465.
- 
- Scott-Burden T, Vanhoutte P.** *Regulation of smooth muscle cell growth by endothelium-derived factors.* **Texas Heart Inst J.** 1994;21:91-97.
- 
- Serruys P, De Jaegere P, Kiemeneij F, et al.** *A comparison of balloon-expandable-stent implantation with balloon angioplasty in patients with coronary artery disease.* **N Engl J Med.** 1994;331:489-495.
- 
- Serruys P, Emanuelsson H, van der Giessen W, et al.** *Heparin-coated Palmaz Schatz stents in human coronary arteries: early outcome of the BENESTENT-II pilot study.* **Circulation.** 1996;93:412-422.
- 
- Serruys P, Herrman J, Simon R, et al.** *A comparison of hirudin with heparin in the prevention of restenosis after coronary angioplasty.* **N Engl J Med.** 1995;333:757-763.
- 
- Serruys P, Klein W, Tussen J, et al.** *Evaluation of ketanserin in the prevention of restenosis after percutaneous transluminal coronary angioplasty: a multicenter randomized double-blind placebo-controlled trial.* **Circulation.** 1993;88:1588-1601.
-



- Shi Y, O'Brien J, Ala-Kokko L, Chung W, Mannion J, Zalewski A. *Origin of extracellular matrix synthesis during coronary repair. Circulation.* 1997;95:997-1006.
- 
- Simons M, Edelman E, DeKeyser J, Langer R, Rosenberg R. *Antisense c-myc oligonucleotides inhibit arterial smooth muscle cell proliferation in vivo. Nature.* 1992;359:67-70.
- 
- Stone G, Rutherford B, McConahay D, et al. *A randomized trial of corticosteroids for the prevention of restenosis in 102 patients undergoing repeat coronary angioplasty. Cathet Cardiovasc Diagn.* 1989;18:227-231.
- 
- Symons R. *Small catalytic RNAs. Annu Rev Biochem.* 1992;61:641-671.
- 
- Tcheng J, Ellis S, George B, et al. *Pharmacodynamics of chimeric glycoprotein IIb/IIIa integrin antiplatelet antibody Fab 7E3 in high-risk coronary angioplasty. Circulation.* 1994;90:1757-1764.
- 
- Teirstein P. *β-Radiation to reduce restenosis: too little, too soon? Circulation.* 1997;95:1095-1097.
- 
- The EPIC Investigators. *Use of a monoclonal antibody directed against the platelet glycoprotein IIb/IIIa receptor in high-risk coronary angioplasty. N Engl J Med.* 1994;330:956-961.
- 
- The MERCATOR Study group. *Does the new angiotensin converting enzyme inhibitor cilazapril prevent restenosis after percutaneous transluminal coronary angioplasty? Results of the MERCATOR study: a multicenter, randomized, double-blind placebo-controlled trial. Circulation.* 1992;86:100-110.
- 
- The TREAT study investigators. *The impact of tranilast on restenosis following coronary angioplasty: the Tranilast Restenosis Following Angioplasty Trial. Circulation.* 1994;90(suppl I):I-652.
- 
- Thornton M, Gruentzig A, Hollman, J, King S, Douglas J. *Coumadin and aspirin in prevention of restenosis after transluminal coronary angioplasty: a randomized study. Circulation.* 1984;69:721-727.
- 
- Topol E. *The restenosis "antitheory." Mayo Clin Proc.* 1993;68:88-90.
- 
- Topol E. *Caveats about elective stenting. N Engl J Med.* 1994;331:539-541.
- 
- Topol E, Califf R, Weisman H, et al. *Randomised trial of coronary intervention with antibody against platelet IIb/IIIa integrin for reduction of clinical restenosis: results at six months. Lancet.* 1994;343:881-886.
- 
- Topol E, Leya F, Pinkerton C, et al. *A comparison of directional atherectomy with coronary angioplasty in patients with coronary artery disease: the CAVEAT study group. N Engl J Med.* 1993;329:221-227.
- 
- Topol E, Nissen S. *Our preoccupation with coronary luminology: the dissociation between clinical and angiographic findings in ischemic heart disease. Circulation.* 1995;92:2333-2342.

**Bibliography of One Hundred Key Papers**

---

- Urban P, Buller N, Fox K, Shapiro L, Bayliss J, Richards A.** *Lack of effect of warfarin on restenosis or clinical outcome after balloon coronary angioplasty.*  
**Br Heart J.** 1988;60:485-488.
- 
- Vandormael M, Reifart N, Preusler W, et al.** *Six months follow-up results following excimer laser angioplasty, rotational atherectomy and balloon angioplasty for complex lesions: ERBAC study.*  
**Circulation.** 1994;90(suppl I):I-213.
- 
- Verin V, Urban P, Popowski Y, et al.** *Feasibility of intracoronary  $\beta$ -irradiation to reduce restenosis after balloon angioplasty: a clinical pilot study.*  
**Circulation.** 1997;95:1138-1144.
- 
- von der Leyen H, Gibbons G, Morishita R, et al.** *Gene therapy inhibiting neointimal vascular lesion: in vivo transfer of endothelial cell nitric oxide synthase gene.*  
**Proc Natl Acad Sci USA.** 1995;92:1137-1141.
- 
- Waksman R.** *Local catheter-based intracoronary radiation therapy for restenosis.*  
**Am J Cardiol.** 1996;78:23-28.
- 
- Waller B, Pinkerton C, Orr C, Slack J, VanTassel J, Peters T.** *Morphological observations late (greater than 30 days) after clinically successful coronary balloon angioplasty.*  
**Circulation.** 1991;83(suppl I): I-28-I-41.
- 
- Ward S, Lincoff A, Miller D, et al.** *Clinical outcome is improved at 30 days regardless of pretreatment clinical and angiographic risk in patients receiving abciximab for angioplasty: results from the EPILOG study.*  
**Circulation.** 1996;94(suppl I):I-198.
- 
- Watanabe K, Sekiya M, Ikeda S, Miyagawa M, Hashida K.** *Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty.*  
**Am Heart J.** 1996;132:23-29.
- 
- Wiedermann J, Marboe C, Amols H, Schwartz A, Weinberger J.** *Intracoronary irradiation markedly reduces restenosis after balloon angioplasty in a porcine model.*  
**J Am Coll Cardiol.** 1994;23:1491-1498.
- 
- Weintraub W, Boccuzzi S, Klein J, et al.** *Lack of effect of lovastatin on restenosis after coronary angioplasty.*  
**N Engl J Med.** 1994;331:1331-1337.
-