

Apoptosis

Bibliography of One Hundred Key Papers

-
- Adachi S, Cross AR, Babior BM, Gottlieb RA.** *Bcl-2 and the outer mitochondrial membrane in the inactivation of cytochrome c during Fas-mediated apoptosis.* **J Biol Chem.** 1997;272:21878-21882.
-
- Alnemri ES, Livingston DJ, Nicholson DW, et al.** *Human ICE/CED-3 protease nomenclature [Letter to the Editor].* **Cell.** 1996;87:171.
-
- Armstrong S, Downey JM, Ganote CE.** *Preconditioning of isolated rabbit cardiomyocytes: induction by metabolic stress and blockade by the adenosine antagonist SPT and calphostin C, a protein kinase C inhibitor.* **Cardiovasc Res.** 1994;28:72-77.
-
- Asimakis GK, Inners-McBride K, Medellin G, Conti VR.** *Ischemic preconditioning attenuates acidosis and postischemic dysfunction in isolated rat heart.* **Am J Physiol.** 1992;263(3, pt 2):H887-H894.
-
- Badorff D, Schwarz EM, Hiura T, Wessely R, Knowlton KU.** *NFκB-mediated inhibition of apoptosis is associated with encephalomyocarditis virus virulence in vivo.* **Circulation.** 1997;96:1424.
-
- Barry MA, Eastman A.** *Endonuclease activation during apoptosis: the role of cytosolic Ca²⁺ and pH.* **Biochem Biophys Res Commun.** 1992;186:782-789.
-
- Barry MA, Eastman A.** *Identification of deoxyribonuclease II as an endonuclease involved in apoptosis.* **Arch Biochem Biophys.** 1993;300:440-450.
-
- Belgrau D, Gold D, Selawry H, Moore JJ, Franzusoff A, Duke RC.** *A role for CD95 ligand in preventing graft rejection.* **Nature.** 1995;377:630-632.
-
- Bertin J, Armstrong RC, Otilie S, et al.** *Death effector domain-containing herpesvirus and poxvirus proteins inhibit both Fas- and TNFRI-induced apoptosis.* **Proc Natl Acad Sci USA.** 1997;94:1172-1176.
-
- Bialik S, Geenen DL, Sasson IE, et al.** *Myocyte apoptosis during acute myocardial infarction in the mouse localizes to hypoxic regions but occurs independently of p53.* **J Clin Invest.** 1997;100:1363-1372.
-
- Bielowska AE, Shapiro JP, Jiang L, et al.** *Ceramide is involved in triggering of cardiomyocyte apoptosis induced by ischemia and reperfusion.* **Am J Pathol.** 1997;151:1257-1263.
-

Bibliography of One Hundred Key Papers

- Brown DG, Sun XM, Cohen GM.** *Dexamethasone-induced apoptosis involves cleavage of DNA to large fragments prior to internucleosomal fragmentation.*
J Biol Chem. 1993;268:3037-3039.
-
- Brunskill NJ, Morrissey JJ, Klahr S.** *Association and interactions of GTP-binding proteins with rat medullary H⁺-ATPase.*
Am J Physiol. 1994;267(6, pt 2):F944-F951.
-
- Bump NJ, Hackett M, Hugunin M, et al.** *Inhibition of ICE family proteases by baculovirus antiapoptotic protein p35.*
Science. 1995;269:1885-1888.
-
- Cardone MH, Salvesen GS, Widmann C, Johnson G, Frisch SM.** *The regulation of anoikis: MEKK-1 activation requires cleavage by caspases.*
Cell. 1997;90:315-323.
-
- Cheng W, Li B, Li P, et al.** *Stretch-induced programmed myocyte cell death.*
J Clin Invest. 1995;96:2247-2259.
-
- Chinnaiyan AM, O'Rourke K, Lane BR, Dixit VM.** *Interaction of CED-4 with CED-3 and CED-9: a molecular framework for cell death.*
Science. 1997;275:1122-1126.
-
- Choi DW.** *Ischemia-induced neuronal apoptosis. [Review].*
Curr Opin Neurobiol. 1996;6:667-672.
-
- Chuang TH, Hahn KM, Lee JD, Danley DE, Bokoch GM.** *The small GTPase Cdc42 initiates an apoptotic signaling pathway in Jurkat T lymphocytes.*
J Biol Chem. 1997;8:1687-1698.
-
- Cosulich S, Clarke P.** *Apoptosis: does stress kill? [Review].*
Curr Biol. 1996;6:1586-1588.
-
- Eguchi Y, Shimizu S, Tsujimoto Y.** *Intracellular ATP levels determine cell death fate by apoptosis or necrosis.*
Cancer Res. 1997;57:1835-1840.
-
- Ellerby HM, Martin SJ, Ellerby LM, et al.** *Establishment of a cell-free system of neuronal apoptosis: comparison of premitochondrial, mitochondrial, and postmitochondrial phases.*
J Neurosci. 1997;17:6165-6178.
-
- Ellis HM, Horvitz HR.** *Genetic control of programmed cell death in the nematode C. elegans.*
Cell. 1986;44:817-829.
-
- Engler RL, Gottlieb R.** *Myocyte Apoptosis. In: Svendsen JH, Aldershvile J, Haunso S, eds. Coronary Microcirculation During Ischaemia and Reperfusion. Copenhagen, Sweden: Munksgaard; 1997.*
-
- Evan GI, Wyllie AH, Gilbert CS, et al.** *Induction of apoptosis in fibroblasts by c-myc protein.*
Cell. 1992;69:119-128.
-



-
- Fernandes-Alnemri T, Litwack G, Alnemri ES.** *CPP32, a novel human apoptotic protein with homology to Caenorhabditis elegans cell death protein Ced-3 and mammalian interleukin-1-beta-converting enzyme.*
J Biol Chem. 1994;269:30761-30764.
-
- Forgac M.** *Structure and properties of the coated vesicle proton pump.*
Ann NY Acad Sci. 1992;671:273-283.
-
- Gagliardini V, Fernandez PA, Lee RK, et al.** *Prevention of vertebrate neuronal death by the crmA gene.*
Science. 1994;263:826-828.
-
- Gottlieb RA.** *Cell acidification in apoptosis [Review].*
Apoptosis. 1996;1:40-48.
-
- Gottlieb RA, Bursleson KO, Kloner RA, Babior BM, Engler RL.** *Reperfusion injury induces apoptosis in rabbit cardiomyocytes.*
J Clin Invest. 1994;94:1621-1628.
-
- Gottlieb RA, Dosanjh A.** *Mutant cystic fibrosis transmembrane conductance regulator inhibits acidification and apoptosis in C127 cells: possible relevance to cystic fibrosis.*
Proc Natl Acad Sci USA. 1996;93:3587-3591.
-
- Gottlieb RA, Giesing H, Engler RL, Babior BM.** *The acid deoxyribonuclease of neutrophils: a possible participant in apoptosis-associated genome destruction.*
Blood. 1995;86:2414-2418.
-
- Gottlieb RA, Giesing H, Zhu JY, Engler RL, Babior BM.** *Cell acidification in apoptosis: granulocyte colony-stimulating factor delays programmed cell death in neutrophils by up-regulating the vacuolar H⁺-ATPase.*
Proc Natl Acad Sci USA. 1995;92:5965-5968.
-
- Gottlieb RA, Gruol DL, Zhu JY, Engler RL.** *Preconditioning in rabbit cardiomyocytes: role of pH, vacuolar proton ATPase, and apoptosis.*
J Clin Invest. 1996;97:2391-2398.
-
- Gottlieb RA, Nordberg JA, Skowronski E, Babior BM.** *Apoptosis induced in Jurkat cells by several agents is preceded by intracellular acidification.*
Proc Natl Acad Sci USA. 1996;93:654-658.
-
- Griffith TS, Brunner T, Fletcher SM, Green DR, Ferguson TA.** *Fas ligand-induced apoptosis as a mechanism of immune privilege.*
Science. 1995;270:1189-1192.
-
- Gu Y, Wu J, Faucheu C, et al.** *Interleukin-1-beta converting enzyme requires oligomerization for activity of processed forms in vivo.*
EMBO J. 1995;14:1923-1931.
-
- Haldar S, Beatty C, Tsujimoto Y, Croce CM.** *The bcl-2 gene encodes a novel G protein.*
Nature. 1989;342:195-198.
-
- Hockenberry D, Nu—ez G, Milliman C, Schreiber RD, Korsmeyer SJ** *Bcl-2 is an inner mitochondrial membrane protein that blocks programmed cell death.*
Nature. 1990;348:334-336.
-

Bibliography of One Hundred Key Papers

- James TN. *Normal and abnormal consequences of apoptosis in the human heart. From postnatal morphogenesis to paroxysmal arrhythmias.* **Circulation.** 1994;90:556-573.
-
- Johnson LN, Gardner AM, Diener KM, et al. *Signal transduction pathways regulated by mitogen-activated/extracellular response kinase kinase induce cell death.* **J Biol Chem.** 1996;271:3229-3237.
-
- Juarez-Salinas H, Sims JL, Jacobson MK. *Poly(ADP-ribose) levels in carcinogen-treated cells.* **Nature.** 1979;282:740-741.
-
- Kajstura J, Cheng W, Sarangarajan R, et al. *Necrotic and apoptotic myocyte cell death in the aging heart of Fischer 344 rats.* **Am J Physiol.** 1996;271(3, pt 2):H1215-H1228.
-
- Kane DJ, Sarafian TA, Anton R, et al. *Bcl-2 inhibition of neural death: decreased generation of reactive oxygen species.* **Science.** 1993;262:1274-1277.
-
- Karsan A, Harlan JM. *Modulation of endothelial cell apoptosis: mechanisms and pathophysiological roles.* **J Atheroscler Thromb.** 1996;3:75-80.
-
- Kirshenbaum LA, de Moissac D. *The bcl-2 gene product prevents programmed cell death of ventricular myocytes.* **Circulation.** 1997;96:1580-1585.
-
- Kluck RM, Bossy-Wetzel E, Green DR, Newmeyer DD. *The release of cytochrome c from mitochondria: a primary site for Bcl-2 regulation of apoptosis.* **Science.** 1997;275:1132-1136.
-
- Krippner A, Yagi A, Gottlieb RA, Babior BM. *Loss of function of cytochrome c in Jurkat cells undergoing Fas-mediated apoptosis.* **J Biol Chem.** 1996;271:21629-21636.
-
- Krown KA, Page MT, Nguyen C, et al. *Tumor necrosis factor alpha-induced apoptosis in cardiac myocytes. Involvement of the sphingolipid signaling cascade in cardiac cell death.* **J Clin Invest.** 1996;98:2854-2865.
-
- Laderoute KR, Webster KA. *Hypoxia/reoxygenation stimulates Jun kinase activity through redox signaling in cardiac myocytes.* **Circ Res.** 1997;80:336-344.
-
- Lazebnik YA, Takahashi A, Moir RD, et al. *Studies of the lamin proteinase reveal multiple parallel biochemical pathways during apoptotic execution.* **Proc Natl Acad Sci USA.** 1995;92:9042-9046.
-
- Li J, Eastman A. *Apoptosis in an interleukin-2-dependent cytotoxic T lymphocyte cell line is associated with intracellular acidification.* **J Biol Chem.** 1995;270:3203-3211.
-
- Li P, Nijhawan D, Budihardjo I, et al. *Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade.* **Cell.** 1997;91:479-489.
-



-
- Li Q, Li B, Wang X, et al.** *Overexpression of insulin-like growth factor-1 in mice protects from myocyte death after infarction, attenuating ventricular dilation, wall stress, and cardiac hypertrophy.*
J Clin Invest. 1997;100:1991-1999.
-
- Li Z, Bing OH, Long X, Robinson KG, Lakatta EG.** *Increased cardiomyocyte apoptosis during the transition to heart failure in the spontaneously hypertensive rat.*
Am J Physiol. 1997;272(5, pt 2):H2313-H2319.
-
- Liu GS, Thornton J, Van Winkle DM, Stanley AWH, Olsson RA, Downey JM.** *Protection against infarction afforded by preconditioning is mediated by adenosine A₁ receptors in rabbit heart.*
Circulation. 1991;84:350-356.
-
- Liu X, Zou H, Slaughter C, Wang X.** *DFF, a heterodimeric protein that functions downstream of caspase-3 to trigger DNA fragmentation during apoptosis.*
Cell. 1997;89:175-184.
-
- Liu Y, Cigola E, Cheng W, et al.** *Myocyte nuclear mitotic division and programmed myocyte cell death characterize the cardiac myopathy induced by rapid ventricular pacing in dogs.*
Lab Invest. 1995;73:771-787.
-
- Long X, Crow MT, Sollott SJ, et al.** *Enhanced expression of p53 and apoptosis induced by blockade of the vacuolar proton ATPase in cardiomyocytes.*
J Clin Invest. 1998;101:1453-1461.
-
- Mallat Z, Tedgui A, Fontaliran F, Frank R, Durigon M, Fontaine G.** *Evidence of apoptosis in arrhythmogenic right ventricular dysplasia.*
N Engl J Med. 1996;335:1190-1196.
-
- Marber MS, Latchman DS, Walker JM, Yellon DM.** *Cardiac stress protein elevation 24 hours following brief ischemia or heat stress is associated with resistance to infarction.*
Circulation. 1993;88:1264-1272.
-
- Martin SJ, O'Brien GA, Nishioka WK, et al.** *Proteolysis of fodrin (non-erythroid spectrin) during apoptosis.*
J Biol Chem. 1995;270:6425-6428.
-
- McCarthy NJ, Whyte MK, Gilbert CS, Evan GI.** *Inhibition of Ced-3/ICE-related proteases does not prevent cell death induced by oncogenes, DNA damage, or the Bcl-2 homologue Bak.*
J Cell Biol. 1997;136:215-227.
-
- Meisenholder GW, Martin SJ, Green DR, Nordberg J, Babor BM, Gottlieb RA.** *Events in apoptosis: acidification is downstream of protease activation and Bcl-2 protection.*
J Biol Chem. 1996;271:16260-16262.
-
- Meng H, Pierce GN.** *Protective effects of 5-(N,N-dimethyl) amiloride on ischemia-reperfusion injury in hearts.*
Am J Physiol. 1990;258(5, pt 2):H1615-H1619.
-
- Miossec C, Dutilleul V, Fassy F, Diu-Hercend A.** *Evidence for CPP32 activation in the absence of apoptosis during T lymphocyte stimulation.*
J Biol Chem. 1997;272:13459-13462.
-

Bibliography of One Hundred Key Papers

- Mosser DD, Caron AW, Bourget L, Denis-Larose C, Massie B.** *Role of the human heat shock protein hsp70 in protection against stress-induced apoptosis.*
Mol Cell Biol. 1997;17:5317-5327.
-
- Murphy E, Perlman M, London RE, Steenbergen C.** *Amiloride delays the ischemia-induced rise in cytosolic free calcium.*
Circ Res. 1991;68:1250-1258.
-
- Murry DE, Richard VJ, Reimer KA, Jennings RB.** *Ischemic preconditioning slows energy metabolism and delays ultrastructural damage during a sustained ischemic episode.*
Circ Res. 1990;66:913-931.
-
- Nanda A, Brumell JH, Nordstrom T, et al.** *Activation of proton pumping in human neutrophils occurs by exocytosis of vesicles bearing vacuolar-type H⁺-ATPases.*
J Biol Chem. 1996;271:15963-15970.
-
- Narula J, Haider N, Virmani R, et al.** *Apoptosis in myocytes in end-stage heart failure.*
N Engl J Med. 1996;335:1182-1189.
-
- Nicholson DW, Ali A, Thornberry NA, et al.** *Identification and inhibition of the ICE/CED-3 protease necessary for mammalian apoptosis.*
Nature. 1995;376:37-43.
-
- Olivetti G, Abbi R, Quaini F, et al.** *Apoptosis in the failing human heart.*
N Engl J Med. 1997;336:1131-1141.
-
- Peitsch MC, Polzar B, Stephan H, et al.** *Characterization of the endogenous deoxyribonuclease involved in nuclear DNA degradation during apoptosis (programmed cell death).*
EMBO J. 1993;12:371-377.
-
- Piot CA, Padmanaban D, Ursell PC, Sievers RE, Wolfe CL.** *Ischemic preconditioning decreases apoptosis in rat hearts in vivo.*
Circulation. 1997;96:1598-1604.
-
- Piper HM, Sezer O, Schleyer M, Hutter JF, Spieckermann PG.** *Development of ischemia-induced damage in defined mitochondrial subpopulations.*
J Mol Cell Cardiol. 1985;17:885-896.
-
- Puceat M, Vassort G.** *Neurohumoral modulation of intracellular pH in the heart.*
Cardiovasc Res. 1995;29:178-183.
-
- Rao L, Debbas M, Sabbatini P, Hockenbery D, Korsmeyer S, White E.** *The adenovirus E1A proteins induce apoptosis, which is inhibited by the E1B 19-kDa and Bcl-2 proteins.*
Proc Natl Acad Sci USA. 1992;89:7742-7746.
-
- Ray CA, Black RA, Kronheim SR, et al.** *Viral inhibition of inflammation: cowpox virus encodes an inhibitor of the interleukin-1 beta converting enzyme.*
Cell. 1992;69:597-604.
-
- Reed JC.** *Cytochrome c: can't live with it—can't live without it.*
Cell. 1997;91:559-562.
-
- Schulze-Osthoff K, Walczak H, Droge W, Krammer PH.** *Cell nucleus and DNA fragmentation are not required for apoptosis.*
J Cell Biol. 1994;127:15-20.
-



- Seimiya H, Mashima T, Toho M, Tsuruo T.** *c-Jun NH₂-terminal kinase-mediated activation of interleukin-1 β converting enzyme/CED-3-like protease during anticancer drug-induced apoptosis.*
J Biol Chem. 1997;272:4631-4636.
-
- Sekler I, Kobayashi S, Kopito RR.** *A cluster of cytoplasmic histidine residues specifies pH dependence of the AE2 plasma membrane anion exchanger.*
Cell. 1996;86:929-935.
-
- Sharov VG, Sabbah HN, Shimoyama H, Lesch M, Goldstein S, Goussev AV.** *Evidence of cardiocyte apoptosis in myocardium of dogs with chronic heart failure.*
Am J Pathol. 1996;148:141-149.
-
- Steenbergen C, Perlman ME, London RE, Murphy E.** *Mechanism of preconditioning: ionic alterations.*
Circ Res. 1993;72:112-125.
-
- Sulston JE, Horvitz HR.** *Post-embryonic cell lineages of the nematode *Caenorhabditis elegans*.*
Dev Biol. 1977;56:110-156.
-
- Sulston JE, Schierenberg E, White JG, Thomson JN.** *The embryonic cell lineage of the nematode *Caenorhabditis elegans*.*
Dev Biol. 1983;100:64-119.
-
- Tanaka M, Ito H, Adachi S, et al.** *Hypoxia induces apoptosis with enhanced expression of Fas antigen messenger RNA in cultured neonatal rat cardiomyocytes.*
Circ Res. 1994;75:426-433.
-
- Tewari M, Quan LT, O'Rourke K, et al.** *Yama/CPP32 β , a mammalian homolog of CED-3, is a CrmA-inhibitable protease that cleaves the death substrate poly(ADP-ribose) polymerase.*
Cell. 1995;81:801-809.
-
- Thome M, Schneider P, Hofmann K, et al.** *Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors.*
Nature. 1997;386:517-521.
-
- Torriglia A, Chaudun E, Chany-Fournier F, Jeanny JC, Courtois Y, Counis MF.** *Involvement of DNase II in nuclear degeneration during lens cell differentiation.*
J Biol Chem. 1995;270:28579-28585.
-
- Wu D, Wallen HD, Nuñez G.** *Interaction and regulation of subcellular localization of CED-4 by CED-9.*
Science. 1997;275:1126-1129.
-
- Wyllie AH, Kerr JFR, Currie AR.** *Cell death: the significance of apoptosis.*
Int Rev Cytol. 1980;68:251-306.
-
- Xue D, Horvitz HR.** *Inhibition of the *Caenorhabditis elegans* cell-death protease CED-3 by a CED-3 cleavage site in baculovirus p35 protein.*
Nature. 1995;377:248-251.
-
- Yang J, Liu X, Bhalla K, et al.** *Prevention of apoptosis by Bcl-2: release of cytochrome c from mitochondria blocked.*
Science. 1997;275:1129-1132.

Bibliography of One Hundred Key Papers

-
- Yin T, Sandhu G, Wolfgang CD, et al.** *Tissue-specific pattern of stress kinase activation in ischemic/reperfused heart and kidney.*
J Biol Chem. 1997;272:19943-19950.
-
- Ytrehus K, Liu Y, Downey JM.** *Preconditioning protects ischemic rabbit heart by protein kinase C activation.*
Am J Physiol. 1994;35(3, pt 2):H1145-H1152.
-
- Zanke BW, Boudreau K, Rubie E, et al.** *The stress-activated protein kinase pathway mediates cell death following injury induced by cis-platinum, UV irradiation or heat.*
Curr Biol. 1996;6:606-613.
-
- Zhang J, Feng Y, Forgac M.** *Proton conduction and bafilomycin-binding by the V_o domain of the coated vesicle V-ATPase.*
J Biol Chem. 1994;269:23518-23523.
-
- Zou H, Henzel WJ, Liu X, Lutschg A, Wang X.** *Apaf-1, a human protein homologous to C. elegans CED-4, participates in cytochrome c-dependent activation of caspase-3.*
Cell. 1997;90:405-413.
-

Instructions for authors

GENERAL INSTRUCTIONS

- Manuscripts should be provided on word-processor disks (3.5-in, for IBM, IBM-compatible, or Apple computers) with three hard copies (text and figures) printed on one side of standard-sized white bond paper, double-spaced, with 2.5-cm margins. Pages must be numbered. **Standard typed page = 25 lines of 75 characters (including spaces) double-spaced, 2.5-cm margins = a total of 275 words per page.**
- All texts should be submitted in English. In the case of translations, the text in the original language should be included.
- On the **title page**, provide title of manuscript (title should be concise, not exceeding 120 characters, including spaces), short running title, keywords, and acknowledgments, as well as full names (first name, middle name(s), and last name) with highest academic degrees (in country-of-origin language), affiliations/address, telephone No., fax No., and E-mail address.
- **Illustrations** (photographs, tables, graphs, figures—hard copies and on disk, where possible) should be of good quality or professionally prepared, numbered according to their order, with proper orientation indicated (eg, “top,” or “left”), and **SHORT legends** provided, not repetitive of text. As figures and graphs may need to be reduced or enlarged, all absolute values and statistics should be provided. All illustrations should be cited in the text, with distinct numbering for figures and tables. Illustrations will be reproduced in full color only when clearly necessary, eg, images from nuclear medicine or histology.
- Include **HEADINGS** using a consistent style for the various levels of headings, to highlight key points and facilitate comprehension of the text. The Publisher reserves the right to add or delete headings when necessary.
- **Indent first line of each new paragraph.**
- **Abbreviations** should be used sparingly and expanded at first mention.
- Use **Systeme International (SI)** units.
- Use **generic names of drugs.**
- All **references** should be cited in the text and numbered consecutively using superscript arabic numerals. The author-date system of citation is **NOT** acceptable. “In press” references are to be avoided. In the bibliography, titles of journals should be abbreviated according to the Index Medicus. All authors should be listed up to six; if there are more, only the first three should be listed, followed by “et al” (*Uniform requirements for manuscripts submitted to biomedical journals “the Vancouver style.” Br Med J Clin Res. 1982;284:1766-1770*). Where necessary, references will be styled to *Dialogues in Cardiovascular Medicine* copyediting requirements. Authors bear total responsibility for the accuracy and completeness of all references and for correct text citation. Example of style for references:
 1. Ouriel K, Geary K, Green RM, Geary JE, DeWeese JA. Factors determining survival after ruptured abdominal aneurysm. *J Vasc Surg.* 1990;11:493-496.
 2. Darling RC, Brewster DC, Ottinger LW. Autopsy study of unoperated abdominal aortic aneurysms: the case for early resection. *Circulation.* 1977;56(suppl II):III161-III164.
 3. Schulman JL. Immunology of influenza. In: Kilbourne ED, Alfade RT, eds. *The Influenza Viruses and Influenza*. Orlando, Fla: Academic Press Inc; 1975:373-393.
- **Copyediting:** all contributions to *Dialogues in Cardiovascular Medicine* will be styled by the Publisher’s editorial dept according to the specifications of the current edition of the **American Medical Association Manual of Style, Williams & Wilkins**. Page proofs will be sent to authors for approval and should be returned within 5 days. If this time is exceeded, changes made by the editorial dept will be assumed to be accepted by the author. Authors are responsible for all statements made in their work, including changes made by the editorial dept and authorized by the author. The Publisher will edit Editorials, Abstracts, and Seminal Paper Summaries to required size if their length does not comply with specific requirements.

- **Copyright** of articles will be transferred to the Publisher of *Dialogues in Cardiovascular Medicine*. For reproduction of existing work, it is the author’s responsibility to obtain copyright from the author(s) (including self) and the publisher(s) and provide copies of these authorizations with the manuscript.

EDITORIAL

The editorial should not exceed 2 standard typed pages (maximum 600 words).

LEAD ARTICLE

The lead article should not exceed 25 standard typed pages (maximum 8000 words), including an abstract of no more than 200 words, no more than 20 references, and a maximum of 10 illustrations (figures and tables). Illustrations correspond to approximately 2/3 of a standard typed page or 200 words and are counted as part of the maximum allowed 25 standard typed pages. A maximum of 5-10 keywords should be included.

RESPONDENT ARTICLES

Respondent articles should not exceed 10 standard typed pages (maximum 2500 words), including an abstract of no more than 125 words, no more than 10 references, and a maximum of 3 illustrations (figures and tables). Illustrations correspond to approximately 2/3 of a standard typed page or 200 words and are counted as part of the maximum allowed 10 standard typed pages. A maximum of 5-10 keywords should be included.

SEMINAL PAPER SUMMARIES

Seminal paper summaries take up one page of *Dialogues in Cardiovascular Medicine*: the length of each summary should **IMPERATIVELY** be comprised between 500 and 600 words, ie, **not exceed 3000 characters**. Summaries that are too short or too long will be edited by the Publisher. No figures, tables or references should be included in seminal paper summaries.