

Cardiac Remodeling

Bibliography of One Hundred Key Papers

-
- Adzick NS, Longaker MT.** *Scarless fetal healing. Therapeutic implications.*
Ann Surg. 1992;215:3-7.
-
- Appleton I, Tomlinson A, Chander CL, Willoughby DA.** *Effect of endothelin-1 on croton oil-induced granulation tissue in the rat. A pharmacologic and immunohistochemical study.*
Lab Invest. 1992;67:703-710.
-
- Beltrami CA, Finato N, Rocco M, et al.** *Structural basis of end-stage failure in ischemic cardiomyopathy in humans.*
Circulation. 1994;89:151-163.
-
- Bishop J, Greenbaum J, Gibson D, Yacoub M, Laurent GJ.** *Enhanced deposition of predominantly type I collagen in myocardial disease.*
J Mol Cell Cardiol. 1990;22:1157-1165.
-
- Bishop JE, Lindahl G.** *Regulation of cardiovascular collagen synthesis by mechanical load.*
Cardiovasc Res. 1999;42:27-44.
-
- Blankesteyn WM, Essers-Janssen YP, Verluyten MJ, Daemen MJ, Smits JF.** *A homologue of Drosophila tissue polarity gene frizzled is expressed in migrating myofibroblasts in the infarcted rat heart.*
Nat Med. 1997;3:541-544.
-
- Border WA, Noble NA.** *Transforming growth factor β in tissue fibrosis.*
N Engl J Med. 1994;331:1286-1292.
-
- Brilla CG, Matsubara LS, Weber KT.** *Anti-aldosterone treatment and the prevention of myocardial fibrosis in primary and secondary hyperaldosteronism.*
J Mol Cell Cardiol. 1993;25:563-575.
-
- Brilla CG, Pick R, Tan LB, Janicki JS, Weber KT.** *Remodeling of the rat right and left ventricle in experimental hypertension.*
Circ Res. 1990;67:1355-1364.
-
- Brilla CG, Weber KT.** *Mineralocorticoid excess, dietary sodium and myocardial fibrosis.*
J Lab Clin Med. 1992;120:893-901.
-
- Brilla CG, Weber KT.** *Reactive and reparative myocardial fibrosis in arterial hypertension in the rat.*
Cardiovasc Res. 1992;26:671-677.
-
- Campbell SE, Janicki JS, Matsubara BB, Weber KT.** *Myocardial fibrosis in the rat with mineralocorticoid excess: prevention of scarring by amiloride.*
Am J Hypertens. 1993;6:487-495.
-
- Campbell SE, Katwa LC.** *Angiotensin II stimulated expression of transforming growth factor- β 1 in cardiac fibroblasts and myofibroblasts.*
J Mol Cell Cardiol. 1997;29:1947-1958.
-

Bibliography of One Hundred Key Papers

- Cleutjens JPM, Kandala JC, Guarda E, Guntaka RV, Weber KT. *Regulation of collagen degradation in the rat myocardium after infarction.* **J Mol Cell Cardiol.** 1995;27:1281-1292.
-
- Cleutjens JPM, Verluyten MJA, Smits JFM, Daemen MJAP. *Collagen remodeling after myocardial infarction in the rat heart.* **Am J Pathol.** 1995;147:325-338.
-
- Darby I, Skalli O, Gabbiani G. *α -Smooth muscle actin is transiently expressed by myofibroblasts during experimental wound healing.* **Lab Invest.** 1990;63:21-29.
-
- Davison G, Hall CS, Miller JG, Scott M, Wickline SA. *Cellular mechanisms of captopril-induced matrix remodeling in Syrian hamster cardiomyopathy.* **Circulation.** 1994;90:1334-1342.
-
- De Carvalho Frimm C, Sun Y, Weber KT. *Angiotensin II receptor blockade and myocardial fibrosis of the infarcted rat heart.* **J Lab Clin Med.** 1997;129:439-446.
-
- Derynck R, Feng XH. *TGF- β receptor signaling.* **Biochim Biophys Acta.** 1997;1333:F105-F150.
-
- Desmoulière A, Gabbiani G. *The role of the myofibroblast in wound healing and fibrocontractive diseases. In: Clark RAF, ed. The Molecular and Cellular Biology of Wound Repair.* 2nd ed. New York, NY: Plenum Press; 1996:391-423.
-
- Dostal DE, Booz GW, Baker KM. *Angiotensin II signalling pathways in cardiac fibroblasts: conventional versus novel mechanisms in mediating cardiac growth and function.* **Mol Cell Biochem.** 1996;157:15-21.
-
- Filip DA, Radu A, Simionescu M. *Interstitial cells of the heart valves possess characteristics similar to smooth muscle cells.* **Circ Res.** 1986;59:310-320.
-
- Gabbiani G, Hirschel BJ, Ryan GB, Statkov PR, Majno G. *Granulation tissue as a contractile organ. A study of structure and function.* **J Exp Med.** 1972;135:719-734.
-
- Goumenos DS, Brown CB, Shortland J, El Nahas AM. *Myofibroblasts, predictors of progression of mesangial IgA nephropathy.* **Nephrol Dial Transplant.** 1994;9:1418-1425.
-
- Greenwel P, Inagaki Y, Hu W, Walsh M, Ramirez F. *Sp1 is required for the early response of $\alpha 2(I)$ collagen to transforming growth factor- $\beta 1$.* **J Biol Chem.** 1997;272:19738-19745.
-
- Hanatani A, Yoshiyama M, Kim S, et al. *Inhibition by angiotensin II type 1 receptor antagonist of cardiac phenotypic modulation after myocardial infarction.* **J Mol Cell Cardiol.** 1995;27:1905-1914.
-
- Haralson MA. *Transforming growth factor- β , other growth factors, and the extracellular matrix.* **J Lab Clin Med.** 1997;130:455-458.
-



-
- Hirsch AT, Talsness CE, Schunkert H, Paul M, Dzau VJ. *Tissue-specific activation of cardiac angiotensin converting enzyme in experimental heart failure.* **Circ Res.** 1991;69:475-482.
-
- Hokimoto S, Yasue H, Fujimoto K, Sakata R, Miyamoto E. *Increased angiotensin converting enzyme activity in left ventricular aneurysm of patients after myocardial infarction.* **Cardiovasc Res.** 1995;29:664-669.
-
- Hutter MM, Sievers RE, Barbosa V, Wolfe CL. *Heat-shock protein induction in rat hearts. A direct correlation between the amount of heat-shock protein induced and the degree of myocardial protection.* **Circulation.** 1994;89:355-360.
-
- Jaattela M, Wissing D, Bauer PA, Li GC. *Major heat shock protein hsp70 protects tumor cells from tumor necrosis factor cytotoxicity.* **EMBO J.** 1992;11:3507-3512.
-
- Joseph J, Kandala JC, Veerapanane D, Weber KT, Guntaka RV. *Antiparallel polypurine phosphorothioate oligonucleotides form stable triplexes with the rat $\alpha 1(I)$ collagen gene promoter and inhibit transcription in cultured rat fibroblasts.* **Nucleic Acids Res.** 1997;25:2182-2188.
-
- Jugdutt BI. *Effect of captopril and enalapril on left ventricular geometry, function and collagen during healing after anterior and inferior myocardial infarction in a dog model.* **J Am Coll Cardiol.** 1995;25:1718-1725.
-
- Jugdutt BI, Amy RWM. *Healing after myocardial infarction in the dog: changes in infarct hydroxyproline and topography.* **J Am Coll Cardiol.** 1986;7:91-102.
-
- Jugdutt BI, Schwarz-Michorowski BL, Khan MI. *Effect of long-term captopril therapy on left ventricular remodeling and function during healing of canine myocardial infarction.* **J Am Coll Cardiol.** 1992;19:713-721.
-
- Katsuya T, Koike G, Yee TW, et al. *Association of angiotensinogen gene T235 variant with increased risk of coronary heart disease.* **Lancet.** 1995;345:1600-1603.
-
- Katwa LC, Campbell SE, Tyagi SC, Lee SJ, Cicila GT, Weber KT. *Cultured myofibroblasts generate angiotensin peptides de novo.* **J Mol Cell Cardiol.** 1997;29:1375-1386.
-
- Katwa LC, Ratajska A, Cleutjens JPM, et al. *Angiotensin converting enzyme and kininase-II-like activities in cultured valvular interstitial cells of the rat heart.* **Cardiovasc Res.** 1995;29:57-64.
-
- Katwa LC, Tyagi SC, Campbell SE, Lee SJ, Cicila GT, Weber KT. *Valvular interstitial cells express angiotensinogen, cathepsin D, and generate angiotensin peptides.* **Int J Biochem Cell Biol.** 1996;28:807-821.
-
- Khillan JS, Li SW, Prockop DJ. *Partial rescue of a lethal phenotype of fragile bones in transgenic mice with a chimeric antisense gene directed against a mutated collagen gene.* **Proc Natl Acad Sci USA.** 1994;91:6298-6302.
-

Bibliography of One Hundred Key Papers

- Kivirikko KI.** *Collagens and their abnormalities in a wide spectrum of diseases.* **Ann Med.** 1993;25:113-126.
-
- Kovacs A, Kandala JC, Weber KT, Guntaka RV.** *Triple helix-forming oligonucleotide corresponding to the polypyrimidine sequence in the rat $\alpha 1(I)$ collagen promoter specifically inhibits factor binding and transcription.* **J Biol Chem.** 1996;271:1805-1812.
-
- Laptev AV, Lu Z, Colige A, Prockop DJ.** *Specific inhibition of expression of a human collagen gene (COL1A1) with modified antisense oligonucleotides. The most effective target sites are clustered in double-stranded regions of the predicted secondary structure for the mRNA.* **Biochemistry.** 1994;33:11033-11039.
-
- Lefroy DC, Wharton J, Crake T, et al.** *Regional changes in angiotensin II receptor density after experimental myocardial infarction.* **J Mol Cell Cardiol.** 1996;28:429-440.
-
- Lerman RH, Apstein CS, Kagan HM, et al.** *Myocardial healing and repair after experimental infarction in the rabbit.* **Circ Res.** 1983;53:378-388.
-
- Marber MS, Mestril R, Chi SH, Sayen MR, Yellon DM, Dillman WH.** *Overexpression of the rat inducible 70-kD heat stress protein in a transgenic mouse increases the resistance of the heart to ischemic injury.* **J Clin Invest.** 1995;95:1446-1456.
-
- McCormick RJ, Musch TI, Bergman BC, Thomas DP.** *Regional differences in LV collagen accumulation and mature cross-linking after myocardial infarction in rats.* **Am J Physiol.** 1994;266:H354-H359.
-
- Mestril R, Dillman WH.** *Heat shock proteins and protection against myocardial ischemia.* **J Mol Cell Cardiol.** 1995;27:45-52.
-
- Michel JB, Lattion AL, Salzmänn JL, et al.** *Hormonal and cardiac effects of converting enzyme inhibition in rat myocardial infarction.* **Circ Res.** 1988;62:641-650.
-
- Morishita R, Sugimoto T, Aoki M, et al.** *In vivo transfection of cis element "decoy" against nuclear factor-kappa B binding site prevents myocardial infarction.* **Nat Med.** 1997;3:894-899.
-
- Murry CE, Kay MA, Bartosek T, Hauschka SD, Schwartz SM.** *Muscle differentiation during repair of myocardial necrosis in rats via gene transfer with MyoD.* **J Clin Invest.** 1996;98:2209-2217.
-
- Nakatsuji S, Yamate J, Kuwamura M, Kotani T, Sakuma S.** *In vivo responses of macrophages and myofibroblasts in the healing following isoproterenol-induced myocardial injury in rats.* **Virchows Archiv.** 1997;430:63-69.
-
- Nicoletti A, Michel JB.** *Cardiac fibrosis and inflammation: interaction with hemodynamic and hormonal factors.* **Cardiovasc Res.** 1999;41:532-543.
-
- Ou R, Sun Y, Ganjam VK, Weber KT.** *In situ production of angiotensin II by fibrosed rat pericardium.* **J Mol Cell Cardiol.** 1996;28:1319-1327.
-



-
- Pfeffer JM, Pfeffer MA, Braunwald E.** *Influence of chronic captopril therapy on the infarcted left ventricle of the rat.*
Circ Res. 1985;57:84-95.
-
- Pfeffer MA, Braunwald E, Moyé LA, et al.** *Effect of captopril on mortality and morbidity in patients with left ventricular dysfunction after myocardial infarction. Results of the Survival and Ventricular Enlargement Trial.*
N Engl J Med. 1992;327:669-677.
-
- Pinto JE, Viglione P, Saavedra JM.** *Autoradiographic localization and quantification of rat heart angiotensin converting enzyme.*
Am J Hypertens. 1991;4:321-326.
-
- Prockop DJ, Kivirikko KI.** *Collagens: molecular biology, diseases, and potentials for therapy.*
Annu Rev Biochem. 1995;64:403-434.
-
- Ratajska A, Campbell SE, Sun Y, Weber KT.** *Angiotensin II associated cardiac myocyte necrosis: role of adrenal catecholamines.*
Cardiovasc Res. 1994;28:684-690.
-
- Robert V, Van Thiem N, Cheav SL, Mouas C, Swynghedauw B, Delcayre C.** *Increased cardiac types I and III collagen mRNAs in aldosterone-salt hypertension.*
Hypertension. 1994;24:30-36.
-
- Roberts AB, Sporn MB.** *Transforming growth factor- β .* In: Clark RAF, ed. **The Molecular and Cellular Biology of Wound Repair.** 2nd ed. New York, NY: Plenum Press; 1996:275-308.
-
- Satoh M, Hirayoshi K, Yokota S, Hosokawa N, Nagata K.** *Intracellular interaction of collagen-specific stress protein HSP47 with newly synthesized procollagen.*
J Cell Biol. 1996;133:469-483.
-
- Shi Y, O'Brien JE Jr, Fard A, Zalewski A.** *Transforming growth factor- β 1 expression and myofibroblast formation during arterial repair.*
Arterioscler Thromb Vasc Biol. 1996;16:1298-1305.
-
- Siebenlist U, Franzoso G, Brown K.** *Structure, regulation and function of NF-kappa B.*
Annu Rev Cell Biol. 1994;10:405-455.
-
- Slack JL, Liska DJ, Bornstein P.** *Regulation of expression of the Type I collagen genes.*
Am J Med Gen. 1993;45:140-151.
-
- Smits JFM, van Krimpen C, Schoemaker RG, Cleutjens JPM, Daemen MJAP.** *Angiotensin II receptor blockade after myocardial infarction in rats: effects on hemodynamics, myocardial DNA synthesis, and interstitial collagen content.*
J Cardiovasc Pharmacol. 1992;20:772-778.
-
- Sun Y, Cleutjens JPM, Diaz-Arias AA, Weber KT.** *Cardiac angiotensin converting enzyme and myocardial fibrosis in the rat.*
Cardiovasc Res. 1994;28:1423-1432.
-
- Sun Y, Diaz-Arias AA, Weber KT.** *Angiotensin-converting enzyme, bradykinin and angiotensin II receptor binding in rat skin, tendon and heart valves: an in vitro quantitative autoradiographic study.*
J Lab Clin Med. 1994;123:372-377.
-

Bibliography of One Hundred Key Papers

- Sun Y, Ramires FJA, Weber KT.** *Fibrosis of atria and great vessels in response to angiotensin II or aldosterone infusion.*
Cardiovasc Res. 1997;35:138-147.
-
- Sun Y, Ratajska A, Zhou G, Weber KT.** *Angiotensin converting enzyme and myocardial fibrosis in the rat receiving angiotensin II or aldosterone.*
J Lab Clin Med. 1993;122:395-403.
-
- Sun Y, Weber KT.** *Angiotensin II and aldosterone receptor binding in rat heart and kidney: response to chronic angiotensin II or aldosterone administration.*
J Lab Clin Med. 1993;122:404-411.
-
- Sun Y, Weber KT.** *Angiotensin II receptor binding following myocardial infarction in the rat.*
Cardiovasc Res. 1994;28:1623-1628.
-
- Sun Y, Weber KT.** *Angiotensin converting enzyme and myofibroblasts during tissue repair in the rat heart.*
J Mol Cell Cardiol. 1996;28:851-858.
-
- Sun Y, Weber KT.** *Cells expressing angiotensin II receptors in fibrous tissue of rat heart.*
Cardiovasc Res. 1996;31:518-525.
-
- Sun Y, Zhang JQ, Ramires FJA.** *Angiotensin II, transforming growth factor- β 1 and repair in the infarcted heart.*
J Mol Cell Cardiol. 1998;30:1559-1569.
-
- van Krimpen C, Schoemaker RG, Cleutjens JPM, et al.** *Angiotensin I converting enzyme inhibitors and cardiac remodeling.*
Basic Res Cardiol. 1991;86(suppl 1):149-155.
-
- Vigh L, Literati PN, Horvath I, et al.** *Bimoclolom—a nontoxic, hydroxylamine derivative with stress protein-inducing activity and cytoprotective effects.*
Nat Med. 1997;3:1150-1154.
-
- Villard E, Soubrier F.** *Molecular biology and genetics of the angiotensin-I-converting enzyme: potential implications in cardiovascular diseases.*
Cardiovasc Res. 1996;32:999-1007.
-
- Weber KT.** *Cardiac interstitium in health and disease: the fibrillar collagen network.*
J Am Coll Cardiol. 1989;13:1637-1652.
-
- Weber KT.** *Extracellular matrix remodeling in heart failure. A role for de novo angiotensin II generation.*
Circulation. 1997;96:4065-4082.
-
- Weber KT.** *Fibrosis, a common pathway to organ failure: angiotensin II and tissue repair.*
Semin Nephrol. 1997;17:467-491.
-
- Weber KT.** *Monitoring tissue repair and fibrosis from a distance.*
Circulation. 1997;96:2488-2492.
-



-
- Weber KT, Brilla CG.** *Pathological hypertrophy and cardiac interstitium: fibrosis and renin-angiotensin-aldosterone system.*
Circulation. 1991;83:1849-1865.
-
- Weber KT, Swamyathan SK, Guntaka RV, Sun Y.** *Angiotensin II and extracellular matrix homeostasis.*
Int J Biochem Biol. 1999;31:395-403.
-
- Whittaker P.** *Unravelling the mysteries of collagen and cicatrix after myocardial infarction.*
Cardiovasc Res. 1996;31:19-27.
-
- Willems IEMG, Havenith MG, De Mey JGR, Daemen MJAP.** *The α -smooth muscle actin-positive cells in healing human myocardial scars.*
Am J Pathol. 1994;145:868-875.
-
- Yamada H, Fabris B, Allen AM, Jackson B, Johnston CI, Mendelsohn FAO.** *Localization of angiotensin converting enzyme in rat heart.*
Circ Res. 1991;68:141-149.
-
- Yamagishi H, Kim S, Nishikimi T, Takeuchi K, Takeda T.** *Contribution of cardiac renin-angiotensin system to ventricular remodelling in myocardial-infarcted rats.*
J Mol Cell Cardiol. 1993;25:1369-1380.
-
- Young M, Fullerton M, Dilley R, Funder J.** *Mineralocorticoids, hypertension, and cardiac fibrosis.*
J Clin Invest. 1994;93:2578-2583.
-
- Young M, Head G, Funder J.** *Determinants of cardiac fibrosis in experimental hypermineralocorticoid states.*
Am J Physiol. 1995;269:E657-E662.
-
- Zhang G, Moorhead PJ, el Nahas AM.** *Myofibroblasts and the progression of experimental glomerulonephritis.*
Exp Nephrol. 1995;3:308-318.
-