

Diabetes and the Heart

Bibliography of One Hundred Key Papers

-
- Amato L, Paolisso G, Cacciatore F, et al, on behalf of the Osservatorio Geriatrico Regione Campania group.** *Congestive heart failure predicts the development of non-insulin-dependent diabetes mellitus in the elderly.* **Diabetes Metab.** 1997;23:213-218.
-
- Andersson B, Waagstein F.** *Spectrum and outcome of congestive heart failure in a hospitalized population.* **Am Heart J.** 1993;126:632-640.
-
- Aronson D, Bloomgarden Z, Rayfield EJ.** *Potential mechanisms promoting restenosis.* **J Am Coll Cardiol.** 1996;27:528-535.
-
- Aronson D, Rayfield EJ, Cheseboro JH.** *Mechanisms determining course and outcome of diabetic patients who have had acute myocardial infarction.* **Ann Intern Med.** 1997;126:296-306.
-
- Bersin RM, Wolfe C, Kwasman M, et al.** *Improved haemodynamic function and mechanical efficiency in congestive heart failure with sodium dichloroacetate.* **J Am Coll Cardiol.** 1994;23:1617-1624.
-
- Bjornholt JV, Erikssen G, Aaser E, et al.** *Fasting blood glucose: an underestimated risk factor for cardiovascular death. Results from a 22-year follow-up of healthy nondiabetic men.* **Diabetes Care.** 1999;22:45-49.
-
- Calver A, Collier J, Vallance P.** *Inhibition and stimulation of nitric oxide synthesis in the human forearm arterial bed of patients with insulin-dependent diabetes.* **J Clin Invest.** 1992;90:2548-2554.
-
- Caracciolo EA, Chaitman BR, Forman SA, et al, for the ACIP Investigators.** *Diabetics with coronary artery disease have a prevalence of asymptomatic ischemia during exercise treadmill testing and ambulatory ischemia monitoring similar to that of nondiabetic patients.* **Circulation.** 1996;93:2097-2105.
-
- Chae CU, Glynn RJ, Manson JE, Guralnik JM, Taylor JO, Pfeffer MA.** *Diabetes predicts congestive heart failure risk in the elderly.* **Circulation.** 1998;98(suppl I):721.
-
- Chiariello M, Indolfi C, Cotecchia MR, Sifola C, Romano M, Condorelli M.** *Asymptomatic transient ST changes during ambulatory ECG monitoring in diabetic patients.* **Am Heart J.** 1985;100:529-534.
-
- Chun BY, Dobson AJ, Heller RF.** *The impact of diabetes on survival among patients with first myocardial infarction.* **Diabetes Care.** 1997;20:704-708.
-
- Clark CM Jr, Perry RC.** *Type 2 diabetes and macrovascular disease: epidemiology and etiology.* **Am Heart J.** 1999;138:S330-S333.
-

Bibliography of One Hundred Key Papers

- Colwell JA. *Aspirin therapy in diabetes.*
Diabetes Care. 1997;20:1767-1771.
-
- Coutinho M, Gerstein HC, Wang Y, Yusuf S. *The relationship between glucose and incident cardiovascular events. A meta-regression analysis of published data from 20 studies of 95,783 individuals followed for 12.4 years.*
Diabetes Care. 1999;22:233-240.
-
- Curb JD, Pressel SL, Cutler JA, et al. *For the systolic in Elderly Program Cooperative Research Group. Effect of diuretic-based antihypertensive treatment on cardiovascular disease risk in older diabetic patients with isolated systolic hypertension.*
JAMA. 1996;276:1886-1892.
-
- Davi G, Catalano I, Aversa M, et al. *Thromboxane biosynthesis and platelet function in type 2 diabetes mellitus.*
N Engl J Med. 1990;322:1769-1774.
-
- Detre KM, Guo P, Holubkov R, et al. *Coronary revascularization in diabetic patients: a comparison of the randomized components of the Bypass Angioplasty Revascularization Investigation (BARI).*
Circulation. 1999;99:633-640.
-
- Detry JM. *The pathophysiology of myocardial ischemia.*
Eur Heart J. 1996;17(suppl G):48-52.
-
- Diaz E, Romero G, on behalf of the ECLA Collaborative Group. *Metabolic modulation of acute myocardial infarction. The ECLA Glucose-Insulin-Potassium Trial.*
Circulation. 1998;98:2227-2234.
-
- Ewing D. *Cardiac autonomic neuropathy. In: Jarret R, ed. In: Jarret R, ed. Diabetes and Heart Disease. Amsterdam, The Netherlands: Elsevier; 1984:99-132.*
-
- Fath-Ordoubadi F, Beatt KJ. *Glucose-insulin-potassium therapy for treatment of acute myocardial infarction: an overview of randomized placebo-controlled trials.*
Circulation. 1997;96:1152-1156.
-
- Fava S, Azzopardi J, Agius-Muscat H. *Outcome of unstable angina in patients with diabetes mellitus.*
Diabet Med. 1997;14:209-213.
-
- Fein FS, Sonnenblick EH. *Diabetic cardiomyopathy.*
Cardiovasc Drugs Ther. 1994;8:65-73.
-
- Fibrinolytic Therapy Trialists (FTT) Collaborative Study Group. *Indications for fibrinolytic therapy in suspected acute myocardial infarction: collaborative overview of early mortality and major morbidity results from all randomised trials of more than 1000 patients.*
Lancet. 1994;343:311-322.
-
- Fisher BM, Frier BM. *Evidence for a specific heart disease of diabetes in humans.*
Diabet Med. 1990;7:478-489.
-
- Garratt KN, Brady PA, Hassinger NL, Grill DE, Terzic A, Holmes DR Jr. *Sulfonylurea drugs increase early mortality in patients with diabetes mellitus after direct angioplasty for acute myocardial infarction.*
J Am Coll Cardiol. 1999;33:119-124.
-



-
- Gerich JE.** *The genetic basis of type 2 diabetes mellitus: impaired insulin secretion versus impaired insulin sensitivity.*
Endocr Rev. 1998;19:491-503.
-
- Gerstein HC.** *Is glucose a continuous risk factor for cardiovascular mortality?*
Diabetes Care. 1999;22:659-660.
-
- Gerstein HC, Pais P, Pogue J, Yusuf S.** *Relationship of glucose and insulin levels to the risk of myocardial infarction: a case-control study.*
J Am Coll Cardiol. 1999;33:612-619.
-
- Gerstein HC, Yusuf S.** *Dysglycaemia and risk of cardiovascular disease.*
Lancet. 1996;347:949-950.
-
- Goldberg RB, Mellies MJ, Sacks FM, et al.** *Cardiovascular events and their reduction with pravastatin in diabetic and glucose-intolerant myocardial infarction survivors with average cholesterol levels: subgroup analyses in the cholesterol and recurrent events (CARE) trial. The CARE Investigators.*
Circulation. 1998;98:2513-2419.
-
- Granger C, Califf R, Young S, et al.** *Outcome of patients with diabetes mellitus and acute myocardial infarction treated with thrombolytic agents.*
J Am Coll Cardiol. 1993;21:920-925.
-
- Gray RP, Patterson DLH, Yudkin JS.** *Plasminogen activator inhibitor activity in diabetic and nondiabetic survivors of myocardial infarction.*
Arterioscler Thromb. 1993;13:415-420.
-
- Grines CL, Topol EJ, Califf RM, et al.** *Prognostic implications and predictors of enhanced regional wall motion of the noninfarct zone after thrombolysis and angioplasty therapy of acute myocardial infarction. The TAMI study group.*
Circulation. 1989;80:245-253.
-
- Gu K, Cowie CC, Harris MI.** *Diabetes and decline in heart disease mortality in US adults.*
JAMA. 1999;281:1291-1297.
-
- Gustavsson I, Torp-Pedersen C, Kober L, Gustavsson F, Hildebrandt P.** *Effect of angiotensin-converting enzyme inhibitor trandolapril on mortality and morbidity in diabetic patients with left ventricular dysfunction after acute myocardial infarction.*
J Am Coll Cardiol. 1999;34:83-89.
-
- Haffner SM.** *Management of dyslipidemia in adults with diabetes.*
Diabetes Care. 1998;2:160-178.
-
- Haffner SM.** *The importance of hyperglycemia in the nonfasting state to the development of cardiovascular disease.*
Endocr Rev. 1998;19:583-592.
-
- Haffner SM, Lehto S, Ronnema T, Pyörälä K, Laakso M.** *Mortality from coronary heart disease in subjects with type 2 diabetes and in nondiabetic subjects with and without prior myocardial infarction.*
N Engl J Med. 1998;339:229-234.
-

Bibliography of One Hundred Key Papers

**Hansson L, Lindholm LH, Niskanen L, et al,
for the Captopril Prevention Project (CAPPP) study group.**

Effect of angiotensin-converting-enzyme inhibition compared with conventional therapy on cardiovascular morbidity and mortality in hypertension: the Captopril Prevention Project (CAPPP) randomized trial.

Lancet. 1999;353:611-616.

**Hansson L, Zanchetti A, Carruthers SG, Dahlöf B,
Elmfeldt D, Julius S.**

Effect of intensive blood-pressure lowering and low-dose aspirin in patients with hypertension: principal results of the Hypertension Optimal Treatment (HOT) randomized trial.

Lancet. 1998;351:1755-1762.

Hardin N.

The myocardial and vascular pathology of diabetic cardiomyopathy.

Cor Art Dis. 1996;7:99-108.

Iwasaka T, Takahashi N, Nakamura S, et al.

Residual left ventricular pump function after acute myocardial infarction in NIDDM patients.

Diabetes Care. 1992;15:1522-1526.

Jaarsma W, Visser CA, van Eenige MJ, et al.

Prognostic implications of regional hyperkinesia and remote asynergy of noninfarcted myocardium.

Am J Cardiol. 1986;58:394-398.

**Janand-Delenne B, Savin B, Habib G, Bory M, Vague P,
Lassmann-Vague V.**

Silent myocardial ischemia in patients with diabetes: who to screen.

Diabetes Care. 1999;22:1396-1400.

**Johnstone MT, Creager SJ, Scales KM, Cusco JA, Lee BK,
Creager MA.**

Impaired endothelium-dependent vasodilation in patients with insulin-dependent diabetes mellitus.

Circulation. 1993;88:2510-2516.

Kannel WB, McGee DL.

Diabetes and cardiovascular disease. The Framingham study.

JAMA. 1979;214:2035-2038.

Kendall MJ, Lynch KP, Hjalmarsen A, Kjekshus J.

Beta-blockers and sudden cardiac death.

Ann Intern Med. 1995;123:358-367.

King H, Aubert RE, Herman WH.

Global burden of diabetes 1995-2025. Prevalence, numerical estimates and projections.

Diabetes Care. 1998;21:1414-1431.

Klieger R, Miller J, Bigger J, Moss A.

Decreased heart rate variability and its association with increased mortality after acute myocardial infarction.

Am J Cardiol. 1987;59:256-262.

Kwaan H.

Changes in blood coagulation, platelet function and the plasminogen-plasmin system in diabetes.

Diabetes. 1992;41:32-35.

Lundbäck K.

Diabetic angiopathy: a specific vascular disease.

Lancet. 1954;2:377-379.

Malmberg K.

Prospective randomized study of intensive insulin treatment on long-term survival after acute myocardial infarction in patients with diabetes mellitus.

BMJ. 1997;314:1512-1515.



-
- Malmberg K, Herlitz J, Hjalmarsson A, Rydén L.** *Effects on metoprolol on mortality and late infarction in diabetics with suspected acute myocardial infarction. Retrospective data from two large-scale studies.*
Eur Heart J. 1989;10:423-428.
-
- Malmberg K, Norhammar A, Wedel H, Rydén L.** *Glycometabolic state at admission: important risk marker of mortality in conventionally treated patients with diabetes mellitus and acute myocardial infarction: long-term results from the Diabetes and Insulin-Glucose Infusion in Acute Myocardial Infarction (DIGAMI) study.*
Circulation. 1999;99:2626-2632.
-
- Malmberg K, Rydén L, Efendic S, Herlitz J, Nicol P, Waldenstrom A, Wedel H, Welin L.** *A randomized trial of insulin-glucose infusion followed by subcutaneous insulin treatment in diabetic patients with acute myocardial infarction: effects on one-year mortality.*
J Am Coll Cardiol. 1995;26:57-65.
-
- Malmberg K, Rydén L, Wedel H.** *Calcium antagonists, appropriate therapy for diabetic patients with hypertension?*
Eur Heart J. 1998;19:1269-1272.
-
- Margolis J, Kannel W, Feinlieb M, Dawber T, McNamara P.** *Clinical features of unrecognized myocardial infarctions—silent and symptomatic.*
Am J Cardiol. 1973;32:1-7.
-
- McGill JB, Schneider DJ, Arfken CL, Sobel BE.** *Factors responsible for impaired fibrinolysis in obese subjects and NIDDM patients.*
Diabetes. 1994;43:104-109.
-
- Miettinen H, Lehto S, Salomaa V, et al.** *Impact of diabetes on mortality after the first myocardial infarction. The FINMONICA Myocardial Infarction Register Study Group.*
Diabetes Care. 1998;21:69-75.
-
- Moye L, Pfeffer M, Wun C, et al.** *Uniformity of captopril benefit in the SAVE study: subgroup analysis.*
Eur Heart J. 1994;15(suppl B):2-8.
-
- Nathan DM.** *Long-term complications and diabetes mellitus.*
N Engl J Med. 1993;328:1676-1685.
-
- Nesto RW, Phillips RT, Kett KG, Hill T, Young E, Leland S.** *Angina and exertional myocardial ischemia in diabetic and nondiabetic patients: assessment by exercise thallium scintigraphy.*
Ann Intern Med. 1988;108:170-175.
-
- Niakan E, Harati Y, Rolak LA, Comstock JP, Rokey R.** *Silent myocardial infarction and diabetic cardiovascular autonomic neuropathy.*
Arch Intern Med. 1986;146:2229-2230.
-
- Niskanen L, Turpeinen A, Penttila I, Uusitupa MI.** *Hyperglycemia and compositional lipoprotein abnormalities as predictors of cardiovascular mortality in type 2 diabetes: a 15-year follow-up from the time of diagnosis.*
Diabetes Care. 1998;21:1861-1869.
-
- No authors listed.** *Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus.*
Diabetes Care. 1997;20:1183-1197.
-

Bibliography of One Hundred Key Papers

- O'Connor CM, Hathaway WR, Bates ER, et al.** *Clinical characteristics and long-term outcome of patients in whom congestive heart failure develops after thrombolytic therapy for acute myocardial infarction: development of a predictive model.* **Am Heart J.** 1997;133:663-673.
-
- O'Keefe JH, Blackstone EH, Sergeant P, McCallister BD.** *The optimal role of coronary revascularization for diabetics. A risk-adjusted long-term study comparing coronary angioplasty and coronary bypass surgery.* **Eur Heart J.** 1998;19:1696-1703.
-
- Opie LH.** *Proof that glucose-insulin-potassium provides metabolic protection of ischaemic myocardium.* **Lancet.** 1999;353:768-769.
-
- Pais P, Pogue J, Gerstein H, et al.** *Risk factors for acute myocardial infarction in Indians: a case-control study.* **Lancet.** 1996;348:358-363.
-
- Pyörälä K, Pedersen TR, Kjekshus J, Faergeman O, Olsson AG, Thorgeirsson G.** *Cholesterol lowering with simvastatin improves prognosis of diabetic patients with coronary heart disease. A subgroup analysis of the Scandinavian Simvastatin Survival Study (4S).* **Diabetes Care.** 1997;20:614-620.
-
- Ranjadayan K, Umachandran V, Ambepityia G, Kopelman PG, Mills PG, Timmis AD.** *Prolonged anginal perceptual threshold in diabetes: effects on exercise capacity and myocardial ischemia.* **J Am Coll Cardiol.** 1990;16:1120-1124.
-
- Reis SE, Holubkov R, Edmundowicz D, et al.** *Treatment of patients admitted to hospital with congestive heart failure: speciality-related discrepancies in practice patterns and outcomes.* **J Am Coll Cardiol.** 1997;30:733-738.
-
- Rodrigues B, Cam MC, McNeill JH.** *Metabolic disturbances in diabetic cardiomyopathy.* **J Mol Cell Biol Biochem.** 1998;180:53-57.
-
- Rodrigues B, McNeill JH.** *The diabetic heart: metabolic causes for the development of a cardiomyopathy.* **Cardiovasc Res.** 1992;26:913-922.
-
- Soläng L, Malmberg K, Rydén L.** *Diabetes mellitus and congestive heart failure. Future knowledge needed.* **Eur Heart J.** 1999;20:789-795.
-
- Stamler J, Vaccaro O, Neaton JD, Wentworth D.** *Diabetes, other risk factors, and 12-yr cardiovascular mortality for men screened in the Multiple Risk Factor Intervention Trial.* **Diabetes Care.** 1993;16:434-444.
-
- Stone P, Muller J, Hartwell T, et al, and the MILIS study group.** *The effect of diabetes mellitus on prognosis and serial left ventricular function after acute myocardial infarction: contribution of both coronary disease and diastolic left ventricular dysfunction to the adverse prognosis.* **J Am Coll Cardiol.** 1989;14:49-57.
-
- Suskin N, McKelvie RS, Roteaus J, Sigouin C, Wiece KE, Yusuf S.** *Increased insulin and glucose levels in heart failure.* **J Am Coll Cardiol.** 1998;3(suppl):249A.
-



-
- Takahashi N, Iwasaka T.** *Left ventricular regional function after acute anterior myocardial infarction in diabetic patients.*
Diabetes Care. 1989;12:630-635.
-
- The CONSENSUS Trial Study Group.** *Effects of enalapril on mortality in severe congestive heart failure. Results of the Cooperative North Scandinavian Enalapril Survival Study (CONSENSUS).*
N Engl J Med. 1987;316:1429-1435.
-
- The Long-Term Intervention with Pravastatin in Ischaemic Disease (LIPID) Study Group.** *Prevention of cardiovascular events and death with pravastatin in patients with coronary heart disease and a broad range of initial cholesterol levels.*
N Engl J Med. 1998;339:1349-1357.
-
- The SOLVD investigators.** *Effect of enalapril on survival in patients with reduced left ventricular ejection fraction and congestive heart failure.*
N Engl J Med. 1991;325:293-302.
-
- Ting HH, Timimi FK, Boles KS, Creager SJ, Ganz P, Creager MA.** *Vitamin C improves endothelium-dependent vasodilation in patients with non-insulin-dependent diabetes mellitus.*
J Clin Invest. 1996;97:22-28.
-
- Tuomilehto J, Rastenyte D, Birkenhäger W, et al.** *Effects of calcium channel blockade in older patients with diabetes and systolic hypertension.*
N Engl J Med. 1999;340:677-684.
-
- Turner RC, Millns H, Neil HA, et al.** *Risk factors for coronary artery disease in non-insulin-dependent diabetes mellitus: United Kingdom Prospective Diabetes Study (UKPDS: 23).*
BMJ. 1998;316:823-828.
-
- UK Prospective Diabetes Study Group. U.K.** *Prospective Diabetes Study 27. Plasma lipids and lipoproteins at diagnosis of NIDDM by age and sex.*
Diabetes Care. 1997;20:1683-1687.
-
- UK Prospective Diabetes Study Group.** *Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes: UKPDS 38.*
BMJ. 1998;317:703-713.
-
- UK Prospective Diabetes Study Group.** *Efficacy of atenolol and captopril in reducing risk of macrovascular and microvascular complications in type 2 diabetes: UKPDS 39.*
BMJ. 1998;317:713-720.
-
- Wikström G, Malmberg K, Rydén L.** *Improved knowledge of antidiabetic treatment—a necessity for the modern cardiologist.*
Eur Heart J. 1999;20:403-405.
-
- Willerson JT.** *Comparison of coronary bypass surgery with angioplasty in patients with multivessel disease.*
Circulation. 1996;94:1194.
-
- Williams SB, Cusco JA, Roddy MA, Johnstone MT, Creager MA.** *Impaired nitric oxide-mediated vasodilation in patients with non-insulin-dependent diabetes mellitus.*
J Am Coll Cardiol. 1996;27:567-574.
-

Bibliography of One Hundred Key Papers

Williams SB, Goldfine AB, Timimi FK, Ting HH, Roddy MA, Creafer MA.

Acute hyperglycemia attenuates endothelium-dependent vasodilation in humans in vivo.

Circulation. 1998;97:1695-1701.

Wingard DL, Barrett-Connor E.

Heart disease in diabetes.

In: Harris MI, Cowie CC, Stern M, Boyko E, Reiber G, Bennet PH, eds. **Diabetes in America.** 2nd ed. Washington, DC: US Government Printing Office; 1995:429-448.

Woodfield SL, Lundergran CF, Reiner JS, et al.

Angiographic findings and outcome in diabetic patients treated with thrombolytic therapy for acute myocardial infarction: the GUSTO-I experience.

J Am Coll Cardiol. 1996;28:1661-1669.

Youkoyama I, Momomura SI, Ohtake T, et al.

Reduced myocardial flow reserve in non-insulin-dependent diabetes mellitus.

J Am Coll Cardiol. 1997;30:1472-1477.

Zuanetti G, Latini R, Maggioni A, Franzosi M, Santoro L, Tognioni G.

Effect of the ACE-inhibitor lisinopril on mortality in diabetic patients with acute myocardial infarction: data from the GISSI-3 study.

Circulation. 1997;96:4239-4245.
