

# An A-Z of Ions and the Heart

## Bibliography of One Hundred Key Papers

- 
- Aktar M, Breithardt G, Camm AJ, et al.** *CAST and beyond: implications of the Cardiac Arrhythmia Suppression Trial.*  
*Circulation.* 1990;81:1123-1127.
- 
- Alpert LA, Fozzard HA, Hanck DA, Makielski JC.** *Is there a second, external lidocaine binding site on mammalian cardiac cells?*  
*Am J Physiol.* 1989;257:H79-H84.
- 
- Anonymous.** *A randomized trial of propranolol in patients with acute myocardial infarction. I. Mortality results.*  
*JAMA.* 1982;247:1707-1714.
- 
- Antzelevitch C, Sicouri S, Lukas A, Liu DW, Di Diego JM.** *Regional differences in the electrophysiology of ventricular cells: physiological and clinical implications. In: Zipes DP, Jalife J, eds. Cardiac Electrophysiology: From Cell to Bedside.* 2nd ed. Philadelphia, Pa: WB Saunders Co; 1995:228-245.
- 
- Balser JR, Bennett PB, Hondeghem LM, Roden DM.** *Suppression of time-dependent outward current in guinea pig ventricular myocytes. Actions of quinidine and amiodarone.*  
*Circ Res.* 1991;69:519-530.
- 
- Barhanin J, Lesage F, Guillemare E, Fink M, Lazdunski M, Romey G.** *KvLQT1 and Isk (minK) proteins associate to form I<sub>Ks</sub> cardiac potassium current.*  
*Nature.* 1996;384:78-80.
- 
- Bean BP.** *Two kinds of calcium channels in canine atrial cells. Differences in kinetics, selectivity, and pharmacology.*  
*J Gen Physiol.* 1985;86:1-30.
- 
- Bean BP, Cohen CJ, Tsien RW.** *Lidocaine block of cardiac sodium channels.*  
*J Gen Physiol.* 1983;81:613-642.
- 
- Beeler GW, Reuter H.** *Reconstruction of the action potential of ventricular myocardial fibres.*  
*J Physiol.* 1977;268:177-210.
- 
- Bennett PB, Yazawa K, Naomasa M, George AL.** *Molecular mechanism for an inherited cardiac arrhythmia.*  
*Nature.* 1995;376:683-685.
- 
- Bers DM, Bridge JH.** *Relaxation of rabbit ventricular muscle by Na-Ca exchange and sarcoplasmic reticulum.*  
*Circ Res.* 1989;65:334-342.
- 
- Brahmajothi MV, Morales MJ, Liu S, Rasmusson RL, Campbell DL, Strauss HC.** *In situ hybridization reveals extensive diversity of K<sup>+</sup> channel mRNA in isolated ferret cardiac myocytes.*  
*Circ Res.* 1996;78:1083-1089.
-

**Bibliography of One Hundred Key Papers**

---

- Breitwieser GE, Szabo G.** *Mechanism of muscarinic receptor-induced K channel activation as revealed by hydrolysis-resistant GTP analogues.*  
**J Gen Physiol.** 1988;91:469-493.
- 
- Brown H, DiFrancesco D.** *Voltage-clamp investigations of membrane currents underlying pacemaker activity in rabbit sino-atrial node.*  
**J Physiol.** 1980;308:331-351.
- 
- Cerati D, Schwartz PJ.** *Single cardiac vagal fiber activity, acute myocardial ischemia, and risk for sudden death.*  
**Circ Res.** 1991;69:1389-1401.
- 
- Cerbai E, Barbieri M, Li Q, Mugelli A.** *Ionic basis of action potential prolongation of hypertrophied cardiac myocytes isolated from hypertensive rats of different ages.*  
**Cardiovasc Res.** 1994;28:1180-1187.
- 
- Cleemann L, Morad M.** *Role of Ca<sup>2+</sup> channel in cardiac excitation-contraction coupling in the rat: evidence from Ca<sup>2+</sup> transients and contraction.*  
**J Physiol.** 1991;432:283-312.
- 
- Cobbe SM, Delziel K, Ford I, Marsden AK.** *Survival of 1476 patients initially resuscitated from out of hospital arrest.*  
**BMJ.** 1996;312:1633-1637.
- 
- Cribbs LL, Lee JH, Satin J, et al.** *Cloning and characterization of alpha1H from human heart, a member of the T-type Ca<sup>2+</sup> channel gene family*  
**Circ Res.** 1998;83:103-109.
- 
- Dixon JE, Shi W, Wang HS, et al.** *Role of the Kv4.3 K<sup>+</sup> channel in ventricular muscle: a molecular correlate for the transient outward current.*  
**Circ Res.** 1996;79:659-668.
- 
- Dominguez G, Fozzard HA.** *Influence of extracellular K<sup>+</sup> concentration on cable properties and excitability of sheep cardiac Purkinje fibers.*  
**Circ Res.** 1970;26:565-574.
- 
- Doyle DA, Cabral JM, Pfuetzner RA, et al.** *The structure of the potassium channel: molecular basis of K conduction and selectivity.*  
**Science.** 1998;280:69-76.
- 
- El-Sherif N, Carif EB, Yin H, Restivo M.** *The electrophysiological mechanism of ventricular arrhythmias in the long QT syndrome: tridimensional mapping of activation and recovery patterns.*  
**Circ Res.** 1996;79:474-492.
- 
- Fareh S, Benardeau A, Thibault B, Nattel S.** *The T-type Ca<sup>2+</sup> channel blocker mibefradil prevents the development of a substrate for atrial fibrillation by tachycardia-induced atrial remodeling in dogs.*  
**Circulation.** 1999;100:2191-2197.
- 
- Fast VG, Kleber AG.** *Pole of wavefront curvature in propagation of the cardiac impulse.*  
**Cardiovasc Res.** 1996;33:258-271.
- 
- Feng J, Yue L, Wang Z, Nattel S.** *Ionic mechanisms of regional action potential heterogeneity in the canine right atrium.*  
**Circ Res.** 1998;83:541-551.
-



- 
- Fozzard HA.** Cardiac ion channels. In: Spooner PM, Rosen MR, eds. **Foundations of Arrhythmogenesis. Basic Concepts and Clinical Approaches.** New York, NY: Marcel Dekker; 1999.
- 
- Fozzard HA.** Channel-specific therapy of cardiac arrhythmias in our time? **J Cardiovasc Electrophysiol.** 2000;11:369-370.
- 
- Gadsby DC.** The Na/K pump of cardiac cells. **Ann Rev Biophys Bioeng.** 1984;13:373-378.
- 
- Garlid KD, Paucek P, Yarov-Yarovoy V, et al.** Cardioprotective effect of diazoxide and its interaction with mitochondrial ATP-sensitive K<sup>+</sup> channels: possible mechanism of cardioprotection. **Circ Res.** 1997;81:1072-1082.
- 
- Gunasegaram S, Haworth RS, Hearse DJ, Avkiran M.** Regulation of sarcolemmal Na/H exchange activity by angiotensin II in adult rat ventricular myocytes. **Circ Res.** 1999;85:919-930.
- 
- Hamill OP, Marty A, Neher E, Sakmann B, Sigworth FJ.** Improved patch-clamp techniques for high resolution current recording from cells and cell-free membrane patches. **Pflugers Arch.** 1981;391:85-100.
- 
- Hanck DA, Makielski JC, Sheets MF.** Lidocaine alters activation gating of cardiac Na channels. **Pflugers Arch.** 2000;439:814-821.
- 
- Hearse DJ, Sutherland FJ.** Experimental models for the study of cardiovascular function and disease. **Pharmacol Res.** 2000;41:597-603.
- 
- Herrera VL, Chobanian AV, Ruiz-Opazo N.** Isoform-specific modulation of Na,K-ATPase alpha-subunit gene expression in hypertension. **Science.** 1988;241:221-223.
- 
- Hess P, Lansman JB, Tsien RW.** Different modes of Ca channel gating behavior favoured by dihydropyridine Ca agonists and antagonists. **Nature.** 1984;311:538-544.
- 
- Hille B.** **Ionic Channels of Excitable Membranes.** 2nd ed. Sunderland, Ma: Sinauer; 1992.
- 
- Hockerman GH, Johnson BD, Abbott MR, Scheuer T, Catterall WA.** Molecular determinants of high affinity phenylalkamine block of L-type calcium channels. **J Biol Chem.** 1997;272:18759-18765.
- 
- Hockerman GH, Peterson BZ, Johnson BD, Catterall WA.** Molecular determinants of drug binding and action on L-type calcium channels. **Annu Rev Pharmacol Toxicol.** 1997;37:361-396.
- 
- Hodgkin AL, Huxley AF.** A quantitative description of membrane current and its application to conduction and excitation in nerve. **J Physiol.** 1952;117:500-544.
- 
- Horowitz LN, Zipes DP, Bibber JT, et al.** Proarrhythmia: arrhythmogenesis or aggravation of arrhythmia—a status report. **Am J Cardiol.** 1987;59:54E-56E.
-

**Bibliography of One Hundred Key Papers**

---

- Hoshi T, Zagotta WN, Aldrich RW.** *Biophysical and molecular mechanisms of Shaker potassium channel inactivation.*  
**Science.** 1990;250:533-538.
- 
- Hume JR.** *Component of whole cell Ca current due to electrogenic Na-Ca exchange in cardiac myocytes.*  
**Am J Physiol.** 1987;252:H666-H670.
- 
- Inoue I, Nagase H, Kishi K, Higuti T.** *ATP-sensitive K<sup>+</sup> channel in the mitochondrial inner membrane.*  
**Nature.** 1991;352:244-247.
- 
- James P, Inui M, Tada M, Chiesi M, Carafoli E.** *Nature and site of phospholamban regulation of the Ca<sup>2+</sup> pump of sarcoplasmic reticulum.*  
**Nature.** 1989;342:90-92.
- 
- Janse MJ, Van Capelle FJL.** *Electrotonic interactions across an inexcitable region as a cause of ectopic activity in acute regional myocardial ischemia. A study in intact porcine and canine hearts and computer models.*  
**Circ Res.** 1982;50:527-537.
- 
- Janse MJ, van Capelle FJL, Frensd GE, et al.** *Circus movement within the AV node as a basis for supraventricular tachycardia as shown by microelectrode recording in isolated rabbit heart.*  
**Circ Res.** 1971;28:403-414.
- 
- January CT, Fozzard HA.** *Delayed after-depolarizations in heart muscle: mechanisms and relevance.*  
**Pharmacol Rev.** 1989;40:219-227.
- 
- January CT, Riddle JM.** *Early afterdepolarizations: mechanism of induction and block. A role for L-type Ca<sup>2+</sup> current.*  
**Circ Res.** 1989;64:977-990.
- 
- Kameyama M, Hofmann F, Trautwein W.** *On the mechanism of  $\beta$ -adrenergic regulation of the Ca channel in the guinea-pig heart.*  
**Pflugers Arch.** 1985;405:285-293.
- 
- Kanter HL, Liang JG, Beau SL, Beyer EC, Saffitz JE.** *Distinct patterns of connexin expression in canine Purkinje and ventricular muscle.*  
**Circ Res.** 1993;72:1124-1131.
- 
- Kimura J, Noma A, Irisawa H.** *Na-Ca exchange current in mammalian heart cells.*  
**Nature.** 1986;319:596-599.
- 
- Krapivinsky G, Gordon EA, Wickman GK, Velimirovic B, Krapivinsky L, Clapham DE.** *The G-protein-gated atrial K<sup>+</sup> channel I<sub>KACH</sub> is a heteromultimer of two inwardly rectifying K<sup>+</sup> channel proteins.*  
**Nature.** 1995;374:135-141.
- 
- Lederer J, Nichols CG.** *Nucleotide modulation of the activity of rat heart K<sub>ATP</sub> channels in membrane patches.*  
**J Physiol.** 1989;419:193-211.
- 
- Lipkind GM, Fozzard HA.** *A structural model of the tetrodotoxin and saxitoxin binding site of the Na channel.*  
**Biophys J.** 1994;6:1-13.
-



- Litovsky SH, Antzelevitch C.** *Rate dependence of action potential duration and refractoriness in canine ventricular endocardium differs from that of epicardium: role of the transient outward current.*  
**J Am Col Cardiol.** 1989;14:1053-1066.
- 
- London B, Trudeau MC, Newton KP, et al.** *Two isoforms of the mouse ether-a-go-go-related gene coassemble to form channels with properties similar to the rapidly activating component of the cardiac delayed rectifier K<sup>+</sup> current.*  
**Circ Res.** 1997;81:870-878.
- 
- Lopatin AN, Makhina EN, Nichols CG.** *Potassium channel block by cytoplasmic polyamines as the mechanism of intrinsic rectification.*  
**Nature.** 1994;372:366-369.
- 
- Lucchesi PA, Sweadner KJ.** *Postnatal changes in Na,K-ATPase isoform expression in rat cardiac ventricle. Conservation of biphasic ouabain affinity.*  
**J Biol Chem.** 1991;266:9327-9331.
- 
- Matsuda H.** *Effects of external and internal K ions on magnesium block of inwardly rectifying K channels in guinea pig heart cells.*  
**J Physiol.** 1991;435:83-99.
- 
- McDonald TV, Yu Z, Ming Z, et al.** *A minK-HERG complex regulates the cardiac potassium current I<sub>Kr</sub>.*  
**Nature.** 1997;388:289-292.
- 
- Metzger P, Weingart R.** *Electric current flow in cell pairs isolated from adult rat hearts.*  
**J Physiol.** 1985;366:177-195.
- 
- Moss AJ, Schwartz PJ, Crampton RS, et al.** *The long QT syndrome: prospective longitudinal study of 328 families.*  
**Circulation.** 1991;84:1136-1144.
- 
- Nattel S, Li D, Yue L.** *Basic mechanisms of atrial fibrillation.*  
**Annu Rev Physiol.** 2000;62:51-77.
- 
- Nelson MT, Patlak JB, Worley JF, Standen NB.** *Calcium channels, potassium channels and voltage-dependence of arterial smooth muscle tone.*  
**Am J Physiol.** 1990;259(1, pt 1):C3-C18.
- 
- Nichols CG.** *Properties of cardiac ATP-sensitive potassium channels. In: Morad M, Ebashi S, Trautwein W, Kurachi Y, eds. Molecular Physiology and Pharmacology of Cardiac Ion Channels and Transporters. London, UK: Kluwer Academic Publishers; 1996:197-207.*
- 
- Nichols CG, Lopatin AN.** *Inward rectifier potassium channels.*  
**Annu Rev Physiol.** 1997;59:171-191.
- 
- Noble D, Noble SJ, Bett GCL, Earm YE, Ho WK, So IS.** *The role of sodium-calcium exchange during the action potential.*  
**Ann NY Acad Sci.** 1991;639:334-353.
- 
- Noma A.** *ATP-regulated K channels in cardiac muscle.*  
**Nature.** 1983;305:147-148.
- 
- Noma A, Shibasaki T.** *Membrane current through adenosine-triphosphate-regulated potassium channels in guinea-pig ventricular cells.*  
**J Physiol.** 1985;363:463-480.

**Bibliography of One Hundred Key Papers**

---

- Ono K, Fozzard HA.** *Two phosphatase sites on the Ca<sup>2+</sup> channel affecting different kinetic functions.*  
**J Physiol.** 1993;470:73-84.
- 
- Peters NS.** *New insights into myocardial arrhythmogenesis: distribution of gap-junctional coupling in normal, ischemic, and hypertrophied human hearts.*  
**Clin Sci.** 1996;90:447-452.
- 
- Pogwizd SM, McKensie JP, Cain ME.** *Mechanisms underlying spontaneous and induced ventricular arrhythmias in patients with idiopathic dilated cardiomyopathy.*  
**Circulation.** 1998;98:2404-2414.
- 
- Priori SG, Barhanin J, Hauer RNW, et al.** *Genetic and molecular basis of cardiac arrhythmias: impact on clinical management parts I and II.*  
**Circulation.** 1999;99:518-528 (pt I); 99:674-681 (pt II).
- 
- Ragsdale DS, McPhee JC, Scheuer T, Catterall WA.** *Molecular determinants of state-dependent block of Na<sup>+</sup> channels by local anesthetics.*  
**Science.** 1994;265:1724-1728.
- 
- Reinhart RA.** *Clinical correlates of the molecular and cellular actions of magnesium on the cardiovascular system.*  
**Am Heart J.** 1991;121:1513-1521.
- 
- Reuter H.** *Calcium channel modulation by neurotransmitters, enzymes and drugs.*  
**Nature.** 1983;301:569-574.
- 
- Reuter H, Seitz N.** *The dependence of calcium flux from cardiac muscle on temperature and external ion composition.*  
**J Physiol.** 1968;195:451-470.
- 
- Roden DM.** *Cardiac membrane and action potentials. In: Spooner PM, Rosen MR, eds. **Foundations of Arrhythmogenesis. Basic Concepts and Clinical Approaches.** New York, NY: Marcel Dekker; 1999.*
- 
- Rohr S, Kucera JP, Fast VG, Kleber AG.** *Paradoxical improvement of impulse conduction in cardiac tissue by partial cellular uncoupling.*  
**Science.** 1997;275:841-844.
- 
- Ryder KO, Bryant SM, Hart G.** *Membrane current changes in left ventricular myocytes isolated from guinea pigs after aortic coarctation.*  
**Cardiovasc Res.** 1993;27:1278-1287.
- 
- Saffitz JE, Liang JG, Yamada KA.** *Connexin expression and turnover: implications for cardiac excitability.*  
**Circ Res.** 2000;86:723-728.
- 
- Sanguinetti MC, Jurkiewicz NK.** *Two components of cardiac delayed rectifier K<sup>+</sup> current. Differential sensitivity to block by class III antiarrhythmic agents.*  
**J Gen Physiol.** 1990;96:195-215.
-



- 
- Sanguinetti MC, Jiang C, Curran ME, Keating MT.** *A mechanistic link between an inherited and an acquired cardiac arrhythmia: HERG encodes the  $I_K$  potassium channel.*  
**Cell.** 1995;81:299-307.
- 
- Satin J, Kyle JW, Chen M, et al.** *A mutant of TTX-resistant cardiac sodium channels with TTX-sensitive properties.*  
**Science.** 1992;256:1202-1205.
- 
- Satin J, Kyle JW, Chen M, Rogart RB, Fozzard HA.** *The cloned cardiac Na channel subunit expressed in Xenopus oocytes shows gating and blocking properties of native channels.*  
**J Membr Biol.** 1992;130:11-22.
- 
- Schwartz PJ, Priori SG, Locati EH, et al.** *Long QT syndrome patients with mutations of the SCN5A and HERG genes have differential responses to  $Na^+$  channel blockade and to increases in heart rate. Implications for gene therapy.*  
**Circulation.** 1995;92:3381-3386.
- 
- Sejersted OM, Wasserstrom JA, Fozzard HA.** *Na,K-pump stimulation by intracellular sodium in isolated intact sheep cardiac Purkinje fibers.*  
**J Gen Physiol.** 1988; 91:445-466.
- 
- Sicouri S, Antzelevitch C.** *A subpopulation of cells with unique electrophysiological properties in the deep subendocardium of the canine ventricle, The M cell.*  
**Circ Res.** 1991;68:1729-1741.
- 
- Sipido KR, Callewaert G, Carmeliet E.** *Inhibition and rapid recovery of  $Ca^{2+}$  current during  $Ca^{2+}$  release from sarcoplasmic reticulum in guinea pig ventricular myocytes.*  
**Circ Res.** 1995;76:102-109.
- 
- Smith PL, Baukrowitz, Yellen G.** *The inward rectifier mechanism of the cardiac potassium current.*  
**Nature.** 1996;379:833-836.
- 
- Snyders DJ, Knoth KM, Roberds SL, Tamkun MM.** *Time-, voltage-, and state-dependent block by quinidine of a cloned cardiac human potassium channel.*  
**Mol Pharmacol.** 1992;41:322-333.
- 
- Stuhmer W, Conti F, Suzuki H, et al.** *Structural parts involved in activation and inactivation of the sodium channel.*  
**Nature.** 1989;339:597-603.
- 
- Sunami A, Glaaser IW, Fozzard HA.** *A critical residue for isoform differences in tetrodotoxin affinity is a molecular determinant of the external access path for local anesthetics in the cardiac sodium channel.*  
**Proc Natl Acad Sci USA.** 2000;97:2326-2331.
- 
- The Task Force of the Working Group on Arrhythmias of the European Society of Cardiology.** *The Sicilian gambit: a new approach to the classification of antiarrhythmic drugs based on their actions on arrhythmogenic mechanisms.*  
**Eur Heart J.** 1991;12:1112-1131.
- 
- Tieleman RG, Van Gelder IC, Crijns HJ, et al.** *Early recurrences of atrial fibrillation after electrical remodeling of the atria?*  
**J Am Coll Cardiol.** 1998;31:167-173.
-

**Bibliography of One Hundred Key Papers**

---

- Tobin JA, Splawski I, Lehmann MH, et al.** *Two long QT syndrome loci map to chromosomes 3 and 7 with evidence for further heterogeneity.*  
**Nat Genet.** 1994;8:141-147.
- 
- Thuringer D, Deroubaix E, Coulombe A, Coraboeuf E, Mercadier JJ.** *Ionic basis of the action prolongation in ventricular myocytes from Syrian hamsters with dilated cardiomyopathy.*  
**Cardiovasc Res.** 1996;31:747-757.
- 
- Vandenberg CA.** *Inward rectification of a potassium channel in cardiac ventricular cells depends on intracellular magnesium ions.*  
**Proc Natl Acad Sci USA.** 1987;84:2560-2564.
- 
- Vanoli E, De Ferrari GM, Stramba-Badiale M, Hull SS, Foreman RD, Schwartz PJ.** *Vagal stimulation and prevention of sudden death in conscious dogs with a healed myocardial infarction.*  
**Circ Res.** 1991;68:1471-1481.
- 
- Vleugels A, Vereeke J, Carmeliet E.** *Ionic currents during hypoxia in voltage-clamped cat ventricular muscle.*  
**Circ Res.** 1980;47:501-508.
- 
- Wang DW, Yazawa K, Makita N, George AL, Bennett PB.** *Pharmacological targeting of long QT mutant sodium channels.*  
**J Clin Invest.** 1997;99:1714-1720.
- 
- Wang Z, Fermini B, Nattel S.** *Delayed rectifier outward current and repolarization in human atrial myocytes.*  
**Circ Res.** 1993;73:276-285.
- 
- Weidmann S.** *Effect of current flow on the membrane potential of cardiac muscle.*  
**J Physiol (Lond).** 1951;115:227-236.
- 
- West JW, Patton DE, Scheuer T, Wang Y, Goldin AL, Catterall WA.** *A cluster of hydrophobic amino acid residues required for fast Na<sup>2+</sup>-channel inactivation.*  
**Proc Natl Acad Sci USA.** 1992;89:10910-10914.
- 
- Wolk R, Cobbe SM, Hicks MN, Kane KA.** *Functional, structural, and dynamic basis for electrical heterogeneity in healthy and diseased cardiac muscle.*  
**Pharmacol Ther.** 1999;84:207-231.
- 
- Yang J, Ellinor PT, Sather WA, Zhang JF, Tsien RW.** *Molecular determinants of Ca<sup>2+</sup> selectivity and ion permeation in L-type Ca<sup>2+</sup> channels.*  
**Nature.** 1993;366:148-161.
- 
- Yue L, Melnyk P, Gaspo R, Wang Z, Nattel S.** *Molecular mechanisms underlying ionic remodeling in a dog model of atrial fibrillation.*  
**Circ Res.** 1999;84:776-784.
- 
- Zeng J, Rudy Y.** *Early afterdepolarizations in cardiac myocytes: mechanism and rate dependence.*  
**Biophys J.** 1995;68:949-964.
- 
- Zipes DP, Wellens HJ.** *Sudden cardiac death.*  
**Circulation.** 1998;98:2334-2351.
-

---

# Instructions for authors

## GENERAL INSTRUCTIONS

---

- Manuscripts should be provided on word-processor disks (3.5-in, for IBM, IBM-compatible, or Apple computers) with three hard copies (text and figures) printed on one side of standard-sized white bond paper, double-spaced, with 2.5-cm margins. Pages must be numbered. **Standard typed page = 25 lines of 75 characters (including spaces) double-spaced, 2.5-cm margins = a total of 275 words per page.**
- All texts should be submitted in **English**. In the case of translations, the text in the original language should be included.
- On the **title page**, provide title of manuscript (title should be concise, not exceeding 120 characters, including spaces), short running title, keywords, and acknowledgments, as well as full names (first name, middle name(s), and last name) with highest academic degrees (in country-of-origin language), affiliations/address, telephone No., fax No., and E-mail address.
- **Illustrations** (photographs, tables, graphs, figures—hard copies and on disk, where possible) should be of good quality or professionally prepared, numbered according to their order, with proper orientation indicated (eg, “top,” or “left”), and **SHORT legends** provided, not repetitive of text. As figures and graphs may need to be reduced or enlarged, all absolute values and statistics should be provided. All illustrations should be cited in the text, with distinct numbering for figures and tables. Illustrations will be reproduced in full color only when clearly necessary, eg, images from nuclear medicine or histology.
- Include **HEADINGS** using a consistent style for the various levels of headings, to highlight key points and facilitate comprehension of the text. The Publisher reserves the right to add or delete headings when necessary.
- **Abbreviations** should be used sparingly and expanded at first mention.
- Use **Systeme International (SI)** units.
- Use **generic names of drugs**.
- All **references** should be cited in the text and numbered consecutively using superscript arabic numerals. The author-date system of citation is **NOT** acceptable. “In press” references are to be avoided. In the bibliography, titles of journals should be abbreviated according to the Index Medicus. All authors should be listed up to six; if there are more, only the first three should be listed, followed by “et al” (*Uniform requirements for manuscripts submitted to biomedical journals “the Vancouver style.* Ann Intern Med. 1997;126:36-47). Where necessary, references will be styled to *Dialogues in Cardiovascular Medicine* copyediting requirements. Authors bear total responsibility for the accuracy and completeness of all references and for correct text citation. Example of style for references:
  1. Ouriel K, Geary K, Green RM, Geary JE, DeWeese JA. Factors determining survival after ruptured abdominal aneurysm. *J Vasc Surg.* 1990;11:493-496.
  2. Darling RC, Brewster DC, Ottinger LW. Autopsy study of unoperated abdominal aortic aneurysms: the case for early resection. *Circulation.* 1977;56(suppl II):II161-II164.
  3. Schulman JL. Immunology of influenza. In: Kilbourne ED, Alfade RT, eds. *The Influenza Viruses and Influenza.* Orlando, Fla: Academic Press Inc; 1975:373-393.
- **Copyediting:** all contributions to *Dialogues in Cardiovascular Medicine* will be styled by the Publisher's editorial dept according to the specifications of the current edition of the **American Medical Association Manual of Style, Williams & Wilkins**. Page proofs will be sent to authors for approval and should be returned within 5 days. If this time is exceeded, changes made by the editorial dept will be assumed to be accepted by the author. Authors are responsible for all statements made in their work, including changes made by the editorial dept and authorized by the author. The Publisher will edit Editorials, Abstracts, and Seminal Paper Summaries to required size if their length does not comply with specific requirements.

- **Copyright** of articles will be transferred to the Publisher of *Dialogues in Cardiovascular Medicine*. For reproduction of existing work, it is the author's responsibility to obtain copyright from the author(s) (including self) and the publisher(s) and provide copies of these authorizations with the manuscript.

## EDITORIAL

---

The editorial should not exceed 2 standard typed pages (maximum 600 words).

## LEAD ARTICLE

---

The lead article should not exceed 25 standard typed pages (maximum 8000 words), including an abstract of no more than 200 words, no more than 50 references, and a minimum of 5 - maximum of 10 illustrations (figures and/or tables). A maximum of 5-10 keywords should be included. **The 3 questions for the respondents should be introduced in or after the conclusion.** A separate list of **10 references of “seminal papers”** as well as a separate list of **100 Key References** should be provided.

## RESPONDENT ARTICLES

---

Respondent articles should not exceed 25 standard typed pages (maximum 2500 words), including an abstract of no more than 125 words, no more than 10 references, and a minimum of 3 - maximum of 5 illustrations (figures and tables). A maximum of 5-10 keywords should be included.

## SEMINAL PAPER SUMMARIES

---

Seminal paper summaries take up one page of *Dialogues in Cardiovascular Medicine*: the length of each summary should **IMPERATIVELY** be comprised between 500 and 600 words, ie, **not exceed 3000 characters**. Summaries that are too short or too long will be returned to the author or edited by the Publisher. No figures, tables or references should be included in seminal paper summaries.