

# Endothelium-Dependent Contractions

## *Bibliography of One Hundred Key Papers*

selected by **Paul M. Vanhoutte, MD, PhD**  
*Pharmacology Department - Paris VI University - Paris - FRANCE*

- 
- Arimura K, Egashira K, Nakamura R, et al.** *Increased inactivation of nitric oxide is involved in coronary endothelial dysfunction in heart failure.*  
**Am J Physiol Heart Circ Physiol.** 2001;280:H68-H75.
- 
- Arnet UA, Novosel D, Barton M, Noll G, Ganten D, Lüscher TF.** *Endothelial dysfunction in the aorta of transgenic rats harboring the mouse Ren-2 gene.*  
**Endothelium.** 1999;6:175-184.
- 
- Auch-Schwelk W, Vanhoutte PM.** *Endothelium-derived contracting factor released by serotonin in the aorta of the spontaneously hypertensive rat.*  
**Am J Hypertens.** 1991;4:769-772.
- 
- Bauersachs J, Bouloumié A, Mülsch A, Wiemeer G, Fleming I, Busse R.** *Vasodilator dysfunction in aged spontaneously hypertensive rats: changes in NO synthase III and soluble guanylyl cyclase expression, and in superoxide anion production.*  
**Cardiovasc Res.** 1998;37:772-779.
- 
- Benyo Z, Görlach C, Wahl M.** *Involvement of thromboxane A<sub>2</sub> in the mediation of the contractile effect induced by inhibition of nitric oxide synthesis in isolated rat middle cerebral arteries.*  
**J Cereb Blood Flow Metab.** 1998;18:616-618.
- 
- Boulanger CM, Mombouli JV, Vanhoutte PM.** *Indapamide inhibits endothelium-dependent contractions in the aorta of the spontaneously hypertensive rat.*  
**Fundam Clin Pharmacol.** 1993;7:443-448.
- 
- Boulanger CM, Nakashima M, Olmos L, Joly G, Vanhoutte PM.** *Effects of the Ca<sup>2+</sup> antagonist RO 40-5967 on endothelium-dependent responses of isolated arteries.*  
**J Cardiovasc Pharmacol.** 1994;23:869-876.
- 
- Butler R, Morris AD, Belch JFF, Hill A, Struthers AD.** *Allopurinol normalizes endothelial dysfunction in type 2 diabetics with mild hypertension.*  
**Hypertension.** 2000;35:746-751.
- 
- Cai H, Harrison DG.** *Endothelial dysfunction in cardiovascular diseases.*  
**Circ Res.** 2000;87:840-844.
- 
- Camacho M, Lopez-Belmonte J, Vila L.** *Rate of vasoconstrictor prostanoids released by endothelial cells depends on cyclooxygenase-2 expression and prostaglandin I synthase activity.*  
**Circ Res.** 1998;83:353-365.
- 
- Cosentino F, Hishikawa K, Katusic ZS, Lüscher TF.** *High glucose increases nitric oxide synthase expression and superoxide anion generation in human aortic endothelial cells.*  
**Circulation.** 1996;94(suppl I):I1093.
-

**Bibliography of One Hundred Key Papers**

---

- da Cunha V, Rossoni LV, Oliveira PA, et al.** *Cyclooxygenase inhibition reduces blood pressure elevation and vascular reactivity dysfunction caused by inhibition of nitric oxide synthase in rats.*  
**Clin Exp Hypertens.** 2000;22:303-215.
- 
- Dantas APV, Scivoletto R, Fortes ZB, Nigro D, Carvalho MHC.** *Influence of female sex hormones on endothelium-derived vasoconstrictor prostanoid generation in microvessels of spontaneously hypertensive rats.*  
**Hypertension.** 1999;34(pt 2):914-919.
- 
- Davidge ST, Zhang YL.** *Estrogen replacement suppresses a prostaglandin H synthase-dependent vasoconstrictor in rat mesenteric arteries.*  
**Circ Res.** 1998;83:388-395.
- 
- Demiryurek AT, Wadsworth RM, Kane KA, Peacock AJ.** *The role of endothelium in hypoxic constriction of human pulmonary artery rings.*  
**Am Rev Respir Dis.** 1993;147:283-290.
- 
- Derkach DN, Ihara E, Hirano K, Nishimura J, Takahashi S, Kanaide H.** *Thrombin causes endothelium-dependent biphasic regulation of vascular tone in the porcine renal interlobar artery.*  
**Br J Pharmacol.** 2000;131:1635-1642.
- 
- De Vriese AS, Verbeuren TJ, Van de Voorde J, Lameire NH, Vanhoutte PM.** *Endothelial dysfunction in diabetes.*  
**Br J Pharmacol.** 2000;130:963-974.
- 
- Erdös B, Miller AW, Busija DW.** *Impaired endothelium-mediated relaxation in isolated cerebral arteries from insulin-resistant rats.*  
**Am J Physiol Heart Circ Physiol.** 2002;282:H2060-H2065.
- 
- Furuhashi N, Miyazaki S, Kamura M, Emura S, Yasuda K.** *Role of endothelium and vasoconstrictor prostanoids in norepinephrine-induced vasoconstriction in isolated rat common carotid arteries.*  
**Clin Exp Hypertens.** 2002;22:543-554.
- 
- Graier WF, Posch K, Fleischhacker E, Wascher TC, Kostner GM.** *Increased superoxide anion formation in endothelial cells during hyperglycemia: an adaptive response or initial step of vascular dysfunction?*  
**Diabetes Res Clin Prac.** 1999;45:153-160.
- 
- Graier WF, Simecek S, Kukovetz WR, Kostner GM.** *High D-glucose-induced changes in endothelial Ca<sup>2+</sup>/EDRF signaling are due to generation of superoxide anions.*  
**Diabetes.** 1996;45:1386-1395.
- 
- Gupta S, Chough E, Daley J, et al.** *Hyperglycemia increases endothelial superoxide that impairs smooth muscle cell Na<sup>+</sup>-K<sup>+</sup>-ATPase activity.*  
**Am J Physiol Cell Physiol.** 2002;282:C560-C566.
- 
- Guzik TJ, Mussa S, Gastaldi D, et al.** *Mechanisms of increased vascular superoxide production in human diabetes mellitus. Role of NAD(P)H oxidase and endothelial nitric oxide synthase.*  
**Circulation.** 2002;105:1656-1662.
- 
- Hamilton CA, Brosnan MJ, McIntyre M, Graham D, Dominiczak AF.** *Superoxide excess in hypertension and aging. A common cause of endothelial dysfunction.*  
**Hypertension.** 2001;37(pt 2):529-534.
- 
- Hibino M, Okumura K, Iwama Y, et al.** *Oxygen-derived free radical-induced vasoconstriction by thromboxane A<sub>2</sub> in aorta of the spontaneously hypertensive rat.*  
**J Cardiovasc Pharmacol.** 1999;33:605-610.
-



- 
- Hoshino Y, Morrison KJ, Vanhoutte PM.** *Mechanisms of hypoxic vasoconstriction in the canine isolated pulmonary artery: role of endothelium and sodium pump.* **Am J Physiol Lung Cell Physiol.** 1994;267:L120-L127.
- 
- Howarth SR, Vallance P, Wilson CA.** *Role of thromboxane A<sub>2</sub> in the vasoconstrictor response to endothelin-1, angiotensin II and 5-hydroxytryptamine in human placental vessels.* **Placenta.** 1995;16:679-689.
- 
- Ihara E, Derkach DN, Hirano K, Nishimura J, Nawata H, Kanaide H.** *Ca<sup>2+</sup> influx in the endothelial cells is required for the bradykinin-induced endothelium-dependent contraction in the porcine interlobar renal artery.* **J Physiol.** 2001;534:701-711.
- 
- Ihara E, Hirano K, Derkach DN, Nishimura J, Kanaide H.** *The mechanism of bradykinin-induced endothelium-dependent contraction and relaxation in the porcine interlobar renal artery.* **Br J Pharmacol.** 2000;129:943-952.
- 
- Imaoka Y, Osanai T, Kamada T, Mio Y, Satoh K, Okumura K.** *Nitric oxide-dependent vasodilator mechanism is not impaired by hypertension but is diminished with aging in the rat aorta.* **J Cardiovasc Pharmacol.** 1999;33:756-761.
- 
- Inoguchi T, Li P, Umeda F, et al.** *High glucose level and free fatty acid stimulate reactive oxygen species production through protein kinase C-dependent activation of NAD(P)H oxidase in cultured vascular cells.* **Diabetes.** 2000;49:1939-1945.
- 
- Iqbal A, Vanhoutte PM.** *Flunarizine inhibits endothelium-dependent hypoxic facilitation in canine coronary arteries through an action on vascular smooth muscle.* **Br J Pharmacol.** 1988;95:789-794.
- 
- Janssen LJ.** *Are endothelium-derived hyperpolarizing and contracting factors isoprostanes?* **Trends Pharmacol Sci.** 2002;23:59-62.
- 
- Janssen LJ, Tazzeo T.** *Involvement of TP and EP<sub>3</sub> receptors in vasoconstrictor responses to isoprostanes in pulmonary vasculature.* **J Pharmacol Exp Ther.** 2002;301:1060-1066.
- 
- Jiménez R, Andriambelosen E, Duarte J, et al.** *Involvement of thromboxane A<sub>2</sub> in the endothelium-dependent contractions induced by myricetin in rat isolated aorta.* **Br J Pharmacol.** 1999;127:1539-1544.
- 
- Karasu C.** *Time course of changes in endothelium-dependent and -independent relaxation of chronically diabetic aorta: role of reactive oxygen species.* **Eur J Pharmacol.** 2000;392:163-173.
- 
- Katusic ZS.** *Superoxide anion and endothelial regulation of arterial tone.* **Free Radic Biol Med.** 1996;20:443-448.
- 
- Katusic ZS, Schugel J, Cosentino F, Vanhoutte PM.** *Endothelium-dependent contractions to oxygen-derived free radicals in the canine basilar artery.* **Am J Physiol Heart Circ Physiol.** 1993;264:H859-H864.
-

**Bibliography of One Hundred Key Papers**

---

- Katusic ZS, Shepherd JT, Vanhoutte PM.** *Potassium-induced endothelium-dependent rhythmic activity in the canine basilar artery.*  
**J Cardiovasc Pharmacol.** 1988;12:37-41.
- 
- Katusic ZS, Vanhoutte PM.** *Anoxic contractions in isolated canine cerebral arteries: contribution of endothelium-derived factors, metabolites of arachidonic acid, and calcium entry.*  
**J Cardiovasc Pharmacol.** 1986;8(suppl 8):S97-S101.
- 
- Kim P, Sundt MT, Vanhoutte PM.** *Alterations in endothelium-dependent responsiveness of the canine basilar artery after subarachnoid hemorrhage.*  
**J Neurosurg.** 1988;69:239-246.
- 
- Kinsella BT.** *Thromboxane A<sub>2</sub> signalling in humans: a "Tail" of two receptors.*  
**Biochem Soc Trans.** 2001;29(pt 6):641-654.
- 
- Kitamoto S, Egashira K, Kataoka C, et al.** *Chronic inhibition of nitric oxide synthesis in rats increases aortic superoxide anion production via the action of angiotensin II.*  
**J Hypertens.** 2000;18:1795-1800.
- 
- Kojda G, Harrison D.** *Interactions between NO and reactive oxygen species: pathophysiological importance in atherosclerosis, hypertension, diabetes and heart failure.*  
**Cardiovasc Res.** 1999;43:562-571.
- 
- Kovitz KL, Akeskowitz TD, Sylvester JT, Flavahan NA.** *Endothelium-derived contracting and relaxing factors contribute to hypoxic responses of pulmonary arteries.*  
**Am J Physiol Heart Circ Physiol.** 1993;265:H1139-H1148.
- 
- Lagaud GJL, Masih-Khan E, Kai S, van Breunen C, Dubé GP.** *Influence of type II diabetes on arterial tone and endothelial function in murine mesenteric resistance arteries.*  
**J Vasc Res.** 2001;38:578-589.
- 
- Landmesser U, Merten R, Spiekermann S, Büttner K, Drexler H, Hornig B.** *Vascular extracellular superoxide dismutase activity in patients with coronary artery disease.*  
**Circulation.** 2000;101:2264-2270.
- 
- Lee SH, Woo HG, Baik EJ, Moon CH.** *High glucose enhances IL-1 $\alpha$ -induced cyclooxygenase-2 expression in rat vascular smooth muscle cells.*  
**Life Sci.** 2000;68:57-67.
- 
- Lin KY, Ito A, Asagami T, et al.** *Impaired nitric oxide synthase pathway in diabetes mellitus: role of asymmetric dimethylarginine and dimethylarginine dimethylaminohydrolase.*  
**Circulation.** 2002;106:987-992.
- 
- Lüscher TF, Boulanger CM, Yang ZH, Noll G, Dohi Y.** *Interactions between endothelium-derived relaxing and contracting factors in health and cardiovascular disease.*  
**Circulation.** 1993;87(suppl V):V36-V34.
- 
- Maeso R, Aragoncillo P, Navarro-Cid J, et al.** *Effect of atorvastatin on endothelium-dependent constrictor factors in dyslipidemic rabbits.*  
**Gen Pharmacol.** 1993;264:H859-H864.
- 
- Mateo AO, de Artiñao MA.** *Effect of high extracellular Ca<sup>2+</sup> levels in spontaneously hypertensive rat aorta.*  
**Eur J Pharmacol.** 2001;432:177-185.
-



- Matz RL, Schott C, Stoclet JC, Andriantsitohaina R.** *Age-related endothelial dysfunction with respect to nitric oxide, endothelium-derived hyperpolarizing factor and cyclooxygenase products.* **Physiol Res.** 2000;49:11-18.
- Matz RL, Van Overloop B, Gaubert E, Gairard A.** *Maturation reveals a decrease in endothelium-dependent contraction induced by depolarization in the aorta of spontaneously hypertensive rats.* **Life Sci.** 2001;69:1791-1804.
- Mayhan WG, Patel KP.** *Treatment with dimethylthiourea prevents impaired dilatation of the basilar artery during diabetes mellitus.* **Am J Physiol Heart Circ Physiol.** 1998;43:H1895-H1901.
- McIntyre M, Bohr DF, Dominiczak AF.** *Endothelial function in hypertension. The role of superoxide anion.* **Hypertension.** 1999;34:539-545.
- Mehta JL, Lawson DL, Nichols WW.** *Attenuated coronary relaxation after reperfusion: effects of superoxide dismutase and TxA<sub>2</sub> inhibitor U 63557A.* **Am J Physiol Heart Circ Physiol.** 1989;257:H1240-H1246.
- Miyamoto A, Ishiguro S, Nishio A.** *Stimulation of bradykinin B<sub>2</sub>-receptors on endothelial cells induces relaxation and contraction in porcine basilar artery in vivo.* **Br J Pharmacol.** 1999;128:241-247.
- Moreau P, Takase H, Lüscher TF.** *Effect of endothelin antagonists on the responses to prostanoid endothelium-derived contracting factor.* **Br J Pharmacol.** 1996;118:1429-1432.
- Murohara T, Kuyigama K, Sugiyama S, Ohgushi M, Yasue H.** *Activated human polymorphonuclear leukocytes elicit endothelium-dependent contraction in isolated pig coronary arteries.* **J Cardiovasc Pharmacol.** 1993;21:760-766.
- Nassar T, Kadery B, Lotan C, Da'as N, Kleinman Y, Haj-Yehia A.** *Effects of the superoxide dismutase-mimetic compound tempol on endothelial dysfunction in streptozotocin-induced diabetic rats.* **Eur J Pharmacol.** 2002;436:111-118.
- Oyekan AO, McAward K, Conetta J, Rosenfeld L, McGiff JC.** *Endothelin-1 and CYP450 arachidonate metabolites interact to promote tissue injury in DOCA-salt hypertension.* **Am J Physiol Regulatory Integrative Comp Physiol.** 1999;45:R766-R775.
- Park JB, Touyz RM, Chen X, Schiffrin EL.** *Chronic treatment with a superoxide dismutase mimetic prevents vascular remodeling and progression of hypertension in salt-loaded stroke-prone spontaneously hypertensive rats.* **Am J Hypertens.** 2002;15:78-84.
- Pearson PJ, Vanhoutte PM.** *Vasodilator and vasoconstrictor substances produced by the endothelium.* **Rev Physiol Biochem Pharmacol.** 1993;122:1-67.
- Pfister SL, Campbell WB.** *Role of endothelium-derived metabolites of arachidonic acid in enhanced pulmonary artery contractions in female rabbits.* **Hypertension.** 1996;27:43-48.
- Pogan L, Garneau L, Bissonnette, Wu LY, Sauvé R.** *Abnormal Ca<sup>2+</sup> signalling in vascular endothelial cells from spontaneously hypertensive rats: role of free radicals.* **J Hypertens.** 2000;19:721-730.

**Bibliography of One Hundred Key Papers**

---

- Prieto D, Simonsen U, Berg Nyborg NC.** *Regional involvement of an endothelium-derived contractile factor in the vasoactive actions of neuropeptide Y in bovine isolated retinal arteries.*  
**Br J Pharmacol.** 1995;116:2729-2737.
- 
- Rapoport RM, Stauderman A, Highsmith RF.** *Effects of EDCF and endothelin on phosphatidylinositol hydrolysis and contraction in rat aorta.*  
**Am J Physiol Cell Physiol.** 1990;258:C122-C131.
- 
- Rodriguez-Martinez MA, Carcia-Cohen EC, Baena AB, Gonzalez R, Salaices M, Marin J.** *Contractile responses elicited by hydrogen peroxide in aorta from normotensive and hypertensive rats. Endothelial modulation and mechanism involved.*  
**Br J Pharmacol.** 1998;125:1329-1335.
- 
- Roy SS, Saifeddine M, Loutzenhiser R, Triggle CR, Hollenberg MD.** *Dual endothelium-dependent vascular activities of proteinase-activated receptor-2-activating peptides: evidence for receptor heterogeneity.*  
**Br J Pharmacol.** 1998;123:1434-1440.
- 
- Saifeddine M, Roy SS, Al-Ani B, Triggle CR, Hollenberg MD.** *Endothelium-dependent contractile actions of proteinase-activated receptor-2-activating peptides in human umbilical vein: release of a contracting factor via a novel receptor.*  
**Br J Pharmacol.** 1998;125:1445-1454.
- 
- Sametz W, Hummer K, Butter M, Wintersteiger R, Juan H.** *Formation of 8-iso-PGF<sub>2α</sub> and thromboxane A<sub>2</sub> by stimulation with several activators of phospholipase A<sub>2</sub> in isolated human umbilical vein.*  
**Br J Pharmacol.** 2000;131:145-151.
- 
- Schini VB, Bond R, Goa Y, et al.** *The sydnonimine C87-3754 evokes endothelium-independent relaxations and prevents endothelium-dependent contractions in blood vessels of the dog.*  
**J Cardiovasc Pharmacol.** 1993;22(suppl 7):S10-S16.
- 
- Schini WB, Hendrickson H, Heublein DM, Burnett JC jr, Vanhoutte PM.** *Thrombin enhances the release of endothelin from cultured porcine aortic endothelial cells.*  
**Eur J Pharmacol.** 1989;165:333-334.
- 
- Shirahase H, Kanda M, Kurahashi K, Nakamura S.** *Endothelium-dependent relaxation followed by contraction mediated by NK<sub>1</sub> receptors in precontracted rabbit intrapulmonary arteries.*  
**Br J Pharmacol.** 2000;129:937-942.
- 
- Sohn HY, Raff U, Hoffmann A, Gloe T, Heermeier K, Galle J, Pohl U.** *Differential role of angiotensin II receptor subtypes on endothelial superoxide formation.*  
**Br J Pharmacol.** 2000;131:667-672.
- 
- Sorescu D, Szöcs K, Griendling KK.** *NAD(P)H oxidases and their relevance to atherosclerosis.*  
**Trends Cardiovasc Med.** 2001;11:124-131.
- 
- Sunano S, Nakahira T, Kawata K, Sekiguchi F, Shimamura K.** *Factors involved in the time course of response to acetylcholine in mesenteric arteries from spontaneously hypertensive rats.*  
**Br J Pharmacol.** 1999;126:709-716.
- 
- Taddei S, Virdis A, Ghiadoni L, Magagna A, Salvetti A.** *Cyclooxygenase inhibition restores nitric oxide activity in essential hypertension.*  
**Hypertension.** 1997;29(pt 2):274-279.
-



- 
- Taddei S, Viridis A, Ghiadoni L, Salvetti A.** *Vascular effects of endothelin-1 in essential hypertension: relationship with cyclooxygenase-derived endothelium-dependent contracting factors and nitric oxide.*  
**J Cardiovasc Pharmacol.** 2000;35(suppl 2):S37-S40.
- 
- Taddei S, Viridis A, Mattei P, et al.** *Hypertension causes premature aging of endothelial function in humans.*  
**Hypertension.** 1997;29:736-743.
- 
- Trang AJ, Teoh H, Ward ME.** *Inhibition of prostanoid-mediated contraction to endothelin-1 after hypoxia in rat aorta.*  
**Eur J Pharmacol.** 2001;423:57-61.
- 
- Ullrich V, Bachschmid M.** *Superoxide as a messenger of endothelial function.*  
**Biochem Biophys Res Commun.** 2000;278:1-8.
- 
- Vanhoutte PM.** *Is endothelin involved in the pathogenesis of hypertension?*  
**Hypertension.** 1993;21:747-751.
- 
- Vanhoutte PM.** *Endothelium-derived free radicals for worse and for better.*  
**J Clin Invest.** 2001;107:23-25.
- 
- Vanhoutte PM, Boulanger CM.** *Endothelium-dependent responses in hypertension.*  
**Hypertens Res.** 1995;18:87-98.
- 
- Vanhoutte PM, Lüscher TF, Gräser T.** *Endothelium-dependent contractions.*  
**Blood Vessels.** 1991;28:74-83.
- 
- Vasquez-Vivar J, Kalyanaraman B, Martasek P, et al.** *Superoxide generation by endothelial nitric oxide synthase: the influence of cofactors.*  
**Proc Natl Acad Sci USA.** 1998;95:9220-9225.
- 
- Wada Y, Matsuoka H, Tamai O, Kohno K, Okuda S,** *Erythropoietin impairs endothelium-dependent vasorelaxation through cyclooxygenase-dependent mechanisms in humans.*  
**Am J Hypertens.** 1999;12:980-987.
- 
- Wambi-Kiéssé CO, Katusic ZS.** *Inhibition of copper/zinc superoxide dismutase impairs NO<sup>-</sup>-mediated endothelium-dependent relaxations.*  
**Am J Physiol Heart Circ Physiol.** 1999;45:H1043-H1048.
- 
- Wolin MS, Gupte SA, Oeckler RA.** *Superoxide in the vascular system.*  
**J Vasc Res.** 2002;39:191-207.
- 
- Zalba G, Beaumont FJ, San José G, et al.** *Vascular NADH/NADPH oxidase is involved in enhanced superoxide production in spontaneously hypertensive rats.*  
**Hypertension.** 2000;35:1055-1061.
- 
- Zanetti M, Sato J, Katusic ZS, O'Brien T.** *Gene transfer of superoxide dismutase isoforms reverses endothelial dysfunction in diabetic rabbit aorta.*  
**Am J Physiol Heart Circ Physiol.** 2001;280:H2516-H2523.
- 
- Zaugg CE, Hornstein PS, Zhu PL, et al.** *Endothelin-1-induced release of thromboxane A<sub>2</sub> increases the vasoconstrictor effect of endothelin-1 in postischemic reperfused rat hearts.*  
**J Vasc Res.** 2002;39:191-207.
-

**Bibliography of One Hundred Key Papers**

**Zerrouk A, Champeroux P, Safar M, Brisac AM.**

*Role of endothelium in the endothelin-1-mediated potentiation of the norepinephrine response in the aorta of hypertensive rats.*

**Hypertens.** 1997;15:1101-1111.

---

**Zhang L, Kosaka H.**

*Sex-specific acute effect of estrogen on endothelium-derived contracting factor in the renal artery of hypertensive Dahl rats.*

**J Hypertens.** 2002;20:237-246.

---

**Zhou MH, Jendral M, Ullrich V.**

*Prostaglandin endoperoxide-dependent vasospasm in bovine coronary arteries after nitration of prostacyclin synthase.*

**Br J Pharmacol.** 1999;126:1283-1292.

---

**Zhou MS, Kosaka H, Tian RX, et al.**

*L-Arginine improves endothelial function in renal artery of hypertensive Dahl rats.*

**J Hypertens.** 2001;19:421-429.

---