

Acute Coronary Syndromes

Bibliography of One Hundred Key Papers

selected by **Marco Valgimigli, MD; Gastón A. Rodríguez-Granillo, MD;**
Pierfrancesco Agostoni, MD; Patrick Serruys, MD, PhD

ThoraxCenter - Erasmus MC - Rotterdam - THE NETHERLANDS (e-mail: p.w.j.c.serruys@erasmusmc.nl)

- | | |
|--|--|
| Aikawa M, Libby P. | <i>The vulnerable atherosclerotic plaque: pathogenesis and therapeutic approach.</i>
Cardiovasc Pathol. 2004;3:125-138. Review. |
| Ambrose JA, D'Agate DJ. | <i>Classification of systemic therapies for potential stabilization of the vulnerable plaque to prevent acute myocardial infarction.</i>
Am J Cardiol. 2005;95:379-382. |
| Ambrose JA, Tannenbaum MA, Alexopoulos D, et al. | <i>Angiographic progression of coronary artery disease and the development of myocardial infarction.</i>
J Am Coll Cardiol. 1988;12:56-62. |
| Asakura M, Ueda Y, Yamaguchi O, et al. | <i>Extensive development of vulnerable plaques as a pan-coronary process in patients with myocardial infarction: an angioscopic study.</i>
J Am Coll Cardiol. 2001;37:1284-1288. |
| Avanzas P, Arroyo-Espliguero R, Cosin-Sales J, et al. | <i>Markers of inflammation and multiple complex stenoses (pancoronary plaque vulnerability) in patients with non-ST segment elevation acute coronary syndromes.</i>
Heart. 2004;90:847-852. |
| Buffon A, Biasucci LM, Liuzzo G, D'Onofrio G, Crea F, Maseri A. | <i>Widespread coronary inflammation in unstable angina.</i>
N Engl J Med. 2002;347:5-12. |
| Cannon CP, Weintraub WS, Demopopulos LA, et al. | <i>Comparison of early invasive and conservative strategies in patients with unstable coronary syndromes treated with glycoprotein IIb/IIIa inhibitor tirofiban.</i>
N Engl J Med. 2001;344:1879-1887. |
| Casscells W, Hathorn B, David M, et al. | <i>Thermal detection of cellular infiltrates in living atherosclerotic plaques: possible implications for plaque rupture and thrombosis.</i>
Lancet. 1996;347:1447-1451. |
| Casscells W, Naghavi M, Willerson JT. | <i>Vulnerable atherosclerotic plaque: a multifocal disease.</i>
Circulation. 2003;107:2072-2075. Review. |
| Corti R, Farkouh ME, Badimon JJ. | <i>The vulnerable plaque and acute coronary syndromes.</i>
Am J Med. 2002;113:668-680. Review. |
| Davies MJ. | <i>Acute coronary thrombosis—the role of plaque disruption and its initiation and prevention.</i>
Eur Heart J. 1995;(16 suppl L):3-7. Review. |

Bibliography of One Hundred Key Papers

- de Korte CL, Pasterkamp G, van der Steen AF, Woutman HA, Bom N.** *Characterization of plaque components with intravascular ultrasound elastography in human femoral and coronary arteries in vitro.* **Circulation.** 2000;102:617-623.
-
- de Nooijer R, von der Thusen JH, Verkleij CJ, et al.** *Overexpression of IL-18 decreases intimal collagen content and promotes a vulnerable plaque phenotype in apolipoprotein-E-deficient mice.* **Arterioscler Thromb Vasc Biol.** 2004;24:2313-2319.
-
- Di Mario C, The SH, Madretsma S, et al.** *Detection and characterization of vascular lesions by intravascular ultrasound: an in vitro study correlated with histology.* **J Am Soc Echocardiogr.** 1992;5:135-146.
-
- Dickson BC, Gotlieb AI.** *Towards understanding acute destabilization of vulnerable atherosclerotic plaques.* **Cardiovasc Pathol.** 2003;12:237-248. Review.
-
- Dollery CM, Owen CA, Sukhova GK, Krettek A, Shapiro SD, Libby P.** *Neutrophil elastase in human atherosclerotic plaques: production by macrophages.* **Circulation.** 2003;107:2829-2836. Epub 27 May 2003.
-
- Doyley MM, Mastik F, de Korte CL, et al.** *Advancing intravascular ultrasonic palpation toward clinical applications.* **Ultrasound Med Biol.** 2001;27:1471-1480.
-
- Ehara S, Kobayashi Y, Yoshiyama M, et al.** *Spotty calcification typifies the culprit plaque in patients with acute myocardial infarction: an intravascular ultrasound study.* **Circulation.** 2004;110:3424-3429.
-
- Ellis S.** *Plaque that makes a patient vulnerable.* **J Invasive Cardiol.** 2004;16:401.
-
- Fang CH, Li JJ, Hui RT.** *Statin, like aspirin, should be given as early as possible in patients with acute coronary syndrome.* **Med Hypotheses.** 2005;64:192-196.
-
- Finet G, Ohayon J, Rioufol G.** *Biomechanical interaction between cap thickness, lipid core composition and blood pressure in vulnerable coronary plaque: impact on stability or instability.* **Coron Artery Dis.** 2004;15:13-20.
-
- Fleiner M, Kummer M, Mirlacher M, et al.** *Arterial neovascularization and inflammation in vulnerable patients: early and late signs of symptomatic atherosclerosis.* **Circulation.** 2004;110:2843-2850.
-
- Friedrich GJ, Moes NY, Muhlberger VA, et al.** *Detection of intralésional calcium by intracoronary ultrasound depends on the histologic pattern.* **Am Heart J.** 1994;128:435-441.
-
- Frink RJ.** *Chronic ulcerated plaques: new insights into the pathogenesis of acute coronary disease.* **J Invasive Cardiol.** 1004;6:173-185.
-
- Fujii K, Kobayashi Y, Mintz GS, et al.** *Intravascular ultrasound assessment of ulcerated ruptured plaques: a comparison of culprit and non-culprit lesions of patients with acute coronary syndromes and lesions in patients without acute coronary syndromes.* **Circulation.** 2003;108:2473-2478.
-



-
- Galis ZS.** *Vulnerable plaque: the devil is in the details.*
Circulation. 2004;110:244-246.
-
- Ge J, Chirillo F, Schwedtmann J, et al.** *Screening of ruptured plaques in patients with coronary artery disease by intravascular ultrasound.*
Heart. 1999;81:621-627.
-
- Goldstein JA, Demetriou D, Grines CL, Pica M, Shoukfeh M, O'Neill WW.** *Multiple complex coronary plaques in patients with acute myocardial infarction.*
N Engl J Med. 2000;343:915-922.
-
- Granada JF, Kaluza GL, Raizner AE, Moreno PR.** *Vulnerable plaque paradigm: prediction of future clinical events based on a morphological definition.*
Cathet Cardiovasc Interv. 2004;62:364-374. Review.
-
- Hiro T, Leung CY, Russo RJ, Karimi H, Farvid AR, Tobis JM.** *Variability of a three-layered appearance in intravascular ultrasound coronary images: a comparison of morphometric measurements with four intravascular ultrasound systems.*
Am J Card Imaging. 1996;10:219-227.
-
- Ivan E, Khatri JJ, Johnson C, et al.** *Expansive arterial remodeling is associated with increased neointimal macrophage foam cell content: the murine model of macrophage-rich carotid artery lesions.*
Circulation. 2002;105:2686-2691.
-
- Jang IK, Bouma BE, Kang DH, et al.** *Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: comparison with intravascular ultrasound.*
J Am Coll Cardiol. 2002;39:604-609.
-
- Kereiakes DJ.** *The Emperor's clothes: in search of the vulnerable plaque.*
Circulation. 2003;107:2076-2077. Review.
-
- Kobayashi S, Inoue N, Ohashi Y, et al.** *Interaction of oxidative stress and inflammatory response in coronary plaque instability: important role of C-reactive protein.*
Arterioscler Thromb Vasc Biol. 2003;23:1398-1404.
-
- Kockx MM, Herman AG.** *Apoptosis in atherogenesis: implications for plaque destabilization.*
Eur Heart J. 1998;19(suppl G):G23-G28. Review.
-
- Kolodgie FD, Burke AP, Farb A, et al.** *The thin-cap fibroatheroma: a type of vulnerable plaque: the major precursor lesion to acute coronary syndromes.*
Curr Opin Cardiol. 2001;16:285-292.
-
- Kolodgie FD, Gold HK, Burke AP, et al.** *Intraplaque hemorrhage and progression of coronary atheroma.*
N Engl J Med. 2003;349:2316-2325.
-
- Kolodgie FD, Petrov A, Virmani R, et al.** *Targeting of apoptotic macrophages and experimental atheroma with radiolabeled annexin V: a technique with potential for noninvasive imaging of vulnerable plaque.*
Circulation. 2003;108:3134-3139.
-
- Kolodgie FD, Virmani R, Burke AP, et al.** *Pathologic assessment of the vulnerable human coronary plaque.*
Heart. 2004;90:1385-1391. Review.
-

Bibliography of One Hundred Key Papers

- Komiyama N, Berry GJ, Kolz ML, et al.** *Tissue characterization of atherosclerotic plaques by intravascular ultrasound radiofrequency signal analysis: an in vitro study of human coronary arteries.* **Am Heart J.** 2000;140:565-574.
-
- Kong YZ, Huang XR, Ouyang X, et al.** *Evidence for vascular macrophage migration inhibitory factor in destabilization of human atherosclerotic plaques.* **Cardiovasc Res.** 2005;65:272-282.
-
- Kong YZ, Yu X, Tang JJ, et al.** *Macrophage migration inhibitory factor induces MMP-9 expression: implications for destabilization of human atherosclerotic plaques.* **Atherosclerosis.** 2005;178:207-215.
-
- Krams R, Segers D, Gourabi BM, et al.** *Inflammation and atherosclerosis: mechanisms underlying vulnerable plaque.* **J Interv Cardiol.** 2003;16:107-113.
-
- LaBelle EF, Tulenko TN.** *LDL, IGF-1, and VSMC apoptosis: linking atherogenesis to plaque rupture in vulnerable lesions.* **Cardiovasc Res.** 2004;61:204-205.
-
- Laman JD, Schoneveld AH, Moll FL, van Meurs M, Pasterkamp G.** *Significance of peptidoglycan, a proinflammatory bacterial antigen in atherosclerotic arteries and its association with vulnerable plaques.* **Am J Cardiol.** 2002;90:119-123.
-
- Landini L, Sarnelli R, Picano E, Salvadori M.** *Evaluation of frequency dependence of backscatter coefficient in normal and atherosclerotic aortic walls.* **Ultrasound Med Biol.** 1986;5:397-401.
-
- Libby P.** *What have we learned about the biology of atherosclerosis? The role of inflammation.* **Am J Cardiol.** 2001;88:3J-6J.
-
- Little WC, Constantinescu M, Applegate RJ, et al.** *Can coronary angiography predict the site of a subsequent myocardial infarction in patients with mild-to-moderate coronary artery disease?* **Circulation.** 1988;78:1157-1166.
-
- Lutgens E, van Suylen RJ, Faber BC, et al.** *Atherosclerotic plaque rupture: local or systemic process?* **Arterioscler Thromb Vasc Biol.** 2003;23:2123-2130. Review.
-
- Madjid M, Zarrabi A, Litovsky S, Willerson JT, Casscells W.** *Finding vulnerable atherosclerotic plaques: is it worth the effort?* **Arterioscler Thromb Vasc Biol.** 2004;24:1775-1782. Review.
-
- Maseri A, Fuster V.** *Is there a vulnerable plaque?* **Circulation.** 2003;107:2068-2071. Review.
-
- Mason RP.** *Mechanisms of plaque stabilization for the dihydropyridine calcium channel blocker amlodipine: review of the evidence.* **Atherosclerosis.** 2002;165:191-199. Review.
-
- Mitra AK, Dhume AS, Agrawal DK.** *"Vulnerable plaques"—ticking of the time bomb.* **Can J Physiol Pharmacol.** 2004;82:860-871.
-
- Moreno PR, Lodder RA, Purushothaman KR, Charash WE, O'Connor WN, Muller JE.** *Detection of lipid pool, thin fibrous cap, and inflammatory cells in human aortic atherosclerotic plaques by near-infrared spectroscopy.* **Circulation.** 2002;105:923-937.
-



-
- Moreno PR, Muller JE.** *Detection of high-risk atherosclerotic coronary plaques by intravascular spectroscopy.*
J Interv Cardiol. 2003;16:243-252.
-
- Muller JE, Abela GS, Nesto RW, Tofler GH.** *Triggers, acute risk factors and vulnerable plaques: the lexicon of a new frontier.*
J Am Coll Cardiol. 1994;23:809-813. Review.
-
- Naghavi M, Libby P, Falk E, et al.** *From vulnerable plaque to vulnerable patient: a call for new definitions and risk assessment strategies: Part I.*
Circulation. 2003;108:1664-1672. Review.
-
- Naghavi M, Libby P, Falk E, et al.** *From vulnerable plaque to vulnerable patient: a call for new definitions and risk assessment strategies: Part II.*
Circulation. 2003;108:1772-1778. Review.
-
- Nair A, Kuban BD, Obuchowski N, Vince DG.** *Assessing spectral algorithms to predict atherosclerotic plaque composition with normalized and raw intravascular ultrasound data.*
Ultrasound Med Biol. 2001;10:1319-1331.
-
- Nair A, Kuban BD, Tuzcu EM, Schoenhagen P, Nissen SE, Vince DG.** *Coronary plaque classification with intravascular ultrasound radiofrequency data analysis.*
Circulation. 2002;106:2200-2206.
-
- Nakamura M, Lee DP, Yeung AC.** *Identification and treatment of vulnerable plaque.*
Rev Cardiovasc Med. 2004;5(suppl 2):S22-S33. Review.
-
- Nakata Y, Maeda N.** *Vulnerable atherosclerotic plaque morphology in apolipoprotein E-deficient mice unable to make ascorbic acid.*
Circulation. 2002;105:1485-1490.
-
- Ojio S, Takatsu H, Tanaka T, et al.** *Considerable time from the onset of plaque rupture and/or thrombi until the onset of acute myocardial infarction in humans: coronary angiographic findings within 1 week before the onset of infarction.*
Circulation. 2000;102:2063-2069.
-
- Ophir J, Cespedes I, Ponnekanti H, Yazdi J, Li X.** *Elastography: a quantitative method for imaging the elasticity of biological tissues.*
Ultrason Imaging. 1991;13:111-134.
-
- Ozer K, Cilingiroglu M.** *Vulnerable plaque: definition, detection, treatment, and future implications.*
Curr Atheroscler Rep. 2005;7:121-126.
-
- Panse N, Brett S, Panse P, et al.** *Multiple plaque morphologies in a single coronary artery: insights from volumetric intravascular ultrasound.*
Cathet Cardiovasc Interv. 2004;61:376-380.
-
- Platelet Receptor Inhibition in Ischemic Syndrome Management in Patients Limited by Unstable Signs and Symptoms (PRISM-PLUS) Study Investigators.** *Inhibition of the platelet glycoprotein IIb/IIIa receptor with tirofiban in unstable angina and non-Q-wave myocardial infarction.*
N Engl J Med. 1998;338:1488-1497.
-
- Potkin BN, Bartorelli AL, Gessert JM, et al.** *Coronary artery imaging with intravascular high-frequency ultrasound.*
Circulation. 1990;81:1575-1585.
-

Bibliography of One Hundred Key Papers

- Rekhter MD.** *How to evaluate plaque vulnerability in animal models of atherosclerosis?*
Cardiovasc Res. 2002;54:36-41. Review.
-
- Rewis D, Panse N, Sasseen B, Bass TA, Costa MA.** *Differentiation between ruptured plaque and vulnerable plaque using IVUS color flow.*
Int J Cardiovasc Intervent. 2003;5:212.
-
- Riouful G, Finet G, Ginon I, et al.** *Multiple atherosclerotic plaque rupture in acute coronary syndrome: a three-vessel intravascular ultrasound study.*
Circulation. 2002;106:804-808.
-
- Ross R.** *Atherosclerosis: an inflammatory disease.*
N Engl J Med. 1999;340:115-126.
-
- Schaar JA, deKorte CL, Mastik F, et al.** *Characterizing vulnerable plaque features with intravascular elastography.*
Circulation. 2003;108:2636-2641.
-
- Schaar JA, Muller JE, Falk E, et al.** *Terminology for high-risk and vulnerable coronary artery plaques.*
Eur Heart J. 2004;25:1077-1082.
-
- Schaar JA, Regar E, Mastk F, et al.** *Incidence of high strain patterns in human coronary arteries: assessment with three-dimensional intravascular palpography and correlation with clinical presentation.*
Circulation. 2004;109:2716-2719.
-
- Schoenhagen P, Nissen SE.** *Assessing coronary plaque burden and plaque vulnerability: atherosclerosis imaging with IVUS and emerging noninvasive modalities.*
Am Heart Hosp J. 2003;1:164-169.
-
- Schwartz RS, Bayes-Genis A, Lesser JR, Sangiorgi M, Henry TD, Conover CA.** *Detecting vulnerable plaque using peripheral blood: inflammatory and cellular markers.*
J Interv Cardiol. 2003;16:231-242. Review.
-
- Schwartz SM, Hatsukami TS, Yuan C.** *Molecular markers, fibrous cap rupture, and the vulnerable plaque: new experimental opportunities.*
Circ Res. 2001;89:471-473.
-
- Shah PK.** *Mechanisms of plaque vulnerability and rupture.*
J Am Coll Cardiol. 2003;41(suppl S):15S-22S. Review.
-
- Shah PK, Falk E, Badimon JJ, et al.** *Human monocyte-derived macrophages induce collagen breakdown in fibrous caps of atherosclerotic plaques. Potential role of matrix-degrading metalloproteinases and implications for plaque rupture.*
Circulation. 1995;92:1565-1569.
-
- Shiomi M, Yamada S, Ito T.** *Atheroma stabilizing effects of simvastatin due to depression of macrophages or lipid accumulation in the atheromatous plaques of coronary plaque-prone WHHL rabbits.*
Atherosclerosis. 2005;178:287-294.
-
- Slager, CJ, Wentzel JJ, Schuurbiers JCH, et al.** *True 3-dimensional reconstruction of coronary arteries in patients by fusion of angiography and IVUS (ANGUS) and its quantitative validation.*
Circulation. 2000;102:511-516.
-



-
- SoRelle R.** *Detecting vulnerable plaque.*
Circulation. 2003;108:e9066-e9070.
-
- Stefanadis C, Diamantopoulos L, Vlachopoulos C, et al.** *Thermal heterogeneity within human atherosclerotic coronary arteries detected in vivo: a new method of detection by application of a special thermography catheter.*
Circulation. 1999;99:1965-1971.
-
- Stefanadis C, Toutouzas K, Tsiamis E, et al.** *Increased local temperature in human coronary atherosclerotic plaques: an independent predictor of clinical outcome in patients undergoing a percutaneous coronary intervention.*
J Am Coll Cardiol. 2001;37:1277-1283.
-
- Tearney GJ, Yabushita H, Houser SL, et al.** *Quantification of macrophage content in atherosclerotic plaques by optical coherence tomography.*
Circulation. 2003;107:113-119.
-
- The RISC Group.** *Risk of myocardial infarction and death during treatment with low dose aspirin and intravenous heparin in men with unstable coronary artery disease.*
Lancet. 1990;336:827-830.
-
- Theroux P, Ouimet H, McCans J, et al.** *Aspirin, heparin, or both to treat unstable angina.*
N Engl J Med. 1988;319:1105-1111.
-
- Uchida Y, Nakamura F, Tomaru T, et al.** *Prediction of acute coronary syndromes by percutaneous coronary angiography in patients with stable angina.*
Am Heart J. 1995;130:195-203.
-
- Valgimigli M, Percoco G, Barbieri D, et al.** *The additive value of tirofiban administered with the high dose bolus in the prevention of ischemic complications during high-risk coronary angioplasty (ADVANCE) trial.*
J Am Coll Cardiol. 2004;44:14-19.
-
- van der Wal AC, Becker AE, van der Loos CM, Das PK.** *Site of intimal rupture or erosion of thrombosed coronary atherosclerotic plaques is characterized by an inflammatory process irrespective of the dominant plaque morphology.*
Circulation. 1994;89:36-44.
-
- Vink A, Schoneveld AH, Richard W, et al.** *Plaque burden, arterial remodeling and plaque vulnerability: determined by systemic factors?*
J Am Coll Cardiol. 2001;38:718-723.
-
- Virmani R, Burke AP, Kolodgie FD, Farb A.** *Pathology of the thin-cap fibroatheroma: a type of vulnerable plaque.*
J Interv Cardiol. 2003;16:267-272. Review.
-
- Virmani R, Burke AP, Kolodgie FD, Farb A.** *Vulnerable plaque: the pathology of unstable coronary lesions.*
J Interv Cardiol. 2002;15:439-346. Review.
-
- Virmani R, Kolodgie FD, Burke AP, Farb A, Schwartz SM.** *Lessons from sudden coronary death: a comprehensive morphological classification scheme for atherosclerotic lesions.*
Arterioscler Thromb Vasc Biol. 2000;20:1262-1275.
-
- von Birgelen C, Klinkhart W, Mintz GS, et al.** *Plaque distribution and vascular remodeling of ruptured and non-ruptured coronary plaques in the same vessel: an intravascular ultrasound study in vivo.*
J Am Coll Cardiol. 2001;37:1864-1870.
-

Bibliography of One Hundred Key Papers

Wang JC, Normand SL, Mauri L, Kuntz RE.

Coronary artery spatial distribution of acute myocardial infarction occlusions.

Circulation. 2004;110:278-284.

Wentzel JJ, Janssen E, Vos J, et al.

Extension of increased wall thickness into high shear stress regions is associated with loss of compensatory remodeling.

Circulation. 2003;108:17-23.

Yabushita H, Bouma BE, Houser SL, et al.

Characterization of human atherosclerosis by optical coherence tomography.

Circulation. 2002;106:1640-1645.

Yamagishi M, Terashima M, Awano K, et al.

Morphology of vulnerable coronary plaque: insights from follow-up of patients examined by intravascular ultrasound before an acute coronary syndrome.

J Am Coll Cardiol. 2000;35:106-111.
