

What I_f ?

Bibliography of One Hundred Key Papers

selected by **Michael J. Shattock,* PhD; Michael R. Rosen,† MD, PhD**

*Cardiovascular Division - King's College - London - UK

†Gustavus A. Pfeiffer Professor of Pharmacology - Columbia University - New York, NY - USA

-
- | | |
|---|--|
| Alpert NR, Leavitt BJ, Ittleman FP, Hasenfuss G, Pieske B, Mulieri LA. | <i>A mechanistic analysis of the force-frequency relation in non-failing and progressively failing human myocardium.</i> Basic Res Cardiol. 1998;93(suppl 1):23-32. |
| <hr/> | |
| Altomare C, Terragni B, Brioschi C, et al. | <i>Heteromeric HCN1-HCN4 channels: a comparison with native pacemaker channels from the rabbit sinoatrial node.</i> J Physiol. 2003;549(pt 2):347-359. |
| <hr/> | |
| Anumonwo JM, Wang HZ, Trabka-Janik E, et al. | <i>Gap junctional channels in adult mammalian sinus nodal cells. Immunolocalization and electrophysiology.</i> Circ Res. 1992;71:229-239. |
| <hr/> | |
| Beere PA, Glagov S, Zarins CK. | <i>Retarding effect of lowered heart rate on coronary atherosclerosis.</i> Science. 1984;226:180-182. |
| <hr/> | |
| Benetos A, Thomas F, Safar ME, Bean KE, Guize L. | <i>Should diastolic and systolic blood pressure be considered for cardiovascular risk evaluation: a study in middle-aged men and women.</i> J Am Coll Cardiol. 2001;37:163-168. |
| <hr/> | |
| Bleeker WK, Mackaay AJ, Masson-Pevet M, Bouman LN, Becker AE. | <i>Functional and morphological organization of the rabbit sinus node.</i> N Engl J Med. 2002;347:5-12. |
| <hr/> | |
| Bogdanov KY, Vinogradova TM, Lakatta EG. | <i>Sinoatrial nodal cell ryanodine receptor and Na^+-Ca^{2+} exchanger: molecular partners in pacemaker regulation.</i> Circ Res. 2001;88:1254-1258. |
| <hr/> | |
| Boineau JP, Canavan TE, Schuessler RB, Cain ME, Corr PB, Cox JL. | <i>Demonstration of a widely distributed atrial pacemaker complex in the human heart.</i> Circulation. 1988;77:1221-1237. |
| <hr/> | |
| Boineau JP, Miller CB, Schuessler RB, et al. | <i>Activation sequence and potential distribution maps demonstrating multicentric atrial impulse origin in dogs.</i> Circ Res. 1984;54:332-347. |
| <hr/> | |
| Bois P, Bescond J, Renaudon B, Lenfant J. | <i>Mode of action of bradycardic agent, S 16257, on ionic currents of rabbit sinoatrial node cells.</i> Br J Pharmacol. 1996;118:1051-1057. |
| <hr/> | |
| Borer JS, Fox K, Jaillon P, Lerebours G. | <i>Antianginal and anti-ischemic effects of ivabradine, an I_f inhibitor, in stable angina: a randomized, double-blind, multicentered, placebo-controlled trial.</i> Circulation. 2003;107:817-823. |
-

Bibliography of One Hundred Key Papers

- Boyett MR, Dobrzynski H, Lancaster MK, Jones SA, Honjo H, Kodama I.** *Sophisticated architecture is required for the sinoatrial node to perform its normal pacemaker function.* **J Cardiovasc Electrophysiol.** 2003;14:104-106.
-
- Boyett MR, Honjo H, Kodama I.** *The sinoatrial node: a heterogeneous pacemaker structure.* **Cardiovasc Res.** 2000;47:658-687.
-
- Boyett MR, Honjo H, Yamamoto M, Nikmaram MR, Niwa R, Kodama I.** *Downward gradient in action potential duration along conduction path in and around the sinoatrial node.* **Am J Physiol.** 1999;276(2 pt 2):H686-H698.
-
- Boyett MR, Kodama I, Honjo H, Arai A, Suzuki R, Toyama J.** *Ionic basis of the chronotropic effect of acetylcholine on the rabbit sinoatrial node.* **Cardiovasc Res.** 1995;29:867-878.
-
- Brown HF, DiFrancesco D, Noble SJ.** *How does adrenaline accelerate the heart?* **Nature.** 1979;280:235-236.
-
- Bucchi A, Baruscotti M, DiFrancesco D.** *Current-dependent block of rabbit sino-atrial node I_f channels by ivabradine.* **J Gen Physiol.** 2002;120:1-13.
-
- Cai D, Winslow RL, Noble D.** *Effects of gap junction conductance on dynamics of sinoatrial node cells: two-cell and large-scale network models.* **IEEE Trans Biomed Eng.** 1994;41:217-231.
-
- Camm AJ, Lau CP.** *Electrophysiological effects of a single intravenous administration of ivabradine (S 16257) in adult patients with normal baseline electrophysiology.* **Drugs R D.** 2003;4:83-89.
-
- Chang F, Yu H, Cohen IS.** *Actions of vasoactive intestinal peptide and neuropeptide Y on the pacemaker current in canine Purkinje fibers.* **Circ Res.** 1994;74:157-162.
-
- Chang M, Havlik RJ, Corti MC, Chaves PH, Fried LP, Guralnik JM.** *Relation of heart rate at rest and mortality in the Women's Health and Aging Study.* **Am J Cardiol.** 2003;92:1294-1299.
-
- Cho HS, Takano M, Noma A.** *The electrophysiological properties of spontaneously beating pacemaker cells isolated from mouse sinoatrial node.* **J Physiol.** 2003;550(pt 1):169-180.
-
- Colin P, Ghaleh B, Hittinger L, et al.** *Differential effects of heart rate reduction and beta-blockade on left ventricular relaxation during exercise.* **Am J Physiol Heart Circ Physiol.** 2002;282:H672-H679.
-
- Colin P, Ghaleh B, Monnet X, et al.** *Contributions of heart rate and contractility to myocardial oxygen balance during exercise.* **Am J Physiol Heart Circ Physiol.** 2003;284:H676-H682.
-
- Colin P, Ghaleh B, Monnet X, Hittinger L, Berdeaux A.** *Effect of graded heart rate reduction with ivabradine on myocardial oxygen consumption and diastolic time in exercising dogs.* **J Pharmacol Exp Ther.** 2004;308:236-240.
-
- Cooper PJ, Lei M, Cheng LX, Kohl P.** *Selected contribution: axial stretch increases spontaneous pacemaker activity in rabbit isolated sinoatrial node cells.* **J Appl Physiol.** 2000;89:2099-2104.
-



-
- Cramer M, Siegal M, Bigger JT Jr, Hoffman BF.** *Characteristics of extracellular potentials recorded from the sino-atrial pacemaker of the rabbit.*
Circ Res. 1977;41:292-300.
-
- Denyer JC, Brown HF.** *Rabbit sino-atrial node cells: isolation and electrophysiological properties.*
J Physiol. 1990;428:405-424.
-
- Denyer JC, Brown HF.** *Pacemaking in isolated rabbit sino-atrial node cells during Cs⁺ block of the hyperpolarization-activated current I_f.*
J.Physiol. 1990;429:401-409.
-
- Diaz A, Bourassa MG, Guertin MC, Tardif JC.** *Long-term prognostic value of resting heart rate in patients with suspected or proven coronary artery disease.*
Eur Heart J. 2005;26:967-974.
-
- DiFrancesco D.** *Pacemaker mechanisms in cardiac tissue.*
Annu Rev Physiol. 1993;55:455-472.
-
- DiFrancesco D.** *The onset and autonomic regulation of cardiac pacemaker activity: relevance of the f current.*
Cardiovasc Res. 1995;29:449-456.
-
- DiFrancesco D, Camm JA.** *Heart rate lowering by specific and selective I(f) current inhibition with ivabradine: a new therapeutic perspective in cardiovascular disease.*
Drugs. 2004;64:1757-1765.
-
- DiFrancesco D, Ducouret P, Robinson RB.** *Muscarinic modulation of cardiac rate at low acetylcholine concentrations.*
Science. 1989;243:669-671.
-
- DiFrancesco D, Robinson RB.** *Beta-modulation of pacemaker rate: novel mechanism or novel mechanics of an old one?*
Circ Res. 2002;90:E69-E69.
-
- Du XJ, Feng X, Gao XM, Tan TP, Kiriazis H, Dart AM.** *I_f channel inhibitor ivabradine lowers heart rate in mice with enhanced sympathoadrenergic activities.*
Br J Pharmacol. 2004;142:107-112.
-
- Dyer AR, Persky V, Stamler J, et al.** *Heart rate as a prognostic factor for coronary heart disease and mortality: findings in three Chicago epidemiologic studies.*
Am J Epidemiol. 1980;112:736-749.
-
- Er F, Larbig R, Ludwig A, et al.** *Dominant-negative suppression of HCN channels markedly reduces the native pacemaker current I_f and undermines spontaneous beating of neonatal cardiomyocytes.*
Circulation. 2003;107:485-489.
-
- Gauss R, Seifert R, Kaupp UB.** *Molecular identification of a hyperpolarization-activated channel in sea urchin sperm.*
Nature. 1998;393:583-587.
-
- Gillman MW, Kannel WB, Belanger A, D'Agostino RB.** *Influence of heart rate on mortality among persons with hypertension: the Framingham Study.*
Am Heart J. 1993;125:1148-1154.
-

Bibliography of One Hundred Key Papers

- Gomes JA, Winters SL.** *The origins of the sinus node pacemaker complex in man: demonstration of dominant and subsidiary foci.*
J Am Coll Cardiol. 1987;9:45-52.
-
- Guo J, Ono K, Noma A.** *A sustained inward current activated at the diastolic potential range in rabbit sino-atrial node cells.*
J Physiol. 1995;483:1-13.
-
- Guth BD, Heusch G, Seitelberger R, Ross J Jr.** *Elimination of exercise-induced regional myocardial dysfunction by a bradycardiac agent in dogs with chronic coronary stenosis.*
Circulation. 1987;75:661-669.
-
- Guth BD, Heusch G, Seitelberger R, Ross J Jr.** *Mechanism of beneficial effect of beta-adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs.*
Circ Res. 1987;60:738-746.
-
- Habib G.** *Reappraisal of the importance of heart rate as a risk factor for cardiovascular morbidity and mortality.*
Clin Ther. 1997;19(suppl A):39-52.
-
- Hagiwara N, Irisawa H, Kameyama M.** *Contribution of two types of calcium currents to the pacemaker potentials of rabbit sino-atrial node cells.*
J Physiol. 1988;395:233-253.
-
- Heidland UE, Strauer BE.** *Left ventricular muscle mass and elevated heart rate are associated with coronary plaque disruption.*
Circulation. 2001;104:1477-1482.
-
- Heusch G, Yoshimoto N.** *Effects of heart rate and perfusion pressure on segmental coronary resistances and collateral perfusion.*
Pflugers Arch. 1983;397:284-289.
-
- Hjalmarson A, Gilpin EA, Kjekshus J, et al.** *Influence of heart rate on mortality after acute myocardial infarction.*
Am J Cardiol. 1990;65:547-553.
-
- Honjo H, Boyett MR, Kodama I, Toyama J.** *Correlation between electrical activity and the size of rabbit sino-atrial node cells.*
J Physiol. 1996;463:795-808.
-
- Honjo H, Inada S, Lancaster MK, et al.** *Sarcoplasmic reticulum Ca^{2+} release is not a dominating factor in sinoatrial node pacemaker activity.*
Circ Res. 2003;92:e41-e44.
-
- Indolfi C, Guth BD, Miura T, Miyazaki S, Schulz R, Ross J Jr.** *Mechanisms of improved ischemic regional dysfunction by bradycardia. Studies on UL-FS 49 in swine.*
Circulation. 1989;80:983-993.
-
- Irisawa H, Brown HF, Giles W.** *Cardiac pacemaking in the sinoatrial node.*
Physiol Rev. 1993;73:197-227.
-
- Ishii TM, Takano M, Xie LH, Noma A, Ohmori H.** *Molecular characterization of the hyperpolarization-activated cation channel in rabbit heart sinoatrial node.*
J Biol Chem. 1999;274:12835-12839.
-
- Jones SA, Lancaster MK, Boyett MR.** *Ageing-related changes of connexins and conduction within the sinoatrial node.*
J Physiol. 2004;560(pt 2):429-437.
-



-
- Jouven X, Zureik M, Desnos M, Guerot C, Ducimetiere P.** *Resting heart rate as a predictive risk factor for sudden death in middle-aged men.*
Cardiovasc Res. 2001;50:373-378.
-
- Joyner RW, van Capelle FJ.** *Propagation through electrically coupled cells. How a small SA node drives a large atrium.*
Biophys J. 1986;50:1157-1164.
-
- Kaye DM, Smirk B, Finch S, Williams C, Esler MD.** *Interaction between cardiac sympathetic drive and heart rate in heart failure.*
J Am Coll Cardiol. 2004;44:2008-2015.
-
- Kodama I, Boyett MR.** *Regional differences in the electrical activity of the rabbit sinus node.*
Pflugers Arch. 1985;404:214-226.
-
- Kodama I, Boyett MR, Nikmaram MR, Yamamoto M, Honjo H, Niwa R.** *Regional differences in effects of E-4031 within the sinoatrial node.*
Am J Physiol. 1999;276(3 pt 2):H793-H802.
-
- Kodama I, Boyett MR, Suzuki R, Honjo H, Toyama J.** *Regional differences in the response of the isolated sino-atrial node of the rabbit to vagal stimulation.*
J Physiol. 1996;495(pt 3):785-801.
-
- Kovar D, Cannon CP, Bentley JH, Charlesworth A, Rogers WJ.** *Does initial and delayed heart rate predict mortality in patients with acute coronary syndromes?*
Clin Cardiol. 2004;27:80-86.
-
- Kreitner D.** *Electrophysiological study of the two main pacemaker mechanisms in the rabbit sinus node.*
Cardiovasc Res. 1985;19:304-318.
-
- Lakatta EG, Maltsev VA, Bogdanov KY, Stern MD, Vinogradova TM.** *Cyclic variation of intracellular calcium: a critical factor for cardiac pacemaker cell dominance.*
Circ Res. 2003;92:e45-e50.
-
- Lancaster MK, Jones SA, Harrison SM, Boyett MR.** *Intracellular Ca²⁺ and pacemaking within the rabbit sinoatrial node: heterogeneity of role and control.*
J Physiol. 2004;556(pt 2):481-494.
-
- Levine HJ.** *Rest heart rate and life expectancy.*
J Am Coll Cardiol. 1997;30:1104-1106.
-
- Lipsius SL, Bers DM.** *Cardiac pacemaking: I_f vs. Ca²⁺, is it really that simple?*
J Mol Cell Cardiol. 2003;35:891-893.
-
- Ludwig A, Zong X, Stieber J, Hullin R, Hofmann F, Biel M.** *Two pacemaker channels from human heart with profoundly different activation kinetics.*
EMBO J. 1999;18:2323-2329.
-
- Masson-Pevet MA, Bleeker WK, Besselsen E, Treytel BW, Jongasma HJ, Bouman LN.** *Pacemaker cell types in the rabbit sinus node: a correlative ultra-structural and electrophysiological study.*
J Mol Cell Cardiol. 1984;16:53-63.
-
- Miake J, Marban E, Nuss HB.** *Biological pacemaker created by gene transfer.*
Nature. 2002;419:132-133.
-

Bibliography of One Hundred Key Papers

- Miake J, Marban E, Nuss HB.** *Functional role of inward rectifier current in heart probed by Kir2.1 overexpression and dominant-negative suppression.*
J Clin Invest. 2003;111:1529-1536.
-
- Monnet X, Colin P, Ghaleh B, Hittinger L, Giudicelli JF, Berdeaux A.** *Heart rate reduction during exercise-induced myocardial ischaemia and stunning.*
Eur Heart J. 2004;25:579-586.
-
- Monnet X, Ghaleh B, Colin P, de Curzon OP, Giudicelli JF, Berdeaux A.** *Effects of heart rate reduction with ivabradine on exercise-induced myocardial ischemia and stunning.*
J Pharmacol Exp Ther. 2001;299:1133-1139.
-
- Moosmang S, Stieber J, Zong X, Biel M, Hofmann F, Ludwig A.** *Cellular expression and functional characterization of four hyperpolarization-activated pacemaker channels in cardiac and neuronal tissues.*
Eur J Biochem. 2001;268:1646-1652.
-
- Moroni A, Gorza L, Beltrame M, et al.** *Hyperpolarization-activated cyclic nucleotide-gated channel 1 is a molecular determinant of the cardiac pacemaker current I_f .*
J Biol Chem. 2001;276:29233-29241.
-
- Mulder P, Barbier S, Chagraoui A, et al.** *Long-term heart rate reduction induced by the selective I_f current inhibitor ivabradine improves left ventricular function and intrinsic myocardial structure in congestive heart failure.*
Circulation. 2004;109:1674-1679.
-
- Musialek P, Lei M, Brown HF, Paterson DJ, Casadei B.** *Nitric oxide can increase heart rate by stimulating the hyperpolarization-activated inward current, I_f .*
Circ Res. 1997;81:60-68.
-
- Nabel EG, Selwyn AP, Ganz P.** *Paradoxical narrowing of atherosclerotic coronary arteries induced by increases in heart rate.*
Circulation. 1990;81:850-859.
-
- Noble D, Denyer JC, Brown HF, DiFrancesco D.** *Reciprocal role of the inward currents I_b , I_a and I_f in controlling and stabilizing pacemaker frequency of rabbit sino-atrial node cells.*
Proc Biol Sci. 1992;250:199-207.
-
- Noma A, Irisawa H.** *Membrane currents in the rabbit sinoatrial node cell as studied by the double microelectrode method.*
Pflugers Arch. 1976;364:45-52.
-
- Noma A, Morad M, Irisawa H.** *Does the "pacemaker current" generate the diastolic depolarization in the rabbit SA node cells?*
Pflugers Arch. 1983;397:190-194.
-
- Noma A, Nakayama T, Kurachi Y, Irisawa H.** *Resting K conductances in pacemaker and non-pacemaker heart cells of the rabbit.*
Jpn J Physiol. 1984;34:245-254.
-
- Notomi T, Shigemoto R.** *Immunohistochemical localization of I_h channel subunits, HCN1-4, in the rat brain.*
J Comp Neurol. 2004;471:241-276.
-
- Opthof T.** *The mammalian sinoatrial node.*
Cardiovasc Drugs Ther. 1988;1:573-597.
-



-
- Opthof T, Coronel R.** *The normal range and determinants of the intrinsic heart rate in man.* **Cardiovasc Res.** 2000;45:175-176.
-
- Patel SR, Breall JA, Diver DJ, Gersh BJ, Levy AP.** *Bradycardia is associated with development of coronary collateral vessels in humans.* **Coron Artery Dis.** 2000;11:467-472.
-
- Plotnikov AN, Sosunov EA, Qu J, et al.** *Biological pacemaker implanted in canine left bundle branch provides ventricular escape rhythms that have physiologically acceptable rates.* **Circulation.** 2004;109:506-512.
-
- Qu J, Plotnikov AN, Danilo P Jr, et al.** *Expression and function of a biological pacemaker in canine heart.* **Circulation.** 2003;107:1106-1109.
-
- Renaudon B, Lenfant J, Decressac S, Bois P.** *Thyroid hormone increases the conductance density of f-channels in rabbit sino-atrial node cells.* **Receptors Channels.** 2000;7:1-8.
-
- Reunanen A, Karjalainen J, Ristola P, Heliövaara M, Knekt P, Aromaa A.** *Heart rate and mortality.* **J Intern Med.** 2000;247:231-239.
-
- Sakmann B, Noma A, Trautwein W.** *Acetylcholine activation of single muscarinic K⁺ channels in isolated pacemaker cells of the mammalian heart.* **Nature.** 1983;303:250-253.
-
- Shi W, Wymore R, Yu H, et al.** *Distribution and prevalence of hyperpolarization-activated cation channel (HCN) mRNA expression in cardiac tissues.* **Circ Res.** 1999;85:e1-e6.
-
- Shiraishi I, Takamatsu T, Minamikawa T, Onouchi Z, Fujita S.** *Quantitative histological analysis of the human sinoatrial node during growth and aging.* **Circulation.** 1992;85:2176-2184.
-
- Simon L, Ghaleh B, Puybasset L, Giudicelli JF, Berdeaux A.** *Coronary and hemodynamic effects of S 16257, a new bradycardic agent, in resting and exercising conscious dogs.* **J Pharmacol Exp Ther.** 1995;275:659-666.
-
- Singh BN.** *Morbidity and mortality in cardiovascular disorders: impact of reduced heart rate.* **J Cardiovasc Pharmacol Ther.** 2001;6:313-331.
-
- Stieber J, Herrmann S, Feil S, et al.** *The hyperpolarization-activated channel HCN4 is required for the generation of pacemaker action potentials in the embryonic heart.* **Proc Natl Acad Sci USA.** 2003;100:15235-15240.
-
- Stieber J, Hofmann F, Ludwig A.** *Pacemaker channels and sinus node arrhythmia.* **Trends Cardiovasc Med.** 2004;14:23-28.
-
- Tanaka N, Nozawa T, Yasumura Y, Futaki S, Hiramori K, Suga H.** *Heart-rate-proportional oxygen consumption for constant cardiac work in dog heart.* **Jpn J Physiol.** 1990;40:503-521.
-
- Tardif JC, Gregoire J, Lallier PL, Joyal M.** *Chronic heart rate reduction with ivabradine and prevention of atherosclerosis progression assessed using intravascular ultrasound.* **Eur Heart J.** 2003;5(suppl G):G46-G51.
-

Bibliography of One Hundred Key Papers

- Trabka-Janik E, Coombs W, Lemanski LF, Delmar M, Jalife J.** *Immunohistochemical localization of gap junction protein channels in hamster sinoatrial node in correlation with electrophysiologic mapping of the pacemaker region.* **J Cardiovasc Electrophysiol.** 1994;5:125-137.
-
- Verheijck EE, Wessels A, van Ginneken AC, et al.** *Distribution of atrial and nodal cells within the rabbit sinoatrial node: models of sinoatrial transition.* **Circulation.** 1998;97:1623-1631.
-
- Verkerk AO, Wilders R, Coronel R, Ravesloot JH, Verheijck EE.** *Ionic remodeling of sinoatrial node cells by heart failure.* **Circulation.** 2003;108:760-766.
-
- Vinogradova TM, Bogdanov KY, Lakatta EG.** *Beta-adrenergic stimulation modulates ryanodine receptor Ca²⁺ release during diastolic depolarization to accelerate pacemaker activity in rabbit sinoatrial nodal cells.* **Circ Res.** 2002;90:73-79.
-
- Wanger BJ, DeGennaro M, Santoro B, Siegelbaum SA, Tibbs GR.** *Molecular mechanism of cAMP modulation of HCN pacemaker channels.* **Nature.** 2001;411:805-810.
-
- Xue T, Cho HC, Akar FG, et al.** *Functional integration of electrically active cardiac derivatives from genetically engineered human embryonic stem cells with quiescent recipient ventricular cardiomyocytes: insights into the development of cell-based pacemakers.* **Circulation.** 2005;111:11-20.
-
- Zagotta WN, Olivier NB, Black KD, Young EC, Olson R, Gouaux E.** *Structural basis for modulation and agonist specificity of HCN pacemaker channels.* **Nature.** 2003;425:200-205.
-
- Zaza A, Rocchetti M, DiFrancesco D.** *Modulation of the hyperpolarization-activated current I_f by adenosine in rabbit sinoatrial myocytes.* **Circulation.** 1996;94:734-741.
-
- Zicha S, Fernandez-Velasco M, Lonardo G, L'Heureux N, Nattel S.** *Sinus node dysfunction and hyperpolarization-activated (HCN) channel subunit remodeling in a canine heart failure model.* **Cardiovasc Res.** 2005;66:472-481.
-