

New Images in Cardiology

Bibliography of One Hundred Key Papers

selected by **Sanjay K. Prasad, MD, MRCP; Dudley J. Pennell, MD, FRCP, FACC, FESC**

Cardiovascular Magnetic Resonance Unit - Royal Brompton Hospital - London - UK

-
- Babu-Narayan SV, Kilner PJ, Li W, et al.** *Ventricular fibrosis suggested by cardiovascular magnetic resonance in adults with repaired tetralogy of Fallot and its relationship to adverse markers of clinical outcome.*
Circulation. 2006;113:405-413.
-
- Bax JJ.** *Assessment of myocardial viability in ischemic cardiomyopathy.*
Heart Lung Circ. 2005;14(suppl 2):S8-S13.
-
- Bellenger NG, Davies LC, Francis JM, Coats AJ, Pennell DJ.** *Reduction in sample size for studies of remodeling in heart failure by the use of cardiovascular magnetic resonance.*
J Cardiovasc Magn Reson. 2000;2:271-278.
-
- Bhatia G, Sosin M, Leahy JF, Connolly DL, Davis RC, Lip GY.** *Hibernating myocardium in heart failure.*
Expert Rev Cardiovasc Ther. 2005;3:111-122.
-
- Biederman RW, Doyle M, Yamrozik J, et al.** *Physiologic compensation is supranormal in compensated aortic stenosis: does it return to normal after aortic valve replacement or is it blunted by coexistent coronary artery disease? An intramyocardial magnetic resonance imaging study.*
Circulation. 2005 30;112(9 suppl):1429-1436.
-
- Bleeker GB, Kaandorp TA, Lamb HJ, et al.** *Effect of posterolateral scar tissue on clinical and echocardiographic improvement after cardiac resynchronization therapy.*
Circulation. 2006;113:969-976.
-
- Bluemke DA, Krupinski EA, Ovitt T, et al.** *MR Imaging of arrhythmogenic right ventricular cardiomyopathy: morphologic findings and interobserver reliability.*
Cardiology. 2003;99:153-162.
-
- Bogaert J, Dymarkowski S.** *Delayed contrast-enhanced MRI: use in myocardial viability assessment and other cardiac pathology.*
Eur Radiol. 2005;15(suppl 2):B52-B58.
-
- Bondarenko O, Beek AM, Hofman MB, et al.** *Standardizing the definition of hyperenhancement in the quantitative assessment of infarct size and myocardial viability using delayed contrast-enhanced CMR.*
J Cardiovasc Magn Reson. 2005;7:481-485.
-
- Budoff MJ, Cohen MC, Garcia MJ, et al; American College of Cardiology Foundation; American Heart Association; American College of Physicians Task Force on Clinical Competence; American Society of Echocardiography; American Society of Nuclear Cardiology; Society of Atherosclerosis Imaging; Society for Cardiovascular Angiography & Interventions; Society of Cardiovascular Computed Tomography.** *ACCF/AHA clinical competence statement on cardiac imaging with computed tomography and magnetic resonance.*
Circulation. 2005;112:592-617.
-

Bibliography of One Hundred Key Papers

- Bulow H, Klein C, Kuehn I, et al.** *Cardiac magnetic resonance imaging: long term reproducibility of the late enhancement signal in patients with chronic coronary artery disease.*
Heart. 2005;91:1158-1163.
-
- Casolo G, Del Meglio J, Betti I, Gensini GF.** *Current perspective the expanding role of cardiovascular magnetic resonance in the identification of myocardial viability.*
Ital Heart J. 2005;6:619-628.
-
- Casolo G, Di Cesare E, Molinari G, et al.** *Diagnostic work-up of arrhythmogenic right ventricular cardiomyopathy by cardiovascular magnetic resonance.*
Ital Heart J. 2004;5:69-79.
-
- Cheng L, Gao Y, Guaricci AI, et al.** *Breath-hold 3D steady-state free precession coronary MRA compared with conventional X-ray coronary angiography.*
J Magn Reson Imaging. 2006;23:669-673.
-
- Crean A, Merchant N.** *Role of cardiac magnetic resonance imaging in identification of amyloid cardiomyopathy.*
Indian Heart J. 2004;56:682-683.
-
- Cury RC, Cattani CA, Gabure LA, et al.** *Diagnostic performance of stress perfusion and delayed-enhancement MR imaging in patients with coronary artery disease.*
Radiology. 2006;240:39-45.
-
- Dall'Armellina E, Baugh MB, Morgan TM, et al.** *Cardiovascular magnetic resonance measurement of coronary arterial blood flow at rest and after submaximal exercise.*
J Comput Assist Tomogr. 2006;30:421-425.
-
- De Castro S, Caselli S, Maron M, et al.** *Left ventricular remodelling index (LVRI) in various pathophysiologic conditions: a real-time three-dimensional echocardiographic study.*
Heart. 2007;93:205-209.
-
- Dewey M, Hamm B.** *Cost effectiveness of coronary angiography and calcium scoring using CT and stress MRI for diagnosis of coronary artery disease.*
Eur Radiol. 2007;17:1301-1309.
-
- Dewey M, Laule M, Taupitz M, Kaufels N, Hamm B, Kivelitz D.** *Myocardial viability: assessment with three-dimensional MR imaging in pigs and patients.*
Radiology. 2006;239:703-709.
-
- Dewey M, Teige F, Schnapauff D, et al.** *Noninvasive detection of coronary artery stenoses with multislice computed tomography or magnetic resonance imaging.*
Ann Intern Med. 2006;145:407-415.
-
- Dorfman AL, Geva T.** *Magnetic resonance imaging evaluation of congenital heart disease: conotruncal anomalies.*
J Cardiovasc Magn Reson. 2006;8:645-659.
-
- Edelman RR.** *Contrast-enhanced MR imaging of the heart: overview of the literature.*
Radiology. 2004;232:653-668.
-
- Frakes DH, Smith MJ, Parks J, Sharma S, Fogel SM, Yoganathan AP.** *New techniques for the reconstruction of complex vascular anatomies from MRI images.*
J Cardiovasc Magn Reson. 2005;7:425-432.
-



-
- Fuster V, Fayad ZA, Moreno PR, Poon M, Corti R, Badimon JJ.** *Atherothrombosis and high-risk plaque: Part II: approaches by noninvasive computed tomographic/magnetic resonance imaging.* **J Am Coll Cardiol.** 2005;46:1209-1218. Review.
-
- Gladish GW.** *Advances in cardiac magnetic resonance imaging and computed tomography.* **Expert Rev Cardiovasc Ther.** 2005;3:309-320.
-
- Gorincour G, Lapierre C, Miro J, Garel L, Guerin R.** *The role of cardiac magnetic resonance in the diagnosis of anomalous pulmonary venous return with subsequent Amplatzer device treatment.* **J Cardiovasc Magn Reson.** 2006;8:499-502.
-
- He T, Gatehouse PD, Anderson LJ, et al.** *Development of a novel optimized breathhold technique for myocardial T2 measurement in thalassemia.* **J Magn Reson Imaging.** 2006;24:580-585.
-
- Hedstrom E, Arheden H, Eriksson R, Johansson L, Ahlstrom H, Bjerner T.** *Importance of perfusion in myocardial viability studies using delayed contrast-enhanced magnetic resonance imaging.* **J Magn Reson Imaging.** 2006;24:77-83.
-
- Hendel RC, Patel MR, Kramer CM, Poon M, et al.** *ACCF/ACR/SCCT/SCMR/ASNC/NASCI/SCAI/SIR 2006 appropriateness criteria for cardiac computed tomography and cardiac magnetic resonance imaging: a report of the American College of Cardiology Foundation Quality Strategic Directions Committee Appropriateness Criteria Working Group, American College of Radiology, Society of Cardiovascular Computed Tomography, Society for Cardiovascular Magnetic Resonance, American Society of Nuclear Cardiology, North American Society for Cardiac Imaging, Society for Cardiovascular Angiography and Interventions, and Society of Interventional Radiology.* **J Am Coll Cardiol.** 2006;48:1475-1497.
-
- Hudsmith LE, Petersen SE, Tyler DJ, et al.** *Determination of cardiac volumes and mass with FLASH and SSFP cine sequences at 1.5 vs. 3 Tesla: a validation study.* **J Magn Reson Imaging.** 2006;24:312-318.
-
- Hunold P, Wieneke H, Bruder O, et al.** *Late enhancement: a new feature in MRI of arrhythmogenic right ventricular cardiomyopathy?* **J Cardiovasc Magn Reson.** 2005;7:649-655.
-
- Ingkanisorn WP, Paterson DI, Calvo KR, et al.** *Cardiac magnetic resonance appearance of myocarditis caused by high dose IL-2: similarities to community-acquired myocarditis.* **J Cardiovasc Magn Reson.** 2006;8:353-360.
-
- Isbell DC, Kramer CM.** *Magnetic resonance for the assessment of myocardial viability.* **J Nucl Cardiol.** 2006;21:469-472.
-
- Jahnke C, Paetsch I, Achenbach S, et al.** *Coronary MR imaging: breath-hold capability and patterns, coronary artery rest periods, and beta-blocker use.* **Radiology.** 2006;239:71-78.
-
- Katoh M, Spuentrup E, Buecker A, Manning WJ, Gunther RW, Botnar RM.** *MR coronary vessel wall imaging: comparison between radial and spiral k-space sampling.* **J Magn Reson Imaging.** 2006;23:757-762.
-

Bibliography of One Hundred Key Papers

- Katoh M, Spuentrup E, Buecker A, et al.** *MRI of coronary vessel walls using radial k-space sampling and steady-state free precession imaging.*
AJR Am J Roentgenol. 2006;186(6 suppl 2):S401-S406.
-
- Keller DI, Osswald S, Bremerich J, et al.** *Arrhythmogenic right ventricular cardiomyopathy: diagnostic and prognostic value of the cardiac MRI in relation to arrhythmia-free survival.*
Int J Cardiovasc Imaging. 2003;19:537-543.
-
- Kilner PJ, Yang GZ, Wilkes AJ, Mohiaddin RH, Firmin DN, Yacoub MH.** *Asymmetric redirection of flow through the heart.*
Nature. 2000;404:759-761.
-
- Kjaer A, Lebech AM, Gerstoft J, Hesse B, Petersen CL.** *Right ventricular volume and mass determined by cine magnetic resonance imaging in HIV patients with possible right ventricular dysfunction.*
Angiology. 2006;57:341-346.
-
- Knaapen P, Gotte MJ, Paulus WJ, et al.** *Does myocardial fibrosis hinder contractile function and perfusion in idiopathic dilated cardiomyopathy? PET and MR imaging study.*
Radiology. 2006;240:380-388.
-
- Kraitchman DL, Tatsumi M, Gilson WD, et al.** *Dynamic imaging of allogeneic mesenchymal stem cells trafficking to myocardial infarction.*
Circulation. 2005;112:1451-1461.
-
- Kuijpers D.** *Diagnosis of coronary artery disease with dobutamine-stress MRI.*
Eur Radiol. 2005;15(suppl 2):B48-B51.
-
- Ley S, Zaporozhan J, Arnold R, et al.** *Preoperative assessment and follow-up of congenital abnormalities of the pulmonary arteries using CT and MRI.*
Eur Radiol. 2007;17:151-162.
-
- Lloyd SG, Buckberg GD; RESTORE Group.** *Use of cardiac magnetic resonance imaging in surgical ventricular restoration.*
Eur J Cardiothorac Surg. 2006;29(suppl 1):S216-S224.
-
- Lorenz CH, Walker ES, Morgan VL, Klein SS, Graham TP Jr.** *Normal human right and left ventricular mass, systolic function, and gender differences by cine magnetic resonance imaging.*
J Cardiovasc Magn Reson. 1999;1:7-21.
-
- Maksimovic R, Ekinici O, Reiner C, et al.** *The value of magnetic resonance imaging for the diagnosis of arrhythmogenic right ventricular cardiomyopathy.*
Eur Radiol. 2006;16:560-568.
-
- Maredia N, Ray SG.** *Cardiac amyloidosis.*
Clin Med. 2005;5:504-509.
-
- Mogensen J, Murphy RT, Kubo T, et al.** *Frequency and clinical expression of cardiac troponin I mutations in 748 consecutive families with hypertrophic cardiomyopathy.*
J Am Coll Cardiol. 2004;44:2315-2325.
-
- Moon JC, Fisher NG, McKenna WJ, Pennell DJ.** *Detection of apical hypertrophic cardiomyopathy by cardiovascular magnetic resonance in patients with non-diagnostic echocardiography.*
Heart. 2004;90:645-649.
-
- Moon JC, Lorenz CH, Francis JM, Smith GC, Pennell DJ.** *Breath-hold FLASH and FISP cardiovascular MR imaging: left ventricular volume differences and reproducibility.*
Radiology. 2002;223:789-797.
-



-
- Nash MP, Pullan AJ.** *Challenges facing validation of noninvasive electrical imaging of the heart.*
Ann Noninvasive Electrocardiol. 2005;10:73-82.
-
- Niendorf T, Sodickson DK.** *Parallel imaging in cardiovascular MRI: methods and applications.*
NMR Biomed. 2006;19:325-341.
-
- Norman M, Simpson M, Mogensen J, Shaw A, Hughes S, Syrris P, Sen-Chowdhry S, Rowland E, Crosby A, McKenna WJ.** *Novel mutation in desmoplakin causes arrhythmogenic left ventricular cardiomyopathy.*
Circulation. 2005;112:636-642.
-
- Oosterhof T, Tulevski II, Vliegen HW, Spijkerboer AM, Mulder BJ.** *Effects of volume and/or pressure overload secondary to congenital heart disease (tetralogy of Fallot or pulmonary stenosis) on right ventricular function using cardiovascular magnetic resonance and B-type natriuretic peptide levels.*
Am J Cardiol. 2006;97:1051-1055.
-
- O'Regan DP, Schmitz SA.** *Establishing a clinical cardiac MRI service.*
Clin Radiol. 2006;61:211-224.
-
- Pai VM, Axel L.** *Advances in MRI tagging techniques for determining regional myocardial strain.*
Curr Cardiol Rep. 2006;8:53-58.
-
- Parikh S, de Lemos JA.** *Current therapeutic strategies in cardiac amyloidosis.*
Curr Treat Options Cardiovasc Med. 2005;7:443-448.
-
- Pennell DJ, Berdoukas V, Karagiorga M, et al.** *Randomized controlled trial of deferiprone or deferoxamine in beta-thalassemia major patients with asymptomatic myocardial siderosis.*
Blood. 2006;107:3738-3744.
-
- Pennell DJ.** *Ventricular volume and mass by CMR.*
J Cardiovasc Magn Reson. 2002;4:507-513.
-
- Pennell DJ.** *T2* magnetic resonance and myocardial iron in thalassemia.*
Ann N Y Acad Sci. 2005;1054:373-378.
-
- Petersen SE, Hudsmith LE, Robson MD, et al.** *Sex-specific characteristics of cardiac function, geometry, and mass in young adult elite athletes.*
J Magn Reson Imaging. 2006;24:297-303.
-
- Petersen SE, Selvanayagam JB, Francis JM, et al.** *Differentiation of athlete's heart from pathological forms of cardiac hypertrophy by means of geometric indices derived from cardiovascular magnetic resonance.*
J Cardiovasc Magn Reson. 2005;7:551-558.
-
- Positano V, Pingitore A, Giorgetti A, et al.** *A fast and effective method to assess myocardial necrosis by means of contrast magnetic resonance imaging.*
J Cardiovasc Magn Reson. 2005;7:487-494.
-
- Poustchi-Amin M, Gutierrez FR, Brown JJ, et al.** *Performing cardiac MR imaging: an overview.*
Magn Reson Imaging Clin N Am. 2003;11:1-18.
-
- Prasad SK, Soukias N, Hornung T, et al.** *Role of magnetic resonance angiography in the diagnosis of major aortopulmonary collateral arteries and partial anomalous pulmonary venous drainage.*
Circulation. 2004;109:207-214.
-

Bibliography of One Hundred Key Papers

- Ripa RS, Jorgensen E, Wang Y, et al.** *Stem cell mobilization induced by subcutaneous granulocyte-colony stimulating factor to improve cardiac regeneration after acute ST-elevation myocardial infarction: result of the double-blind, randomized, placebo-controlled stem cells in myocardial infarction (STEMMI) trial.* **Circulation.** 2006;113:1983-1992.
-
- Ritter C, Brackertz A, Sandstede J, Beer M, Hahn D, Kostler H.** *Absolute quantification of myocardial perfusion under adenosine stress.* **Magn Reson Med.** 2006;56:844-849.
-
- Ropers D, Regenfus M, Wasmeier G, Achenbach S.** *Non-interventional cardiac diagnostics: computed tomography, magnetic resonance and real-time three-dimensional echocardiography. Techniques and clinical applications.* **Minerva Cardioangiol.** 2004;52:407-417.
-
- Rosen BD, Lima JA, Nasir K, et al.** *Lower myocardial perfusion reserve is associated with decreased regional left ventricular function in asymptomatic participants of the multi-ethnic study of atherosclerosis.* **Circulation.** 2006;114:289-297.
-
- Schmidt A, Wu KC.** *MRI assessment of myocardial viability.* **Semin Ultrasound CT MR.** 2006;27:11-19.
-
- Schuijf JD, Poldermans D, Shaw LJ, et al.** *Diagnostic and prognostic value of non-invasive imaging in known or suspected coronary artery disease.* **Eur J Nucl Med Mol Imaging.** 2006;33:93-104.
-
- Schweigmann G, Gassner I, Maurer K.** *Imaging the neonatal heart-Essentials for the radiologist.* **Eur J Radiol.** 2006;60:159-170.
-
- Schwitzer J.** *Myocardial perfusion imaging by cardiac magnetic resonance.* **J Nucl Cardiol.** 2006;13:841-854.
-
- Selvanayagam JB, Searle N, Neubauer S, Taggart DP.** *Correlation of coronary artery bypass surgery-related myonecrosis with grafted vessel calibre: insights from cardiovascular magnetic resonance imaging.* **Heart.** 2006;92:1329-1330.
-
- Silva C, Cheng S, Lima JA.** *Noninvasive assessment of coronary stenosis.* **Minerva Cardioangiol.** 2006;54:41-52.
-
- Sipola P, Lauerma K, Jaaskelainen P, et al.** *Cine MR imaging of myocardial contractile impairment in patients with hypertrophic cardiomyopathy attributable to Asp175Asn mutation in the alpha-tropomyosin gene.* **Radiology.** 2005;236:815-824.
-
- Sipola P, Vanninen E, Aronen HJ, et al.** *Cardiac adrenergic activity is associated with left ventricular hypertrophy in genetically homogeneous subjects with hypertrophic cardiomyopathy.* **J Nucl Med.** 2003;44:487-493.
-
- So NM, Lam WW, Li D, Chan AK, Sanderson JE, Metreweli C.** *Magnetic resonance angiography of coronary arteries with a 3-dimensional magnetization-prepared true fast imaging with steady-state precession sequence compared with conventional coronary angiography.* **Am Heart J.** 2005;150:530-535.
-



-
- Soler R, Rodriguez E, Monserrat L, Mendez C, Martinez C.** *Magnetic resonance imaging of delayed enhancement in hypertrophic cardiomyopathy: relationship with left ventricular perfusion and contractile function.*
J Comput Assist Tomogr. 2006;30:412-420.
-
- Spuentrup E, Fausten B, Kinzel S, et al.** *Molecular magnetic resonance imaging of atrial clots in a swine model.*
Circulation. 2005;112:396-399.
-
- Tanner MA, Galanello R, Dessi C, et al.** *Myocardial iron loading in patients with thalassemia major on deferoxamine chelation.*
J Cardiovasc Magn Reson. 2006;8:543-547.
-
- Tanner MA, He T, Westwood MA, Firmin DN, Pennell DJ; Thalassemia International Federation Heart T2* Investigators.** *Multi-center validation of the transferability of the magnetic resonance T2* technique for the quantification of tissue iron.*
Haematologica. 2006;91:1388-1391.
-
- Tanner MA, Smith GC, Westwood MA, Wonke B, Galanello R.** *Randomized controlled trial of deferiprone or deferoxamine in beta-thalassemia major patients with asymptomatic myocardial siderosis.*
Blood. 2006;107:3738-3744.
-
- Taylor AJ, Al-Saadi N, Abdel-Aty H, et al.** *Elective percutaneous coronary intervention immediately impairs resting microvascular perfusion assessed by cardiac magnetic resonance imaging.*
Am Heart J. 2006;151:891.e1-e7.
-
- Therkelsen SK, Groenning BA, Svendsen JH, Jensen GB.** *Atrial and ventricular volume and function evaluated by magnetic resonance imaging in patients with persistent atrial fibrillation before and after cardioversion.*
Am J Cardiol. 2006;97:1213-1219.
-
- Tsukiji M, Nguyen P, Narayan G, et al.** *Peri-infarct ischemia determined by cardiovascular magnetic resonance evaluation of myocardial viability and stress perfusion predicts future cardiovascular events in patients with severe ischemic cardiomyopathy.*
J Cardiovasc Magn Reson. 2006;8:773-779.
-
- Unlu M, Anik Y, Demirci A, Ural D, Kahraman G, Komsuoglu B.** *Cardiac MRI in ischemic heart disease with severe coronary artery stenosis.*
Acad Radiol. 2006;13:1387-1393.
-
- Valeti VU, Chun W, Potter DD, et al.** *Myocardial tagging and strain analysis at 3 Tesla: comparison with 1.5 Tesla imaging.*
J Magn Reson Imaging. 2006;23:477-480.
-
- Watzinger N, Maier R, Reiter U, et al.** *Clinical applications of cardiovascular magnetic resonance.*
Curr Pharm Des. 2005;11:457-475.
-
- Westenberg JJ, Lamb HJ, van der Geest RJ, et al.** *Assessment of left ventricular dyssynchrony in patients with conduction delay and idiopathic dilated cardiomyopathy: head-to-head comparison between tissue Doppler imaging and velocity-encoded magnetic resonance imaging.*
J Am Coll Cardiol. 2006;47:2042-2048.
-
- Westenberg JJ, van der Geest RJ, Lamb HJ, et al.** *MRI to evaluate left atrial and ventricular reverse remodeling after restrictive mitral annuloplasty in dilated cardiomyopathy.*
Circulation. 2005;112(9 suppl):I437-I442.
-

Bibliography of One Hundred Key Papers

- White JB, Razmi R, Nath H, Kay GN, Plumb VJ, Epstein AE.** *Relative utility of magnetic resonance imaging and right ventricular angiography to diagnose arrhythmogenic right ventricular cardiomyopathy.*
J Interv Card Electrophysiol. 2004;10:19-26.
-
- Wolff SD, Schwitter J, Coulden R, et al.** *Myocardial first-pass perfusion magnetic resonance imaging: a multicenter dose-ranging study.*
Circulation. 2004;110:732-737.
-
- Wood JC.** *Anatomical assessment of congenital heart disease.*
J Cardiovasc Magn Reson. 2006;8:595-606.
-
- Yokoyama K, Nitatori T, Kanke N, Suzuki S.** *Efficacy of cardiac MRI in the evaluation of ischemic heart disease.*
Magn Reson Med Sci. 2006;5:33-40.
-
- Zimmermann O, Grebe O, Merkle N, et al.** *Myocardial biopsy findings and gadolinium enhanced cardiovascular magnetic resonance in dilated cardiomyopathy.*
Eur J Heart Fail. 2006;8:162-166.
-