

Hypertension: Cross-Talk Between the Brain and Other Organs

Bibliography of One Hundred Key Papers

selected by **Julian F. Paton, PhD**

Bristol Heart Institute - University of Bristol - Bristol - UK

-
- Allen AM.** *Inhibition of the hypothalamic paraventricular nucleus in spontaneously hypertensive rats dramatically reduces sympathetic vasomotor tone.*
Hypertension. 2002;39:275-280.
-
- Anrep GV, Pascual W, Rössler R.** *Respiratory variations of the heart rate. II. The central mechanism of the sinus arrhythmia and the inter-relationship between central and reflex mechanism.*
Proc Roy Soc Lond. 1936;119(Series B):218-230.
-
- Barrett CJ, Ramchandra R, Guild SJ, Lala A, Budgett DM, Malpas SC.** *What sets the long-term level of renal sympathetic nerve activity; a role for angiotensin II and baroreflexes?*
Circ Res. 2003;92:1330-1336.
-
- Benarroch EE.** *Paraventricular nucleus, stress response, and cardiovascular disease.*
Clin Auton Res. 2005;15:254-263.
-
- Blessing WW.** *Depressor neurons in rabbit caudal medulla act via GABA receptors in rostral medulla.*
Am J Physiol. 1988;254:H686-H692.
-
- Blessing WW.** *Chapter Five. In: Blessing WW, ed. **The Lower Brainstem and Bodily Homeostasis.** New York, NY: Oxford University Press; 1997:165-268.*
-
- Boscan P, Kasparov S, Paton JFR.** *Somatic nociception activates NK1 receptors in the nucleus tractus solitarius to attenuate the baroreceptor cardiac reflex.*
Eur J Neurosci. 2002;16:907-920.
-
- Braga VA, Paton JFR, Machado BM.** *Ischemia-induced sympathoexcitation in spinalized rats.*
Neurosci Lett. 2007;415:73-76.
-
- Bristow JD, Honour AJ, Pickering GW, Sleight P, Smyth HS.** *Diminished baroreflex sensitivity in high blood pressure.*
Circulation. 1969;39:48-54.
-
- Brooks VL, Haywood JR, Johnson AK.** *Translation of salt retention to central activation of the sympathetic nervous system in hypertension.*
Clin Exp Pharmacol Physiol. 2005;32:426-432.
-
- Cao WH, Morrison SF.** *Glutamate receptors in the raphe pallidus mediate brown adipose tissue thermogenesis evoked by activation of dorsomedial hypothalamic neurons.*
Neuropharmacol. 2006;51:426-437.
-

Bibliography of One Hundred Key Papers

- Charkoudian N, Joyner MJ, Johnson CP, Eisenach JH, Dietz NM, Wallin BG.** *Balance between cardiac output and sympathetic nerve activity in resting humans: role in arterial pressure regulation.* **J Physiol.** 2005;568:315-321.
-
- Chau D, Johns DG, Schramm LP.** *Ongoing and stimulus-evoked activity of sympathetically correlated neurons in the intermediate zone and dorsal horn of acutely spinalized rats.* **J Neurophysiol.** 2000;83:2699-2707.
-
- Cochrane KL, Nathan MA.** *Pressor systems involved in the maintenance of arterial pressure after lesions of the rostral ventrolateral medulla.* **J Auton Nerv Syst.** 1994;46:9-18.
-
- Coote JH.** *A role for the paraventricular nucleus of the hypothalamus in the autonomic control of heart and kidney.* **Exp Physiol.** 2005;90:169-173.
-
- Cushing H.** *Concerning a definitive regulatory mechanism of the vaso-motor centre which controls blood pressure during cerebral compression.* **Bull Johns Hopk Hosp.** 1901;12:290-292.
-
- Dampney RA, Goodchild AK, Robertson LG, Montgomery W.** *Role of ventrolateral medulla in vasomotor regulation: a correlative anatomical and physiological study.* **Brain Res.** 1982;249:223-235.
-
- Dampney RA, Horiuchi J, Tagawa T, Fontes MA, Potts PD, Polson JW.** *Medullary and supramedullary mechanisms regulating sympathetic vasomotor tone.* **Acta Physiol Scand.** 2003;177:209-218.
-
- Dampney RA, McAllen RM.** *Differential control of sympathetic fibres supplying hindlimb skin and muscle by subretrofacial neurones in the cat.* **J Physiol.** 1988;395:41-56.
-
- Davrath LR, Goren Y, Pinhas I, Toledo E, Akselrod S.** *Early autonomic malfunction in normotensive individuals with a genetic predisposition to essential hypertension.* **Am J Physiol.** 2003;285:H1697-H1704.
-
- De Burgh DM.** *Peripheral arterial chemoreceptors and respiratory-cardiovascular integration.* Oxford, England: Clarendon Press; 1997:46. Monographs of the Physiological Society.
-
- Dembowsky K, Czachurski J, Seller H.** *Three types of sympathetic preganglionic neurones with different electrophysiological properties are identified by intracellular recordings in the cat.* **Pflugers Arch.** 1986;406:112-120.
-
- Deuchars J, Li YW, Kasparov S, Paton JFR.** *Morphological and electrophysiological properties of neurones in the dorsal vagal complex of the rat activated by arterial baroreceptors.* **J Comp Neurol.** 2000;417:233-249.
-
- Deuchars SA, Morrison SF, Gilbey MP.** *Medullary stimulation elicits EPSPs in neonatal rat sympathetic preganglionic neurones in vitro.* **J Physiol.** 1995;487:453-463.
-
- Dickinson CJ.** *Cerebral oxidative metabolism in essential hypertension: a meta-analysis.* **Hypertens.** 1995;13:653-658.
-



-
- Doba N, Reis DJ.** *Acute fulminating neurogenic hypertension produced by brainstem lesions in the rat.*
Circ Res. 1973;32:54-53.
-
- Eckberg DL, Rea RF, Andersson OK, et al.** *Baroreflex modulation of sympathetic activity and sympathetic neurotransmitters in humans.*
Acta Physiol Scand. 1988;133:221-231.
-
- Esler M, Kaye D.** *Sympathetic nervous system activation in essential hypertension, cardiac failure and psychosomatic heart disease.*
J Cardiovasc Pharmacol. 2000;35:S1-S7.
-
- Francis J, Zhang ZH, Weiss RM, Felder RB.** *Neural regulation of the proinflammatory cytokine response to acute myocardial infarction.*
Am J Physiol. 2004;287:H791-H797.
-
- Fukuda S, Yasu T, Kobayashi N, Ikeda N, Schmid-Schonbein GW.** *Contribution of fluid shear response in leukocytes to hemodynamic resistance in the spontaneously hypertensive rat.*
Circ Res. 2004;95:100-108.
-
- Gatti PJ, Johnson TA, Massari VJ.** *Can neurons in the nucleus ambiguus selectively regulate cardiac rate and atrio-ventricular conduction?*
J Auton Nerv Syst. 1996;57:123-127.
-
- Gilbey MP, Jordan D, Richter DW, Spyer KM.** *Synaptic mechanisms involved in the inspiratory modulation of vagal cardio-inhibitory neurons in the cat.*
J Physiol. 1984;356:65-78.
-
- Grassi G.** *Counteracting the sympathetic nervous system in essential hypertension.*
Curr Opin Nephrol Hypertens. 2004;13:513-519.
-
- Grassi G.** *Sympathetic and baroreflex function in hypertension: implications for current and new drugs.*
Curr Pharm Des. 2004;10:3579-3589.
-
- Grassi G, Seravalle G, Quarti-Trevano F, et al.** *Excessive sympathetic activation in heart failure with obesity and metabolic syndrome: characteristics and mechanisms.*
Hypertension. 2007;49:535-541.
-
- Guertzenstein PG, Silver A.** *Fall in blood pressure produced from discrete regions of the ventral surface of the medulla by glycine and lesions.*
J Physiol. 1974;242:489-503.
-
- Guyenet PG.** *The sympathetic control of blood pressure.*
Nat Rev Neurosci. 2006;7:335-346.
-
- Guyenet PG, Stornetta RL, Weston MC, McQuiston T, Simmons JR.** *Detection of amino acid and peptide transmitters in physiologically identified brainstem cardiorespiratory neurons.*
Auton Neurosci. 2004;114:1-10.
-
- Hajduczuk G, Chappleau MW, Abboud FM.** *Rheoreceptors in the carotid sinus of dog.*
Proc Natl Acad Sci. 1988;85:7399-7403.
-

Bibliography of One Hundred Key Papers

- Ito S, Komatsu K, Tsukamoto K, Kanmatsuse K, Sved AF.** *Ventrolateral medulla AT1 receptors support blood pressure in hypertensive rats.* **Hypertension.** 2002;40:552-559.
-
- Ito S, Sved AF.** *Tonic glutamate-mediated control of rostral ventrolateral medulla and sympathetic vasomotor tone.* **Am J Physiol.** 1997;273:R487-R494.
-
- Izdebska E, Cybulska I, Izdebski J, Makowiecka-Ciesla M, Trzebski A.** *Effects of moderate physical training on blood pressure variability and hemodynamic pattern in mildly hypertensive subjects.* **J Physiol Pharmacol.** 2004;55:713-724.
-
- Jänig W.** *The Integrative Action of the Autonomic Nervous System: Neurobiology of Homeostasis.* Cambridge, England: Cambridge University Press; 2006.
-
- Jänig W, Häbler HJ.** *Neurophysiological analysis of target related sympathetic pathways—from animal to humans: similarities and differences.* **Acta Physiol Scand.** 2003;177:255-274.
-
- Jansen ASP, Nguyen XV, Karpitskiy V, Mettenleiter TC, Loewy AD.** *Central command neurons of the sympathetic nervous system: basis of the fight-or-flight response.* **Science.** 1995;270:644-646.
-
- Jeske I, Morrison SF, Cravo SL, Reis DJ.** *Identification of baroreceptor reflex interneurons in the caudal ventrolateral medulla.* **Am J Physiol.** 1993;264:R169-R178.
-
- Jones JFX, Wang Y, Jordan D.** *Heart rate responses to selective stimulation of cardiac vagal C fibres in anaesthetized cats, rats and rabbits.* **J Physiol.** 1995;489:203-214.
-
- Jordan D.** *Autonomic changes in affective behaviour. In: Loewy AD, Spyer KM, eds. Central Regulation of Autonomic Functions.* New York, NY: Oxford University Press; 1990:349-366.
-
- Jordan D, Mifflin SW, Spyer KM.** *Hypothalamic inhibition of neurones in the nucleus tractus solitarius of the cat is GABA mediated.* **J Physiol.** 1988;399:389-404.
-
- Koshiya N, Guyenet PG.** *NTS neurons with carotid chemoreceptor inputs arborize in the rostral ventrolateral medulla.* **Am J Physiol.** 1996;270:R1273-R1288.
-
- Li YW, Dampney RA.** *Expression of Fos-like protein in brain following sustained hypertension and hypotension in conscious rabbits.* **Neuroscience.** 1994;61:613-634.
-
- Lipski J, Kanjhan R, Kruszezwska B, Rong W.** *Properties of presympathetic neurones in the rostral ventrolateral medulla in the rat: an intracellular study in vivo.* **J Physiol.** 1996;490:729-744.
-
- Lohmeier TE, Irwin ED, Rossing MA, Serdar DJ, Kieval RS.** *Prolonged activation of the baroreflex produces sustained hypotension.* **Hypertension.** 2004;43:306-311.
-
- Mandel DA, Schreihofner AM.** *Central respiratory modulation of barosensitive neurones in rat caudal ventrolateral medulla.* **J Physiol.** 2006;572:881-896.
-



-
- Mann SJ.** *Neurogenic essential hypertension revisited: the case for increased clinical and research attention.*
Am J Hypertens. 2003;16:881-888.
-
- Marina N, Taheri M, Gilbey MP.** *Generation of a physiological sympathetic motor rhythm in the rat following spinal application of 5-HT.*
J Physiol. 2006;571:441-450.
-
- Michelini LC.** *Differential effects of vasopressinergic and oxytocinergic pre-autonomic neurons on circulatory control: reflex mechanisms and changes during exercise.*
Clin Exp Pharmacol Physiol. 2007;34:369-376.
-
- Minson JB, Arnolda LF, Llewellyn-Smith IJ.** *Neurochemistry of nerve fibers apposing sympathetic preganglionic neurons activated by sustained hypotension.*
J Comp Neurol. 2002;449:307-318.
-
- Monti J, Schinke M, Bohm M, Ganten D, Bader M, Bricca G.** *Glial angiotensinogen regulates brain angiotensin II receptors in transgenic rats TGR(ASrAOGEN).*
Am J Physiol. 2001;280:R233-R240.
-
- Morrison SF.** *Central pathways controlling brown adipose tissue thermogenesis.*
News Physiol Sci. 2004;19:67-74.
-
- Neumann SA, Jennings JR, Muldoon MF, Manuck SB.** *White-coat hypertension and autonomic nervous system dysregulation.*
Am J Hypertens. 2005;18:584-588.
-
- Paton JFR, Boscan P, Pickering AE, Nalivaiko E.** *The yin and yang of cardiac autonomic control: vago-sympathetic interactions revisited.*
Brain Res Rev. 2005;49:555-565.
-
- Paton JFR, Deuchars J, Ahmad Z, Wong LF, Murphy D, Kasparov S.** *Adeno viral vector demonstrates that angiotensin II induced depression of the cardiac baroreflex is mediated by endothelial nitric oxide synthase in the nucleus tractus solitarii.*
J Physiol. 2001;531:445-458.
-
- Paton JFR, Kasparov S, Paterson DJ.** *Site-specific differential modulation of cardiac autonomic control by nitric oxide.*
TINS. 2002;25:626-631.
-
- Paton JFR, Li YW, Schwaber JS.** *Response properties of baroreceptive NTS neurones.*
Ann New York Acad Sci. 2001;940:157-168.
-
- Paton JFR, Lonergan T, Deuchars J, James PE, Kasparov S.** *Detection of angiotensin II mediated nitric oxide release within the nucleus of the solitary tract using electron-paramagnetic resonance (epr) spectroscopy.*
Auton Neurosci Basic Clin. 2006;126-127:193-201.
-
- Paton JFR, Waki H, Abdala APL, Dickinson CJ, Kasparov S.** *Vascular-brain signaling in hypertension: role of angiotensin II and nitric oxide.*
Curr Hyperten Rep. 2007;9:242-247.
-
- Phillips MI, Mann JFE, Hideyuki H, et al.** *Lowering of hypertension by central saralasin in the absence of plasma renin.*
Nature. 1977;270:445-447.
-
- Pilowsky PM, Goodchild AK.** *Baroreceptor reflex pathways and neurotransmitters: 10 years on.*
J Hypertens. 2002;20:1675-1688.
-

Bibliography of One Hundred Key Papers

- Potts JT, Paton JFR, Mitchell JH, et al. *Contraction-sensitive skeletal muscle afferents inhibit arterial baroreceptor signalling in the nucleus of the solitary tract: role of intrinsic GABA interneurons.* **Neuroscience.** 2003;119:201-214.
-
- Raven PB, Fadel PJ, Ogoh S. *Arterial baroreflex resetting during exercise: a current perspective.* **Exp Physiol.** 2006;91:37-49.
-
- Sampaio KN, Mauad H, Spyer KM, Ford TW. *Differential chronotropic and dromotropic responses to focal stimulation of cardiac vagal ganglia in the rat.* **Exp Physiol.** 2003;88:315-327.
-
- Santos RA, Ferreira AJ, Pinheiro SV, Sampaio WO, Touyz R, Campagnole-Santos MJ. *Angiotensin (1-7) and its receptor as a potential target for new cardiovascular drugs.* **Expert Opin Investig Drugs.** 2005;14:1019-1031.
-
- Schlaich MP, Lambert E, Kaye DM, et al. *Sympathetic augmentation in hypertension: role of nerve firing, norepinephrine reuptake, and angiotensin neuromodulation.* **Hypertension.** 2004;43:169-175.
-
- Schramm LP, Strack AM, Platt KB, Loewy AD. *Peripheral and central pathways regulating the kidney: a study using pseudorabies virus.* **Brain Res.** 1993;616:251-262.
-
- Schreihofner AM, Guyenet PG. *The baroreflex and beyond: control of sympathetic vasomotor tone by GABAergic neurons in the ventrolateral medulla.* **Clin Exp Pharmacol Physiol.** 2002;29:514-521.
-
- Schreihofner AM, Guyenet PG. *Baro-activated neurons with pulse-modulated activity in the rat caudal ventrolateral medulla express GAD67 mRNA.* **J Neurophysiol.** 2003;89:1265-1277.
-
- Schreihofner AM, Stornetta RL, Guyenet PG. *Regulation of sympathetic tone and arterial pressure by rostral ventrolateral medulla after depletion of C1 cells in rat.* **J Physiol.** 2000;529:221-236.
-
- Seagard JL, Hopp FA, Drummond HA, Van Wynsberghe DM. *Selective contribution of two types of carotid sinus baroreceptors to the control of blood pressure.* **Circ Res.** 1993;72:1011-1022.
-
- Sendeski MM, Consolim-Colombo FM, Leite CC, Rubira MC, Lessa P, Krieger EM. *Increased sympathetic nerve activity correlates with neurovascular compression at the rostral ventrolateral medulla.* **Hypertension.** 2006;47:988-995.
-
- Seyedabadi M, Goodchild AK, Pilowsky PM. *Differential role of kinases in brain stem of hypertensive and normotensive rats.* **Hypertension.** 2001;38:1087-1092.
-
- Seyedabadi M, Li Q, Padley JR, Pilowsky PM, Goodchild AK. *A novel pressor area at the medullo-cervical junction that is not dependent on the RVLM: efferent pathways and chemical mediators.* **J Neurosci.** 2006;26:5420-5427.
-
- Simms AE, Paton JFR, Pickering AE. *Hierarchical recruitment of the sympathetic and parasympathetic limbs of the baroreflex in normotensive and spontaneously hypertensive rats.* **J Physiol.** 2007;579:473-486.
-



-
- Smith OA, Astley CA.** *Naturally occurring hypertension in New World nonhuman primates: potential role of the perifornical hypothalamus.*
Am J Physiol. 2007;292:R937-R945.
-
- Smith PA, Graham LN, Mackintosh AF, Stoker JB, Mary DA.** *Sympathetic neural mechanisms in white-coat hypertension.*
J Am Coll Cardiol. 2002;40:126-132.
-
- Smith PA, Graham LN, Mackintosh AF, Stoker JB, Mary DA.** *Relationship between central sympathetic activity and stages of human hypertension.*
Am J Hypertens. 2004;17:217-222.
-
- Spanswick D, Logan SD.** *Sympathetic preganglionic neurones in neonatal rat spinal cord in vitro: electrophysiological characteristics and the effects of selective excitatory amino acid receptor agonists.*
Brain Res. 1990;525:181-188.
-
- Spyer KM.** *Annual Review Prize Lecture: central nervous mechanisms contributing to cardiovascular control.*
J Physiol. 1994;474:1-19.
-
- Standish A, Enquist LW, Schwaber JS.** *Innervation of the heart and its central medullary origin defined by viral tracing.*
Science. 1994;263:232-234.
-
- Stocker SD, Hunwick KJ, Toney GM.** *Hypothalamic paraventricular nucleus differentially supports lumbar and renal sympathetic outflow in water-deprived rats.*
J Physiol. 2005;563:249-263.
-
- Strack AM, Sawyer WB, Hughes JH, Platt KB, Loewy AD.** *A general pattern of CNS innervation of the sympathetic outflow demonstrated by transneuronal pseudorabies viral infections.*
Brain Res. 1989;491:156-162.
-
- Struck J, Muck P, Trubger D, et al.** *Effects of selective angiotensin II receptor blockade on sympathetic nerve activity in primary hypertensive subjects.*
J Hypertens. 2002;20:1143-1149.
-
- Sun MK, Young BS, Hackett JT, Guyenet PG.** *Rostral ventrolateral medullary neurons with intrinsic pacemaker properties are not catecholaminergic.*
Brain Res. 1988;451:345-349.
-
- Sved AF.** *PNMT-containing catecholaminergic neurons are not necessarily adrenergic.*
Brain Res. 1989;481:113-118.
-
- Sved AF, Ito S, Sved JC.** *Brainstem mechanisms of hypertension: role of the rostral ventrolateral medulla.*
Curr Hypertens Rep. 2003;5:262-268.
-
- Thayer JF, Lane RD.** *The role of vagal function in the risk for cardiovascular disease and mortality.*
Biol Psychol. 2007;74:224-242.
-
- Thrasher TN.** *Unloading arterial baroreceptors causes neurogenic hypertension.*
Am J Physiol. 2002;282:R1044-R1053.
-
- Veerasingham SJ, Yamazato M, Berecek KH, Wyss JM, Raizada MK.** *Increased PI3-kinase in presympathetic brain areas of the spontaneously hypertensive rat.*
Circ Res. 2005;96:277-289.
-

Bibliography of One Hundred Key Papers

- Villareal RP, Liu BC, Massumi A.** *Heart rate variability and cardiovascular mortality.*
Curr Atheroscler Rep. 2002;4:120-127.
-
- Waki H, Liu B, Miyake M, et al.** *Junctional adhesion molecule-1 is upregulated in spontaneously hypertensive rats: evidence for a prohypertensive role within the brain stem.*
Hypertension. 2007;49:1321-1327.
-
- Waki H, Murphy D, Yao ST, Kasparov S, Paton JFR.** *Endothelial nitric oxide synthase in the nucleus tractus solitarii contributes to the hypertension in the spontaneously hypertensive rat.*
Hypertension. 2006;48:644-650.
-
- Wallin BG, Elam M.** *Insights from intraneural recordings of sympathetic nerve traffic in humans.*
News Physiol Sci. 1994;9:203-207.
-
- Wang S, Paton JFR, Kasparov S.** *Differential sensitivity of excitatory and inhibitory synaptic transmission to modulation by nitric oxide in the nucleus tractus solitarii.*
Exp Physiol. 2007;92:371-382.
-
- Wang S, Teschemacher AG, Paton JF, Kasparov S.** *Mechanism of nitric oxide action on inhibitory GABAergic signaling within the nucleus tractus solitarii.*
FASEB J. 2006;20:1537-1549.
-
- Weston M, Wang H, Stornetta RL, Sevigny CP, Guyenet PG.** *Fos expression by glutamatergic neurons of the solitary tract nucleus after phenylephrine-induced hypertension in rats.*
J Comp Neurol. 2003;460:525-541.
-
- Yamazato M, Yamazato Y, Sun C, Diez-Freire C, Raizada MK.** *Overexpression of angiotensin-converting enzyme 2 in the rostral ventrolateral medulla causes long-term decrease in blood pressure in the spontaneously hypertensive rats.*
Hypertension. 2007;49:926-931.
-
- Zhang J, Mifflin SW.** *Responses of aortic depressor nerve-evoked neurones in rat nucleus of the solitary tract to changes in blood pressure.*
J Physiol. 2000;529:431-443.
-
- Zheng H, Li YF, Cornish KG, Zucker IH, Patel KP.** *Exercise training improves endogenous nitric oxide mechanisms within the paraventricular nucleus in rats with heart failure.*
Am J Physiol. 2005;288:H2332-H2341.
-
- Zimmerman MC, Lazartigues E, Lang JA, et al.** *Superoxide mediates the actions of angiotensin II in the central nervous system.*
Circ Res. 2002;91:1038-1045.
-
- Zoccal DB, Bonagamba LG, Oliveira FR, Antunes-Rodrigues J, Machado BH.** *Increased sympathetic activity in rats submitted to chronic intermittent hypoxia.*
Exp Physiol. 2007;92:79-85.
-
- Zucker IH.** *Novel mechanisms of sympathetic regulation in chronic heart failure.*
Hypertension. 2006;48:1005-1011.
-